

Feuille1

AREA TESTED	DESCRIPTION OF TEST	DESCRIPTION DE L'ESSAI	TEST NAME	DEFAULT SCORES (local, net, with bayes, with bayes+net)
body	Generic Test for Unsolicited Bulk Email	Test générique pour les courriers électroniques indésirables	GTUBE	1000.000
body	Incorporates a tracking ID number	Intègre un numéro de suivi	TRACKER_ID	2.026 1.102 1.750 1.306
body	Weird repeated double-quotation marks	Weird répétées guillemets doubles	WEIRD_QUOTING	0.001 0.001 0.001 0.001
body	Body contains a ROT13-encoded email address	Corps contient une adresse e-mail codé ROT13	EMAIL_ROT13	1
body	HTML and text parts are different	HTML et de textes sont différents	MPART_ALT_DIFF	2.246 0.724 0.595 0.790
body	HTML and text parts are different	HTML et de textes sont différents	MPART_ALT_DIFF_COUNT	2.799 1.483 1.199 1.112
body	Message body has 80-90% blank lines	Corps du message a 80-90% des lignes vides	BLANK_LINES_80_90	1
body	eval:check_ma_non_text()	eval: check_ma_non_text ()	MULTIPART_ALT_NON_TEXT	1
body	Character set indicates a foreign language	Jeu de caractères indique une langue étrangère	CHARSET_FARAWAY	29/02/00
rawbody	Extra blank lines in base64 encoding	lignes vides dans l'encodage base64	MIME_BASE64_BLANKS	0.001 0.001 0.001 0.001
rawbody	Message text disguised using base64 encoding	Message texte déguisée en utilisant l'encodage base64	MIME_BASE64_TEXT	0.001 0.001 0.001 1.741
body	Missing blank line between MIME header and body	Missing ligne blanche entre en-tête MIME et le corps	MISSING_MIME_HB_SEP	0.001 0.001 0.001 0.001
body	Multipart message mostly text/html MIME	message Multipart principalement du texte / MIME html	MIME_HTML_MOSTLY	0.354 0.001 0.725 0.428
body	Message only has text/html MIME parts	Message n'a text / html parties MIME	MIME_HTML_ONLY	2.199 1.105 1.199 0.723
rawbody	Quoted-printable line longer than 76 chars	ligne Quoted-printable de plus de 76 caractères	MIME_QP_LONG_LINE	0.001
body	MIME character set is an unknown ISO charset	MIME est un jeu de caractères charset ISO inconnue	MIME_BAD_ISO_CHARSET	1
body	IP to HTTPS link found in HTML	IP vers HTTPS lien qui se trouve en HTML	HTTPS_IP_MISMATCH	1
body	Message contained a URI which was truncated	Message contenait un URI qui a été tronquée	URI_TRUNCATED	0.001
header	Passed through trusted hosts only via SMTP	Adoption par des hôtes de confiance uniquement via SMTP	ALL_TRUSTED	-1.000
header	Informational: message was not relayed via SMTP	Information: message n'a pas été relayé via SMTP	NO_RELAYS	-0.001
header	NJABL: sender is confirmed open relay	NJABL: l'expéditeur est confirmée relais ouvert	RCVD_IN_NJABL_RELAY	0 1.881 0 2.499
header	NJABL: sender is confirmed spam source	NJABL: l'expéditeur est confirmée source de spam	RCVD_IN_NJABL_SPAM	0 1.466 0 1.249
header	NJABL: sent through multi-stage open relay	NJABL: envoyé par plusieurs étapes de relais ouvert	RCVD_IN_NJABL_MULTI	1
header	NJABL: sender is an open formmail	NJABL: l'expéditeur est un formmail ouverte	RCVD_IN_NJABL_CGI	1
header	NJABL: sender is an open proxy	NJABL: l'expéditeur est un proxy ouvert	RCVD_IN_NJABL_PROXY	0 0.208 0 2.224
header	SORBS: sender is open HTTP proxy server	SORBS: l'expéditeur est ouvert serveur proxy HTTP	RCVD_IN_SORBS_HTTP	0 2.499 0 0.001
header	SORBS: sender is open SOCKS proxy server	SORBS: l'expéditeur est ouverte serveur proxy SOCKS	RCVD_IN_SORBS SOCKS	0 2.443 0 1.927
header	SORBS: sender is open proxy server	SORBS: l'expéditeur est le serveur proxy ouvert	RCVD_IN_SORBS_MISC	1
header	SORBS: sender is open SMTP relay	SORBS: l'expéditeur est ouvert de relais SMTP	RCVD_IN_SORBS SMTP	1
header	SORBS: sender is an abusable web server	SORBS: l'expéditeur est un serveur web abus évidents	RCVD_IN_SORBS_WEB	0 0.614 0 0.770
header	SORBS: sender demands to never be tested	SORBS: demandes expéditeur de ne jamais être testé	RCVD_IN_SORBS_BLOCK	1
header	SORBS: sender is on a hijacked network	SORBS: l'expéditeur est sur un réseau détourné	RCVD_IN_SORBS_ZOMBIE	1
header	SORBS: sent directly from dynamic IP address	SORBS: envoyé directement à partir de l'adresse IP dynamique	RCVD_IN_SORBS_DUL	0 0.001 0 0.001
header	Received via a relay in Spamhaus SBL	Reçu via un relais dans Spamhaus SBL	RCVD_IN_SBL	0 2.596 0 0.141
header	Received via a relay in Spamhaus XBL	Reçu via un relais dans Spamhaus XBL	RCVD_IN_XBL	0 0.724 0 0.375
header	Received via a relay in Spamhaus PBL	Reçu via un relais dans Spamhaus PBL	RCVD_IN_PBL	0 3.558 0 3.335

Feuille1

header	Envelope sender in dsn.rfc-ignorant.org	expéditeur de l'enveloppe dans dsn.rfc-ignorant.org	DNS_FROM_RFC_DSN	0 0.001 0 0.001
header	Envelope sender in bogusmx.rfc-ignorant.org	expéditeur de l'enveloppe dans bogusmx.rfc-ignorant.org	DNS_FROM_RFC_BOGUSMX	0 1.464 0 1.668
header	Envelope sender listed in dnsbl.ahbl.org	expéditeur de l'enveloppe énumérés dans dnsbl.ahbl.org	DNS_FROM_AHBL_RHSBL	0 2.438 0 2.699
header	Received via a relay in bl.spamcop.net	Reçu via un relais dans bl.spamcop.net	RCVD_IN_BL_SPAMCOP_NET	0 1.246 0 1.347
header	Relay in RBL, http://www.mail-abuse.com/enduserinfo_rbl.html	Relais de RBL, http://www.mail-abuse.com/enduserinfo_rbl.html	RCVD_IN_MAPS_RBL	1
header	Relay in DUL, http://www.mail-abuse.com/enduserinfo_dul.html	Relais dans DUL, http://www.mail-abuse.com/enduserinfo_dul.html	RCVD_IN_MAPS_DUL	1
header	Relay in RSS, http://www.mail-abuse.com/enduserinfo_rss.html	Relais de RSS, http://www.mail-abuse.com/enduserinfo_rss.html	RCVD_IN_MAPS_RSS	1
header	Relay in OPS, http://www.mail-abuse.com/enduserinfo_ops.html	Relais à l'OPS, http://www.mail-abuse.com/enduserinfo_ops.html	RCVD_IN_MAPS_OPS	1
header	Relay in NML, http://www.mail-abuse.com/enduserinfo_nml.html	Relais de LNM, http://www.mail-abuse.com/enduserinfo_nml.html	RCVD_IN_MAPS_NML	1
header	ISIPP IADB lists as vouched-for sender	ISIPP BID listes que garant de l'expéditeur-	RCVD_IN_IADB_VOUCHED	0 -2.2 0 -2.2
header	Subject contains a gappy version of 'cialis'	Sous réserve contient une version Gappy de «cialis»	SUBJECT_DRUG_GAP_C	2.108 0.989 1.348 2.140
header	Subject contains a gappy version of 'levitra'	Sous réserve contient une version Gappy de «levitra '	SUBJECT_DRUG_GAP_L	2.799 2.304 1.402 1.561
header	Subject contains a gappy version of 'soma'	Sous réserve contient une version Gappy de «soma»	SUBJECT_DRUG_GAP_S	1
header	Subject contains a gappy version of 'valium'	Sous réserve contient une version Gappy de «valium»	SUBJECT_DRUG_GAP_VA	1
header	Subject contains a gappy version of 'xanax'	Sous réserve contient une version de Gappy 'xanax'	SUBJECT_DRUG_GAP_X	1
body	Talks about price per dose	Les pourparlers sur le prix par dose	DRUG_DOSAGE	1
body	Mentions an E.D. drug	Mentions une drogue ED	DRUG_ED_CAPS	2.799 1.023 2.516 0.936
body	Talks about an E.D. drug using its chemical name	Parle d'un médicament d'urgence en utilisant son nom chimique	DRUG_ED_SILD	0.001 0.170 0.113 1.794
body	Mentions Generic Viagra	Mentions Viagra générique	DRUG_ED_GENERIC	1
body	Fast Viagra Delivery	Livraison rapide Viagra	DRUG_ED_ONLINE	0.696 1.152 1.221 0.608
body	Online Pharmacy	Pharmacie en ligne	ONLINE_PHARMACY	0.843 2.371 0.008 0.650
body	No prescription needed	Aucune prescription n'est nécessaire	NO_PRESCRIPTION	1.915 1.102 2.280 2.399
body	Attempts to disguise the word 'viagra'	Les tentatives visant à dissimuler «viagra» le mot	VIA_GAP_GRA	1
body	Two or more drugs crammed together into one word	Deux ou plusieurs médicaments entassés en un seul mot	DRUGS_SMEAR1	3.300 2.051 3.148 0.235
header	Relay HELO'd with suspicious hostname (mail.com)	Relais HELO'd avec hostname suspects (mail.com)	FAKE_HELO_MAIL_COM_DOM	1.887 0.152 1.370 2.136
header	Relay HELO'd using suspicious hostname (Rogers)	Relais HELO'd en utilisant le nom d'hôte suspects (Rogers)	HELO_DYNAMIC_ROGERS	1
header	Relay HELO'd using suspicious hostname (T-Dialin)	Relais HELO'd nom d'hôte à l'aide suspects (T-Dialin)	HELO_DYNAMIC_DIALIN	2.629 3.233 2.186 1.366
header	Relay HELO'd using suspicious hostname (Hex IP)	Relais HELO'd en utilisant le nom d'hôte suspects (Hex IP)	HELO_DYNAMIC_HEXIP	2.321 0.511 1.773 1.789
header	Relay HELO'd using suspicious hostname (Split IP)	Relais HELO'd en utilisant le nom d'hôte suspects (Split IP)	HELO_DYNAMIC_SPLIT_IP	3.031 2.893 4.225 3.482
header	Relay HELO'd using suspicious hostname (IP addr 2)	Relais HELO'd en utilisant le nom d'hôte suspects (IP addr 2)	HELO_DYNAMIC_IPADDR2	2.815 3.888 3.728 3.607
header	Relay HELO'd using suspicious hostname (Chello.nl)	Relais HELO'd en utilisant le nom d'hôte suspects (Chello.nl)	HELO_DYNAMIC_CHELLO_NL	2.412 1.918 2.019 2.428
header	Relay HELO'd using suspicious hostname (Home.nl)	Relais HELO'd en utilisant le nom d'hôte suspects (Home.nl)	HELO_DYNAMIC_HOME_NL	2.385 1.530 1.024 1.459
header	Sender email is freemail	email de l'expéditeur est freemail	FREEMAIL_FROM	0.001
header	Envelope-from freemail username ends in digit	Enveloppe de nom d'utilisateur freemail se termine en chiffres	FREEMAIL_ENVFROM_END_DIGIT	2.602 2.223 1.770 1.553
header	Reply-To freemail username ends in digit	Reply-To freemail extrémités nom d'utilisateur dans chiffres	FREEMAIL_REPLYTO_END_DIGIT	1.221 0.980 1.179 1.151
header	Partial message	message partiel	FRAGMENTED_MESSAGE	1

Feuille1

header	From: contains empty name	De: contient le nom vide	FROM_BLANK_NAME	2.099 2.099 2.099 0.723
header	From: starts with many numbers	De: commence avec de nombreux chiffres	FROM_STARTS_WITH_NUMS	2.801 0.553 1.201 0.738
header	From address is "at something-offers"	Partir de l'adresse est «quelque chose-offre»	FROM_OFFERS	2.699 2.699 2.510 2.699
header	From: has no local-part before @ sign	De: n'a pas de partie locale avant @ signe	FROM_NO_USER	0.001 2.599 0.019 0.798
header	Spam tool Message-Id: (caps variant)	outil de Spam Message-Id: (variante caps)	MSGID_SPAM_CAPS	2.366 1.997 3.099 3.099
header	Spam tool Message-Id: (letters variant)	outil de Spam Message-Id: (variante de lettres)	MSGID_SPAM_LETTERS	1
header	Message-ID has ALLCAPS@yahoo.com	Message-ID a ALLCAPS@yahoo.com	MSGID_YAHOO_CAPS	0.797 1.413 2.278 1.411
header	Message-ID is unusually short	Message-ID est exceptionnellement court	MSGID_SHORT	0.001 0.337 0.001 0.001
header	Message-ID contains multiple '@' characters	Message-ID contient plusieurs caractère '@'	MSGID_MULTIPLE_AT	0.001
header	Date header uses unusual Y2K formatting	Date de mise en en-tête utilise Y2K inhabituel	DATE_SPAMWARE_Y2K	1
header	Invalid Date: header (not RFC 2822)	Blancs Date: en-tête (pas RFC 2822)	INVALID_DATE	1.701 0.432 1.200 1.096
header	Invalid Date: header (timezone does not exist)	Blancs Date: header (fuseau horaire n'existe pas)	INVALID_DATE_TZ_ABSURD	0.262 0.632 0.706 0.491
header	Invalid date in header (wrong CST timezone)	Date non valide en-tête (fuseau horaire CST tort)	INVALID_TZ_CST	1
header	Invalid date in header (wrong EST timezone)	Date non valide en-tête (fuseau horaire EST tort)	INVALID_TZ_EST	1
header	Subject contains an English UCE tag	Sous réserve contient une balise anglais UCE	ENGLISH_UCE_SUBJECT	0.953 1.542 2.569 2.899
header	Subject contains a Japanese UCE tag	Sous réserve contient une balise UCE japonais	JAPANESE_UCE_SUBJECT	1
header	Subject: contains Korean unsolicited email tag	Objet: contient coréenne tag courriels non sollicités	KOREAN_UCE_SUBJECT	1
header	Contains forged hostname for a DSL IP in Brazil	Contient faux nom d'hôte pour une adresse IP DSL au Brésil	FORGED_TELESP_RCVD	2.499 2.499 2.499 1.841
header	Character set doesn't exist	Jeu de caractères n'existe pas	NONEXISTENT_CHARSET	1
header	Message has Prevent-NonDelivery-Report header	Le message a en-tête non-remise-Prevent-Rapport	PREVENT_NONDELIVERY	1
header	Message has X-IP header	Le message a en-tête X-IP	X_IP	0.001 0.001 0.001 0.001
header	Subject contains "As Seen"	Objet contient "As Seen"	SUBJ_AS_SEEN	2.711 3.099 3.099 1.461
header	Subject starts with dollar amount	Sous réserve commence par montant en dollars	SUBJ_DOLLARS	0.600 0.001 0.601 1.800
header	Subject contains "Your Bills" or similar	Objet contient "Votre projets de loi» ou similaires	SUBJ_YOUR_DEBT	3.299 3.045 1.199 0.987
header	Subject contains "Your Family"	Objet contient "Votre famille"	SUBJ_YOUR_FAMILY	2.910 2.999 2.999 2.999
header	Received contains a faked HELO hostname	Reçu contient un nom d'hôte HELO truquées	RCVD_FAKE_HELO_DOTCOM	2.799 2.389 2.605 1.189
header	Subject talks about losing pounds	Sous réserve des pourparlers de perdre livres	SUBJECT_DIET	1.927 1.563 0.817 1.466
header	Header has extraneous Content-type:...type= entry	En-tête a étrangères Content-type: ... type = entrée	EXTRA_MPART_TYPE	01/01/00
header	Spam tool pattern in MIME boundary	motif outil Spam dans la limite MIME	MIME_BOUND_DD_DIGITS	3.016 0.349 2.417 1.373
header	Spam tool pattern in MIME boundary	motif outil Spam dans la limite MIME	MIME_BOUND_DIGITS_15	0.432 1.225 1.241 0.798
header	Spam tool pattern in MIME boundary	motif outil Spam dans la limite MIME	MIME_BOUND_MANY_HEX	1
header	To: has a malformed address	Pour: a une adresse incorrecte	TO_MALFORMED	0.892 1.247 2.099 2.099
header	Received line contains spam-sign (lowercase smtp)	Reçu en ligne contient spam-signe (minuscules SMTP)	WITH_LC_SMTP	1
header	Subject line starts with Buy or Buying	Sous réserve de la ligne commence par achat ou d'achat	SUBJ_BUY	0.594 1.498 0.001 0.639
header	Received headers forged (AM/PM)	Reçu fausses en-têtes (AM / PM)	RCVD_AM_PM	1
header	Received header contains faked 'mr.outblaze.com'	Reçu en-tête contient truquée »mr.outblaze.com '	FAKE_OUTBLAZE_RCVD	1
header	Headers contain an unclosed bracket	En-têtes contiennent une parenthèse non fermée	UNCLOSED_BRACKET	2.699 1.329 1.425 1.496
header	From: domain has series of non-vowel letters	De: domaine a une série de lettres non-voyelle	FROM_DOMAIN_NOVOWEL	0.500
header	From: localpart has series of non-vowel letters	De: la partie locale a une série de lettres non-voyelle	FROM_LOCAL_NOVOWEL	0.500

Feuille1

header	From: localpart has long hexadecimal sequence	De: la partie locale a longue séquence hexadécimale	FROM_LOCAL_HEX	0.000 0.331 0.001 0.006
header	From: localpart has long digit sequence	De: la partie locale a longue séquence chiffres	FROM_LOCAL_DIGITS	0.001
header	Cc: after X-Priority: (bulk email fingerprint)	Cc: après X-Priority: (empreintes digitales d'email en vrac)	X_PRIORITY_CC	1
header	Message has bad MIME encoding in the header	Message a l'encodage MIME mal dans l'en-tête	BAD_ENC_HEADER	3.099 1.716 1.805 1.988
header	Received: contains illegal IP address	Reçu: contient l'adresse IP illégale	RCVD_ILLEGAL_IP	28/02/99
header	A foreign language charset used in headers	Un jeu de caractères des langues étrangères utilisées dans les entêtes	CHARSET_FARAWAY_HEADER	29/02/00
header	From: has too many raw illegal characters	De: a trop cru des caractères illégaux	FROM_ILLEGAL_CHARS	2.192 2.059 0.240 0.036
header	Headers have too many raw illegal characters	En-têtes ont trop de premières caractères illégaux	HEAD_ILLEGAL_CHARS	1
header	hotmail.com 'From' address, but no 'Received.'	hotmail.com adresse d'expédition, mais pas de «Reçu:»	FORGED_HOTMAIL_RCVD2	0.001 1.187 0.698 0.874
header	From' yahoo.com does not match 'Received' headers	"De:" yahoo.com ne correspond pas à en-têtes «reçu»	FORGED_YAHOO_RCVD	2.397 1.022 2.599 1.630
header	Recipient list is sorted by address	liste des destinataires est triée par adresse	SORTED_RECIPS	1.801 2.474 1.791 2.499
header	Similar addresses in recipient list	adresses similaires dans la liste de destinataires	SUSPICIOUS_RECIPS	2.499 2.497 2.139 2.510
header	Missing To: header	Pour Missing: en-tête	MISSING_HEADERS	0.915 1.207 1.204 1.021
header	Date: is 3 to 6 hours before Received: date	Date: est 3 à 6 heures avant Reçu: date	DATE_IN_PAST_03_06	2.399 1.076 1.200 1.592
header	Date: is 6 to 12 hours before Received: date	Date: est 6 à 12 heures avant Reçu: date	DATE_IN_PAST_06_12	1.699 1.103 1.274 1.543
header	Date: is 12 to 24 hours before Received: date	Date: est 12 à 24 heures avant Reçu: date	DATE_IN_PAST_12_24	0.001 0.804 1.190 1.049
header	Date: is 24 to 48 hours before Received: date	Date: est 24 à 48 heures avant Reçu: date	DATE_IN_PAST_24_48	1.109 0.485 0.624 1.340
header	Date: is 96 hours or more before Received: date	Date: est 96 heures ou plus avant Reçu: date	DATE_IN_PAST_96_XX	2.600 2.070 1.233 3.405
header	Date: is 3 to 6 hours after Received: date	Date: est 3 à 6 heures après la réception: la date	DATE_IN_FUTURE_03_06	3.399 2.426 2.997 3.027
header	Date: is 6 to 12 hours after Received: date	Date: est 6 à 12 heures après la réception: la date	DATE_IN_FUTURE_06_12	2.899 0.001 2.222 1.947
header	Date: is 12 to 24 hours after Received: date	Date: est 12 à 24 heures après la réception: la date	DATE_IN_FUTURE_12_24	2.603 2.489 3.199 3.199
header	Date: is 24 to 48 hours after Received: date	Date: est 24 à 48 heures après la réception: la date	DATE_IN_FUTURE_24_48	2.598 1.248 0.001 2.048
header	Date: is 48 to 96 hours after Received: date	Date: est 48 à 96 heures après la réception: la date	DATE_IN_FUTURE_48_96	2.384 0.813 1.078 2.181
header	Date: is 96 hours or more after Received: date	Date: est 96 heures ou plus après la réception: la date	DATE_IN_FUTURE_96_XX	2.614 3.028 2.851 3.087
header	Headers contain an unresolved template	En-têtes contiennent un modèle non résolu	UNRESOLVED_TEMPLATE	3.035 0.716 2.424 1.252
header	Subject is all capitals	Le sujet est toutes les capitales	SUBJ_ALL_CAPS	0.518 1.625 1.197 1.506
header	Local part of To: address appears in Subject	partie locale de To: adresse apparaît dans Sujet	LOCALPART_IN_SUBJECT	0.001 0.730 1.199 1.107
header	Message-Id is fake (in Outlook Express format)	Message-Id est faux (dans Outlook Express format)	MSGID_OUTLOOK_INVALID	01/03/99
header	Multiple Content-Type headers found	plusieurs en-têtes Content-Type trouvé	HEADER_COUNT_CTYPE	1
header	Message headers are very long	Message en-têtes sont très longues	HEAD_LONG	1
header	Missing blank line between message header and body	Missing ligne blanche entre-tête du message et le corps	MISSING_HB_SEP	1
header	Informational: message has unparseable relay lines	Information: message a lignes de relais unparseable	UNPARSEABLE_RELAY	0.001
header	Received: HELO and IP do not match, but should	Reçu: HELO et IP ne correspondent pas, mais	RCVD_HELO_IP_MISMATCH	1.680 1.186 2.362 2.368
header	Received: contains an IP address used for HELO	Reçu: contient une adresse IP utilisée pour HELO	RCVD_NUMERIC_HELO	0.001 0.865 0.001 1.164
header	Host HELO'd as a big ISP, but had no rDNS	Host HELO'd comme un grand fournisseur de services Internet, mais n'avait pas rDNS	NO_RDNS_DOTCOM_HELO	3.100 0.433 3.099 0.823
rawbody	Javascript to hide URLs in browser	JavaScript pour cacher les URL dans le navigateur	HIDE_WIN_STATUS	0.001 1.353 0.754 1.380
body	HTML included in message	HTML inclus dans le message	HTML_MESSAGE	0.001
body	HTML comment is very short	commentaire HTML est très courte	HTML_COMMENT_SHORT	1

Feuille1

body	HTML message is a saved web page	message HTML est une page Web enregistrée	HTML_COMMENT_SAVED_URL	0.198 0.357 0.899 1.391
body	HTML with embedded plugin object	HTML intégré avec plugin objet	HTML_EMBEDS	0.001 0.001 1.171 1.799
body	HTML contains far too many close tags	HTML contient beaucoup trop de balises de fermeture	HTML_EXTRA_CLOSE	0.001
body	HTML font size is large	la taille de police HTML est grand	HTML_FONT_SIZE_LARGE	0.001
body	HTML font size is huge	la taille de police HTML est énorme	HTML_FONT_SIZE_HUGE	0.001
body	HTML font color similar to background	couleur de la police HTML similaire à fond	HTML_FONT_LOW_CONTRAST	0.713 0.001 0.786 0.001
body	HTML font face is not a word	face à la police HTML n'est pas un mot	HTML_FONT_FACE_BAD	0.001 0.289 0.286 0.981
body	HTML includes a form which sends mail	HTML contient un formulaire qui envoie un message	HTML_FORMACTION_MAILTO	1
body	HTML: images with 0-400 bytes of words	HTML: images avec 000 à 400 octets de mots	HTML_IMAGE_ONLY_04	1.680 0.342 1.799 1.172
body	HTML: images with 400-800 bytes of words	HTML: images avec 400-800 octets de mots	HTML_IMAGE_ONLY_08	0.585 1.781 1.845 1.651
body	HTML: images with 800-1200 bytes of words	HTML: images avec des mots 800-1200 octets	HTML_IMAGE_ONLY_12	1.381 1.629 1.400 2.059
body	HTML: images with 1200-1600 bytes of words	HTML: images avec des mots octets 1200-1600	HTML_IMAGE_ONLY_16	1.969 1.048 1.199 1.092
body	HTML: images with 1600-2000 bytes of words	HTML: images avec des mots octets 1600-2000	HTML_IMAGE_ONLY_20	2.109 0.700 1.300 1.546
body	HTML: images with 2000-2400 bytes of words	HTML: images avec des mots octets 2000-2400	HTML_IMAGE_ONLY_24	2.799 1.282 1.328 1.618
body	HTML: images with 2400-2800 bytes of words	HTML: images avec des mots octets 2400-2800	HTML_IMAGE_ONLY_28	2.799 0.726 1.512 1.404
body	HTML: images with 2800-3200 bytes of words	HTML: images avec des mots octets 2800-3200	HTML_IMAGE_ONLY_32	2.196 0.001 1.172 0.001
body	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_02	2.199 0.805 1.200 0.437
body	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_04	2.089 0.610 0.607 0.556
body	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_06	0.001 0.001 0.001 0.001
body	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_08	0.001 0.001 0.001 0.001
body	Message is 5% to 10% HTML obfuscation	Message est de 5% à 10% d'obscurcissement HTML	HTML_OBFUSCATE_05_10	0.601 0.001 0.718 0.260
body	Message is 10% to 20% HTML obfuscation	Message est de 10% à 20% d'obscurcissement HTML	HTML_OBFUSCATE_10_20	0.174 1.162 0.588 0.093
body	Message is 20% to 30% HTML obfuscation	Message est de 20% à 30% d'obscurcissement HTML	HTML_OBFUSCATE_20_30	2.499 2.441 1.449 1.999
body	Message is 30% to 40% HTML obfuscation	Message est de 30% à 40% d'obscurcissement HTML	HTML_OBFUSCATE_30_40	1
body	Message is 50% to 60% HTML obfuscation	Message est de 50% à 60% d'obscurcissement HTML	HTML_OBFUSCATE_50_60	1
body	Message is 70% to 80% HTML obfuscation	Message est de 70% à 80% d'obscurcissement HTML	HTML_OBFUSCATE_70_80	1
body	Message is 90% to 100% HTML obfuscation	Message est de 90% à 100% HTML obfuscation	HTML_OBFUSCATE_90_100	1
body	HTML has unbalanced "body" tags	HTML a déséquilibré "corps" tags	HTML_TAG_BALANCE_BODY	1.247 0.712 0.628 1.157
body	HTML has unbalanced "head" tags	HTML a déséquilibré balises "head"	HTML_TAG_BALANCE_HEAD	0.520 0.000 0.600 0.817
body	HTML has "bgsound" tag	HTML a "BGSOUND" tag	HTML_TAG_EXIST_BGSOUND	1
body	HTML message is 40% to 50% bad tags	message HTML est de 40% à 50% tags mauvaise	HTML_BADTAG_40_50	1
body	HTML message is 50% to 60% bad tags	message HTML est de 50% à 60% tags mauvaise	HTML_BADTAG_50_60	1
body	HTML message is 60% to 70% bad tags	message HTML est de 60% à 70% tags mauvaise	HTML_BADTAG_60_70	1
body	HTML message is 90% to 100% bad tags	message HTML est de 90% à 100% tags mauvaise	HTML_BADTAG_90_100	1
body	30% to 40% of HTML elements are non-standard	30% à 40% d'éléments HTML sont non-standard	HTML_NONELEMENT_30_40	0.000 0.001 0.308 0.001
body	40% to 50% of HTML elements are non-standard	40% à 50% d'éléments HTML sont non-standard	HTML_NONELEMENT_40_50	1
body	60% to 70% of HTML elements are non-standard	60% à 70% d'éléments HTML sont non-standard	HTML_NONELEMENT_60_70	1
body	80% to 90% of HTML elements are non-standard	80% à 90% d'éléments HTML sont non-standard	HTML_NONELEMENT_80_90	1
body	Message has HTML IFRAME tag with SRC URI	Message HTML IFRAME a tag avec la SRC URI	HTML_IFRAME_SRC	1

Feuille1

header	Envelope sender has no MX or A DNS records	expéditeur de l'enveloppe n'a pas de MX ou des enregistrements DNS	NO_DNS_FOR_FROM	0 0.379 0 0.001
body	Removal phrase right before a link	droit phrase Enlèvement avant un lien	REMOVE_BEFORE_LINK	0.406 1.587 1.799 1.800
body	One hundred percent guaranteed	Cent pour cent garanti	GUARANTEED_100_PERCENT	2.699 2.699 2.480 2.699
body	Dear Friend? That's not very dear!	Cher ami? Ce n'est pas très cher!	DEAR_FRIEND	2.683 2.604 1.801 2.577
body	Contains 'Dear (something)'	Contient: «Cher (quelque chose)»	DEAR_SOMETHING	1.999 1.731 1.787 1.973
body	Talks about lots of money	Parle beaucoup d'argent	BILLION_DOLLARS	0.001 1.451 1.229 1.638
body	Claims you can be removed from the list	Des revendications, vous pouvez être retiré de la liste	EXCUSE_4	2.399 1.687 2.399 1.325
body	Claims you wanted this ad	Des revendications que vous vouliez cette annonce	EXCUSE_24	01/02/99
body	Talks about how to be removed from mailings	Entretiens sur la façon d'être retiré de mailings	EXCUSE_REMOVE	2.907 2.992 3.299 3.299
body	Tells you about a strong buy	Vous informe sur une forte acheter	STRONG_BUY	1
body	Offers a alert about a stock	Offre une alerte sur un stock	STOCK_ALERT	1
body	Not registered investment advisor	Non enregistré conseiller en placement	NOT_ADVISOR	1
body	Prestigious Non-Accredited Universities'	«Prestigieuses universités non agréé»	PREST_NON_ACCREDITED	1
body	Information on growing body parts	Information sur la croissance de parties du corps	BODY_ENHANCEMENT	0.927 1.611 0.974 0.001
body	Information on getting larger body parts	Information sur accès des parties du corps plus	BODY_ENHANCEMENT2	1.691 1.507 1.865 1.541
body	Impotence cure	guérir l'impuissance	IMPOTENCE	1.539 2.144 3.028 1.374
body	Talks about a million North American dollars	Parle d'un million de dollars en Amérique du Nord	NA_DOLLARS	01/03/99
body	Mentions millions of (dollar) ((dollar) NN,NNN,NNN.NN)	Mentions millions d'(dollar) ((dollar) NN, NNN, NNN.NN)	US_DOLLARS_3	2.599 2.523 1.780 1.754
body	Talks about millions of dollars	Parle de millions de dollars	MILLION_USD	3.799 2.477 3.221 3.247
body	Contains urgent matter	Comprend du urgent	URG_BIZ	1.750 0.941 0.568 0.573
body	Money back guarantee	Satisfait ou remboursé	MONEY_BACK	2.910 2.486 0.601 1.232
body	Free express or no-obligation quote	Free expresse ou pas de quote-obligation	FREE_QUOTE_INSTANT	2.700 2.699 2.699 1.297
body	Eliminate Bad Credit	Éliminer les mauvais crédit	BAD_CREDIT	2.799 1.658 1.279 2.415
body	Home refinancing	Accueil de refinancement	REFINANCE_YOUR_HOME	1
body	Home refinancing	Accueil de refinancement	REFINANCE_NOW	1
body	No Medical Exams	Pas d'examen médical	NO_MEDICAL	2.199 1.254 2.199 1.773
body	Lose Weight Spam	Spam Perdre du poids	DIET_1	0.714 0.000 0.399 0.001
body	Freedom of a financial nature	Liberté de nature financière	FIN_FREE	2.699 2.289 2.699 2.700
body	Stock Disclaimer Statement	Exclusion de responsabilité Stock	FORWARD_LOOKING	1
body	One Time Rip Off	One Time Rip Off	ONE_TIME	1.840 1.175 1.830 0.714
body	Join Millions of Americans	Rejoignez des millions d'Américains	JOIN_MILLIONS	0.700 0.128 1.549 1.026
body	Claims you registered with a partner	Revendications vous vous êtes enregistré avec un partenaire	MARKETING_PARTNERS	0.553 0.235 0.689 0.001
body	Lowest Price	Prix le plus bas	LOW_PRICE	0.161 0.600 0.001 1.464
body	People just leave money laying around	Les gens laissent de l'argent autour de la pose	UNCLAIMED_MONEY	2.699 2.699 2.699 2.427
body	Message seems to contain rot13ed address	Message semble contenir l'adresse rot13ed	OBSCURED_EMAIL	1
body	Talks about Oprah with an exclamation!	Oprah parle avec un point d'exclamation!	BANG_OPRAH	1
body	Talks about 'acting now' with capitals	Parle de "agir maintenant" avec les capitales	ACT_NOW_CAPS	1.404 2.399 0.925 2.211
body	Talks about a bigger drive for sex	Parle d'un plus gros disque pour le sexe	MORE_SEX	2.799 2.765 2.568 1.413

Feuille1

body	Something is emphatically guaranteed	Quelque chose n'est absolument garantis	BANG_GUAR	2.202 2.377 1.690 2.704
body	Message mentions investment advice	Message mentionne des conseils en placement	INVESTMENT_ADVICE	0.200 2.160 2.199 2.199
body	Message talks about enhancing men	Message parle de renforcer les hommes	MALE_ENHANCE	3.100 3.099 3.099 0.851
body	Message says that prices aren't too expensive	Message dit que les prix ne sont pas trop cher	PRICES_ARE_AFFORDABLE	0.794 0.851 1.112 0.551
body	Message talks about a replica watch	Message parle d'une réplique montre	REPLICA_WATCH	3.487 3.164 4.074 3.775
body	Message puts emphasis on the watch manufacturer	Message met l'accent sur le fabricant de montres	EM_ROLEX	0.595 1.309 2.068 0.618
body	Possible porn - Free Porn	Possible porno - Free Porn	FREE_PORN	1
body	Possible porn - Cum Shot	Possible porno - Cum Shot	CUM_SHOT	1
body	Possible porn - Live Porn	Possible porno - porno en direct	LIVE_PORN	1
header	Subject indicates sexually-explicit content	Objet indique contenu sexuellement explicite	SUBJECT_SEXUAL	1
header	Bulk email fingerprint (eGroups) found	Bulk email empreintes digitales (eGroups) trouvé	RATWARE_EGROUPS	1.898 1.258 1.406 1.621
header	X-Mailer has malformed Outlook Express version	X-Mailer a malformés Outlook Express version	RATWARE_OE_MALFORMED	1
header	Bulk email fingerprint (Mozilla malformed) found	En vrac d'empreintes digitales e-mail (Mozilla malformés) trouvé	RATWARE_MOZ_MALFORMED	1
header	Bulk email fingerprint (mPOP Web-Mail)	Bulk email empreintes digitales (mpop Web-Mail)	RATWARE_MPOP_WEBMAIL	1.153 1.338 1.229 1.999
rawbody	Contains a hashbuster in Send-Safe format	Contient un hashbuster en Envoyez-format Safe	RATWARE_HASH_DASH	1
header	Bulk email fingerprint (Gecko faked) found	Bulk email empreintes digitales (Gecko truquées) trouvé	RATWARE_GECKO_BUILD	1
header	Bulk email fingerprint (X-Message-Info) found	Bulk email empreintes digitales (X-Message-Info) ont constaté	X_MESSAGE_INFO	1
header	Bulk email fingerprint (header-based) found	Bulk email empreintes digitales (en-tête à base de) trouvé	HEADER_SPAM	2.499 2.499 1.994 0.585
header	Bulk email fingerprint (Received PF) found	Bulk email empreintes digitales (Reçu PF) ont constaté	RATWARE_RCVD_PF	1
header	Bulk email fingerprint (Received @) found	Bulk email empreintes digitales (Reçu @) trouvé	RATWARE_RCVD_AT	1
header	Bulk email fingerprint (envfrom) found	Bulk email empreintes digitales (envfrom) trouvé	RATWARE_EFROM	01/02/99
uri	/?https?:\W{4}&\#\{4\} [3456789]\d\d;/i	? (? : \ D {4,} [3456789] \ d \ d : https ^ / \ / \ / [^ \ /] * \ & \ # ; / i	HIGH_CODEPAGE_URI	1
uri	Uses a numeric IP address in URL	Utilise une adresse IP numérique dans les URL	NUMERIC_HTTP_ADDR	0.000 0.001 0.001 1.242
uri	Uses %-escapes inside a URL's hostname	Utilise les échappements% à l'intérieur de nom d'hôte d'une URL de	HTTP_ESCAPED_HOST	0.807 1.621 0.483 1.125
uri	Completely unnecessary %-escapes inside a URL	Complètement inutile échappement% l'intérieur d'une URL	HTTP_EXCESSIVE_ESCAPES	0.001 1.516 0.000 1.572
uri	Dotted-decimal IP address followed by CGI	Décimale pointée adresse IP suivie par CGI	IP_LINK_PLUS	0.001 0.001 0.246 0.012
uri	Uses non-standard port number for HTTP	Utilise le numéro de port non standard pour HTTP	WEIRD_PORT	0.001 0.001 0.097 0.001
uri	Has Yahoo Redirect URI	Yahoo a Redirect URI	YAHOO_RD_REDIR	1
uri	Has Yahoo Redirect URI	Yahoo a Redirect URI	YAHOO_DRS_REDIR	1
uri	Contains an URL-encoded hostname (HTTP77)	Contient un nom d'hôte codé en URL (HTTP77)	HTTP_77	1
uri	URI contains ".com" in middle	URI contient ". Com" au milieu	SPOOF_COM2OTH	2.999 2.999 2.877 2.723
uri	URI contains ".com" in middle and end	URI contient ". Com" en milieu et fin	SPOOF_COM2COM	0.001 1.632 1.952 2.048
uri	URI contains ".net" or ".org", then ".com"	URI contient ". Net" ou ". Org", puis ". Com"	SPOOF_NET2COM	1
uri	URI hostname has long hexadecimal sequence	hostname URI depuis longtemps séquence hexadécimale	URI_HEX	2.800 1.313 1.206 1.122
uri	URI hostname has long non-vowel sequence	hostname URI a longue séquence de non-voyelle	URI_NOVOWEL	0.500
uri	URI contains suspicious unsubscribe link	URI contient lien de désabonnement suspectes	URI_UNSUBSCRIBE	1
uri	CGI in .info TLD other than third-level "www"	CGI. Info a d'autres que le troisième niveau "www"	URI_NO_WWW_INFO_CGI	2.299 2.299 0.292 2.071
uri	CGI in .biz TLD other than third-level "www"	CGI. Biz autres que de troisième niveau "www"	URI_NO_WWW_BIZ_CGI	2.399 2.399 2.400 2.399

Feuille1

uri	Uses a dotted-decimal IP address in URL	Utilise une adresse IP décimale dans les URL	NORMAL_HTTP_TO_IP	0.159 0.001 0.795 0.001
body	Bayes spam probability is 0 to 1%	probabilité de spam de Bayes est de 0 à 1%	BAYES_00	0 0 -1.5 -1.9
body	Bayes spam probability is 1 to 5%	probabilité de spam de Bayes est de 1 à 5%	BAYES_05	0 0 -0.3 -0.5
body	Bayes spam probability is 5 to 20%	probabilité de spam de Bayes est de 5 à 20%	BAYES_20	0 0 -0.001 -0.001
body	Bayes spam probability is 20 to 40%	probabilité de spam de Bayes est de 20 à 40%	BAYES_40	0 0 -0.001 -0.001
body	Bayes spam probability is 40 to 60%	probabilité de spam de Bayes est de 40 à 60%	BAYES_50	0 0 2.0 0.8
body	Bayes spam probability is 60 to 80%	probabilité de spam de Bayes est de 60 à 80%	BAYES_60	0 0 2.5 1.5
body	Bayes spam probability is 80 to 95%	probabilité de spam de Bayes est de 80 à 95%	BAYES_80	0 0 2.7 2.0
body	Bayes spam probability is 95 to 99%	probabilité de spam de Bayes est de 95 à 99%	BAYES_95	0 0 3.2 3.0
body	Bayes spam probability is 99 to 100%	probabilité de spam de Bayes est de 99 à 100%	BAYES_99	0 0 3.8 3.5
header	Message would have been caught by accessdb	Message aurait été capturé par accessdb	ACCESSDB	1
body	Message includes Microsoft executable program	Message inclut Microsoft programme exécutable	MICROSOFT_EXECUTABLE	0.1
body	MIME filename does not match content	Nom de fichier MIME ne correspond pas à la teneur	MIME_SUSPECT_NAME	0.1
full	Listed in DCC (http://rhyolite.com/anti-spam/dcc/)	Objets en DCC (http://rhyolite.com/anti-spam/dcc/)	DCC_CHECK	0 1.1 0 1.1
full	DCC reputation between 0 and 12 % (mostly ham)	réputation CDC entre 0 et 12% (principalement jambon)	DCC_REPUT_00_12	0 -0.8 0 -0.4
full	eval:check_dcc_reputation_range(13,19)	eval: check_dcc_reputation_range (13,19)	DCC_REPUT_13_19	0 -0.1 0 -0.1
full	DCC reputation between 70 and 89 %	réputation CDC entre 70 et 89%	DCC_REPUT_70_89	0 0.1 0 0.1
full	DCC reputation between 90 and 94 %	réputation CDC entre 90 et 94%	DCC_REPUT_90_94	0 0.4 0 0.6
full	DCC reputation between 95 and 98 % (mostly spam)	réputation CDC entre 95 et 98% (principalement spam)	DCC_REPUT_95_98	0 0.7 0 1.0
full	DCC reputation between 99 % or higher (spam)	réputation CDC entre 99% ou plus (spam)	DCC_REPUT_99_100	0 1.2 0 1.4
full	Message has a DKIM or DK signature, not necessarily valid	Message a une signature DKIM ou DK, pas nécessairement valable	DKIM_SIGNED	0.1
full	Message has at least one valid DKIM or DK signature	Le message a au moins un cours de validité ou de la signature DKIM DK	DKIM_VALID	-0.1
full	Message has a valid DKIM or DK signature from author's domain	Message a une signature valide DKIM ou DK à partir du domaine d'auteur	DKIM_VALID_AU	-0.1
header	No valid author signature and domain not in DNS	Pas de signature valide et auteur de domaine DNS pas en	DKIM_ADSP_NXDOMAIN	0 0.8 0 0.9
header	No valid author signature, domain signs all mail and suggests discarding the rest	Pas de signature valide auteur, des signes de domaine tout le courrier et suggère en rejetant le reste	DKIM_ADSP_DISCARD	0 1.8 0 1.8
header	No valid author signature, domain signs all mail	Pas de signature valide auteur, des signes de domaine tous les messages	DKIM_ADSP_ALL	0 1.1 0 0.8
header	No valid author signature, adsp_override is CUSTOM_LOW	Pas de signature valide auteur, adsp_override est CUSTOM_LOW	DKIM_ADSP_CUSTOM_LOW	0.001
header	No valid author signature, adsp_override is CUSTOM_MED	Pas de signature valide auteur, adsp_override est CUSTOM_MED	DKIM_ADSP_CUSTOM_MED	0.001
header	No valid author signature, adsp_override is CUSTOM_HIGH	Pas de signature valide auteur, adsp_override est CUSTOM_HIGH	DKIM_ADSP_CUSTOM_HIGH	0.001
full	eval:check_dkim_valid()	eval: check_dkim_valid ()	DKIM_VERIFIED	1
header	eval:check_dkim_testing()	eval: check_dkim_testing ()	DKIM_POLICY_TESTING	1
header	eval:check_dkim_signsome()	eval: check_dkim_signsome ()	DKIM_POLICY_SIGNSOME	1
header	eval:check_dkim_signall()	eval: check_dkim_signall ()	DKIM_POLICY_SIGNALL	1
header	Contains valid Hashcash token (20 bits)	Hashcash Contient jeton valide (20 bits)	HASHCASH_20	-0.5
header	Contains valid Hashcash token (21 bits)	Hashcash Contient jeton valide (21 bits)	HASHCASH_21	-0.7

Feuille1

header	Contains valid Hashcash token (22 bits)	Hashcash Contient jeton valide (22 bits)	HASHCASH_22	-1.0
header	Contains valid Hashcash token (23 bits)	Hashcash Contient jeton valide (23 bits)	HASHCASH_23	-2.0
header	Contains valid Hashcash token (24 bits)	Hashcash Contient jeton valide (24 bits)	HASHCASH_24	-3.0
header	Contains valid Hashcash token (25 bits)	Hashcash Contient jeton valide (25 bits)	HASHCASH_25	-4.0
header	Contains valid Hashcash token (>25 bits)	Contient valide Hashcash jeton (> 25 bits)	HASHCASH_HIGH	-5.0
header	Hashcash token already spent in another mail	Hashcash jeton déjà passé dans un autre mail	HASHCASH_2SPEND	0.1
full	Listed in Pyzor (http://pyzor.sf.net/)	Mis en vente dans Pyzor (http://pyzor.sf.net/)	PYZOR_CHECK	0 1.985 0 1.392
full	Listed in Razor2 (http://razor.sf.net/)	Mis en vente dans Razor2 (http://razor.sf.net/)	RAZOR2_CHECK	0 1.729 0 0.922
full	Razor2 gives confidence level above 50%	Razor2 donne un niveau de confiance supérieur à 50%	RAZOR2_CF_RANGE_51_100	0 0.365 0 0.500
full	Razor2 gives engine 4 confidence level above 50%	Razor2 donne un niveau de confiance du moteur 4 ci-dessus 50%	RAZOR2_CF_RANGE_E4_51_100	0 0.467 0 0.642
full	Razor2 gives engine 8 confidence level above 50%	Razor2 donne un niveau de confiance du moteur 8 ci-dessus 50%	RAZOR2_CF_RANGE_E8_51_100	0 2.430 0 1.886
header	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_MEDS	1
header	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_CHEAP	0.641 1.831 0.833 0.001
header	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_PENIS	1
header	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_TION	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_AFFORDABLE	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_AMBIEN	2.199 1.851 0.925 0.552
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_BILLION	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_CPILL	0.001 0.001 0.001 0.001
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_CREDIT	1.699 1.413 0.601 1.678
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_ERECT	2.356 1.306 2.360 1.859
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_GUARANTEE	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MEDICATION	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MILLION	2.599 2.599 1.659 2.505
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MONEY	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MORTGAGE	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_OBLIGATION	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_OFFERS	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PHARMACY	2.960 3.299 1.967 1.353
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PHEMT	2.799 1.647 1.540 2.662
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PRESCRIPT	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PRICES	1.821 0.720 2.210 2.311
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_REFINANCE	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_REMOVE	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_ROLEX	3.399 1.038 3.399 1.964
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_SOFTWARE	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_THOUSANDS	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_VLIUM	1

Feuille1

body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_VIOXX	1
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_VPILL	0.001 0.494 0.796 1.014
body	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_XPILL	2.202 1.752 2.799 2.799
header	SPF: sender matches SPF record	SPF: l'expéditeur correspond enregistrement SPF	SPF_PASS	-0.001
header	SPF: sender does not match SPF record (neutral)	SPF: l'expéditeur ne correspond pas à enregistrement SPF (neutre)	SPF_NEUTRAL	0 0.652 0 0.779
header	SPF: sender does not match SPF record (fail)	SPF: l'expéditeur ne correspond pas à enregistrement SPF (échec)	SPF_FAIL	0 0.919 0 0.001
header	SPF: sender does not match SPF record (softfail)	SPF: l'expéditeur ne correspond pas à enregistrement SPF (Softfail)	SPF_SOFTFAIL	0 0.972 0 0.665
header	SPF: HELO matches SPF record	SPF: HELO matches enregistrement SPF	SPF_HELO_PASS	-0.001
header	SPF: HELO does not match SPF record (neutral)	SPF: HELO ne correspond pas à enregistrement SPF (neutre)	SPF_HELO_NEUTRAL	0 0.001 0 0.112
header	SPF: HELO does not match SPF record (fail)	SPF: HELO ne correspond pas à enregistrement SPF (échec)	SPF_HELO_FAIL	0 0.001 0 0.001
header	SPF: HELO does not match SPF record (softfail)	SPF: HELO ne correspond pas à enregistrement SPF (Softfail)	SPF_HELO_SOFTFAIL	0 0.896 0 0.732
body	Message written in an undesired language	Message écrit dans un langage non désirés	UNWANTED_LANGUAGE_BODY	01/02/00
body	Body includes 8 consecutive 8-bit characters	Conseil comprend 8 caractères consécutifs 8-bit	BODY_8BITS	31/12/99
body	Contains an URL listed in the SBL blacklist	Contient une URL répertoriée dans la liste de blocage SBL	URIBL_SBL	0 0.644 0 1.623
body	Contains an URL listed in the SC SURBL blacklist	Contient une URL répertoriée dans la liste de blocage SC SURBL	URIBL_SC_SURBL	0 0.001 0 0.568
body	Contains an URL listed in the WS SURBL blacklist	Contient une URL figurant dans la liste de blocs A SURBL	URIBL_WS_SURBL	0 1.659 0 1.608
body	Contains an URL listed in the PH SURBL blacklist	Contient une URL répertoriée dans la liste de blocage PH SURBL	URIBL_PH_SURBL	0 0.001 0 0.610
body	Contains an URL listed in the OB SURBL blacklist	Contient une URL répertoriée dans la liste de blocage OB SURBL	URIBL_OB_SURBL	0 0.785 0 0.122
body	Contains an URL listed in the AB SURBL blacklist	Contient une URL répertoriée dans la liste de blocage AB SURBL	URIBL_AB_SURBL	0 4.499 0 4.499
body	Contains an URL listed in the JP SURBL blacklist	Contient une URL répertoriée dans la liste de blocage JP SURBL	URIBL_JP_SURBL	0 1.948 0 1.250
body	Contains an URL listed in the URIBL blacklist	Contient une URL figurant dans la liste noire URIBL	URIBL_BLACK	0 1.775 0 1.725
body	Contains an URL listed in the URIBL greylist	Contient une URL figurant dans la liste grise URIBL	URIBL_GREY	0 1.084 0 0.424
body	Contains an URL listed in the URIBL redlist	Contient une URL répertoriée dans la liste rouge URIBL	URIBL_RED	0.001
header	From: address is in the auto white-list	De: l'adresse est dans la liste blanche automatique	AWL	1
header	Not all rules were run, due to a shortcircuited rule	Pas toutes les règles ont été exécutés, en raison d'une règle de court-circuiter	SHORTCIRCUIT	1
header	From: address is in the user's black-list	De: l'adresse est en noir de l'utilisateur-list	USER_IN_BLACKLIST	100.000
header	From: address is in the user's white-list	De: l'adresse est en blanc de l'utilisateur-list	USER_IN_WHITELIST	-100.000
header	From: address is in the default white-list	De: l'adresse est dans la liste blanche par défaut	USER_IN_DEF_WHITELIST	-15.000
header	User is listed in 'blacklist_to'	L'utilisateur est répertorié dans "blacklist_to "	USER_IN_BLACKLIST_TO	01/10/00
header	User is listed in 'whitelist_to'	L'utilisateur est répertorié dans "whitelist_to "	USER_IN_WHITELIST_TO	-6.000
header	User is listed in 'more_spam_to'	L'utilisateur est répertorié dans "more_spam_to "	USER_IN_MORE_SPAM_TO	-20.000
header	User is listed in 'all_spam_to'	Utilisateur est répertorié dans "all_spam_to "	USER_IN_ALL_SPAM_TO	-100.000
header	From: address is in the user's DKIM whitelist	De: l'adresse est dans la liste blanche de l'utilisateur DKIM	USER_IN_DKIM_WHITELIST	-100.000
header	From: address is in the default DKIM white-list	De: l'adresse est dans le DKIM défaut liste blanche	USER_IN_DEF_DKIM_WL	-7.500
header	From: address is in the user's SPF whitelist	De: l'adresse est dans la liste blanche de l'utilisateur SPF	USER_IN_SPF_WHITELIST	-100.000

Feuille1

header	From: address is in the default SPF white-list	De: l'adresse est dans le défaut SPF liste blanche	USER_IN_DEF_SPF_WL	-7.500
header	Subject: contains string in the user's white-list	Objet: contient la chaîne dans le blanc de l'utilisateur-list	SUBJECT_IN_WHITELIST	-100
header	Subject: contains string in the user's black-list	Objet: contient une chaîne en noir de l'utilisateur-list	SUBJECT_IN_BLACKLIST	100
header	From address contains an apostrophe	Partir de l'adresse contient une apostrophe	APOSTROPHE_FROM	0.148 0.786 0.651 0.545
header	HELO from home - untrusted	HELO de la maison - non fiables	AXB_HELO_HOME_UN	1
header	Barbera Fingerprint	Barbera d'empreintes digitales	AXB_XMID_1212	1
header	Brunello Fingerprint	Brunello empreintes digitales	AXB_XMID_1510	1
header	Amarone Fingerprint	Amarone empreintes digitales	AXB_XMID_OEGOESNULL	1
header	Nebbiolo fingerprint	Nebbiolo d'empreintes digitales	AXB_XM_SENDMAIL_NOT	1
header	Received =~ \/(8\.\.12\.\.3 da nor stuldap\8\.\.12\.\.3)/	Reçu = ~ / \ (8 \ 0.12 \ 0.3 da ni stuldap \ / 8 \ 0.12 \ 0.3) /	AXB_XR_STULDAP	1
body	Talks about banking laws	Entretiens sur les lois bancaires	BANKING_LAWS	2.399 2.004 2.157 1.099
body	eval:check_base64_length('78';'79')	eval: check_base64_length ('78', '79')	BASE64_LENGTH_78_79	2.370 2.636 0.762 2.667
body	eval:check_base64_length('79')	eval: check_base64_length ('79')	BASE64_LENGTH_79_INF	1.379 2.019 0.583 1.502
header	Date =~ /[+-]?(?:0\d 1[0-4])(?:[03]0 [14]5))d{4}/	Date = ~ /[+-]?(?: 0 \ d 1 [0-4])(?:[03] 0 [14] 5)) \ d {4} /	BUG6152_INVALID_DATE_TZ_AB SURD	1.802 1.448 0.024 0.766
header	Content-Type =~ /multipart.{0,200}boundary="-----_NextPart_000_0000_01C[0-9A-F]{5}\.[0-9A-F]{7}0\"/	Content-Type = ~ / multipart. {0200} boundary = \ "-----_ NextPart_000_0000_01C [0-9A-F] {5} \. [0-9A-F] {7} 0 \ "/	CTYPE_001C_B	0.001 0.001 0.001 0.001
body	/bCurrent Price: /	Prix / \ Bactuel: /	CURR_PRICE	0.001
body	Dear Beneficiary:	Bénéficiaire Cher:	DEAR_BENEFICIARY	1
body	Message contains Dear email address	Message contient Chers adresse e-mail	DEAR_EMAIL	1
body	/bdear.{1,20}winner/i	/ \ Bdear. {} Gagnant 1,20 / i	DEAR_WINNER	3.099 3.099 2.309 3.099
header	X-mailer pattern common to anal porn site spam	modèle X-mailer commune à l'anal porno spam site	DOS_ANAL_SPAM_MAILER	1
header	Received from the same IP twice in a row (only one external relay; empty or IP helo)	Reçu de la même adresse IP deux fois de suite (un seul relais externe; helo vide ou IP)	DOS_RCVD_IP_TWICE_C	2.599 2.060 3.292 0.096
uri	Found an asterisk in a URI	Trouver un astérisque dans un URI	DOS_URI_ASTERISK	1
header	Subject =~ /bhoodia\b/i	Subject = ~ / \ bhoodia \ b / i	DRUGS_HDIA	1
body	Add / Gain inches	Ajouter / Gain pouces	FB_ADD_INCHES	1
body	It's almost sex, but not!	C'est presque le sexe, mais non!	FB_ALMOST_SEX	1
body	Broken AnaTrim phrase.	Broken phrase AnaTrim.	FB_ANA_TRIM	1
body	Phrase: A_U_N_I	Phrase: A_U_N_I	FB_ANUI	1
body	Phrase: [BM]llli0n	Phrase: lllli0n [BM]	FB_BILLION	1
body	Phrase: C0mpany	Phrase: C0mpany	FB_COMPANY	1
body	Phrase: can last longer	Phrase: peut durer plus longtemps	FB_CAN_LONGER	1
body	Uses a mis-spelled version of cialis.	Utilise un mal orthographiés version de cialis.	FB_CIALIS_LEO3	1.688 3.055 2.465 3.245
body	Looks like double 0 words	On dirait que double 0 mots	FB_DOUBLE_0WORDS	1
body	Phrase: email hier	Phrase: hier email	FB_EMAIL_HIER	1
body	Phrase: extra inches	pouce supplémentaire: Phrase	FB_EXTRA_INCHES	0.289 0.000 2.603 0.001
body	Looks like numbers with O's insted of 0's	On dirait que les nombres avec O insted de 0	FB_FAKE_NUMBERS	1
body	Looks like fake numbers (4)	On dirait que le nombre de faux (4)	FB_FAKE_NUMS4	1
body	Phrase: Farmacy	Phrase: Pharmacie	FB_FHARMACY	1

Feuille1

body	Phrase: forward look with 0's	Phrase: regard vers l'avenir avec des 0	FB_FORWARD_LOOK	1
body	Too much spacing in Address	Trop d'espacement dans Adresse	FB_GAPPY_ADDRESS	1
body	Looks like trying to sell meds	On dirait que d'essayer de vendre des médicaments sous	FB_GET_MEDS	2.314 2.027 1.195 0.935
body	Looks like generic viagra	On dirait que viagra	FB_GVR	2.340 0.691 2.568 2.301
body	Phrase hey bro,	hey bro Phrase,	FB_HEY_BRO_COMMA	1
body	Phrase: HGH	Phrase: HGH	FB_HG_H_CAP	1
body	Phrase (dollar) x home loan	Phrase (dollar) prêt au logement x	FB_HOMELoAN	1
body	Phrase: impress ... girl	Phrase: impressionner ... fille	FB_IMPRESS_GIRL	1
body	Phrase: Increase your energy	Phrase: Augmente votre énergie	FB_INCREASE_YOUR	2.699 2.700 2.335 2.343
body	Phrase: independent reward	Phrase: récompenser les indépendants	FB_INDEPEND_RWD	01/02/99
body	Phrase: L0an	Phrase: L0an	FB_L0AN	1
body	Special people leave special signs!	les gens laissent des traces spécial spéciale!	FB_LETTERS_21B	1
body	Phrase: LOSE WEIGHT	Phrase: perdre du poids	FB_LOSE_WEIGHT_CAP	0.001 0.001 2.187 0.001
body	Phrase: lower your monthly payments	Phrase: réduire vos paiements mensuels	FB_LOWER_PAYM	1
body	Phrase: more size	Phrase: plus de taille	FB_MORE_SIZE	1
body	Looks like a fake phone number (1)	On dirait un faux numéro de téléphone (1)	FB_NOT_PHONE_NUM1	1
body	Looks like a fake phone number (3)	On dirait un faux numéro de téléphone (3)	FB_NOT_PHONE_NUM3	1
body	Looks like school but it's not!	On dirait que l'école, mais ce n'est pas!	FB_NOT_SCHOOL	1
body	Phrase: no prescription needed.	Phrase: pas de prescription.	FB_NO_SCRIP_NEEDED	1.656 1.469 2.133 0.922
body	Speaks of teenager.	Parle d'une adolescente.	FB_NUMYO	1
body	Speaks of 20+ year old.	Parle de 20 + ans.	FB_NUMYO2	1
body	Looks like money but has odd spacing.	On dirait que l'argent, mais un espacement étrange.	FB_ODD_SPACED_MONEY	1
body	Mis-spelled online	Mal orthographiés en ligne	FB_ONIINE	1
body	Phrase: p1ll	Phrase: p1ll	FB_P1LL	1
body	Phrase: penis growth	Phrase: la croissance du pénis	FB_PENIS_GROWTH	1
body	Phrase: Dollar, with pipes or 0's.	Phrase: Dollar, avec des tuyaux ou de 0.	FB_PIPEDOLLAR	1
body	Looks like illion, but it's not	On dirait que illions, mais ce n'est pas	FB_PIPE_ILLION	1
body	Talks about prolonged hardness	Parle de la dureté prolongée	FB_PROLONGED_HARD	1
body	Phrase: quality replica	Phrase: réplique de qualité	FB_QUALITY_REPLICA	3.313 3.149 2.005 2.308
body	Refcode with spacing	Refcode avec un espacement	FB_REF_CODE_SPACE	1
body	Phrase: Replica Rolex	Phrase: Rolex Replica	FB_REPLICA_ROLEX	1.674 0.710 1.115 3.175
body	Phrase: REPLICa	Phrase: REPLICa	FB_REPLIC_CAP	1
body	Looks like refi.	On dirait que refi.	FB_RE_FI	1
body	Phrase: Roller is th	Phrase: Roller est e	FB_ROLLER_IS_T	1
body	Phrase: rolx	Phrase: rolx	FB_ROLX	1
body	Phrase: save ... prescription.	Phrase: sauver ... prescription.	FB_SAVE_PERSC	2.799 0.367 1.864 1.492
body	Phrase: Softabs	Phrase: Softabs	FB_SOFTTABS	2.887 3.174 3.378 1.584
body	Phrase: F R E E	Phrase: GRATUIT	FB_SPACED_FREE	2.499 2.499 2.203 0.395
body	Phone number with -- spacing. (B)	Numéro de téléphone avec - espacement. (B)	FB_SPACED_PHN_3B	0.001

Feuille1

body	Looks like a s p a c e d zipcode.	On dirait que zipcode aspaced.	FB_SPACEY_ZIP	1
body	Phrase: SPUR-M	Phrase: SPUR-M	FB_SPUR_M	1
body	Phrase: ssex	Phrase: SSEX	FB_SSEX	1
body	Looks like stocks exploding.	On dirait que les stocks explosent.	FB_STOCK_EXPLODE	1
body	Mis-spelled symbol.	Mal orthographiés symbole.	FB_SYMBLO	1
body	Phrase: this advertiser	Phrase: cet annonceur	FB_THIS_ADVERT	3.599 3.600 2.999 3.599
body	Phrase: thousand personal	Phrase: mille personnels	FB_THOUS_PERSONAL	1
body	Phrase: to stop further distribution	Phrase: faire cesser la distribution d'autres	FB_TO_STOP_DISTRO	28/02/99
body	Phrase: Ultra Allure	Phrase: Allure Ultra	FB_ULTRA_ALLURE	2.352 1.074 2.334 0.829
body	Phrase: lock to your girlfriend	Phrase: serrure à votre petite amie	FB_UNLOCK_YOUR_G	1
body	Pattern Replacement PROV_D	Remplacement Pattern PROV_D	FB_UNRESOLV_PROV	1
body	Phrase: yourself master	Phrase: maître-vous	FB_YOURSELF_MASTER	1
body	Phrase: Your refi	Phrase: Votre refi	FB_YOUR_REFI	1
header	Bad X-Mailer version	Bad X-Mailer version	FH_BAD_OEV1441	1
header	The date is not 19xx.	La date n'est pas 19xx.	FH_DATE_IS_19XX	0.000 1.598 2.373 0.277
header	RCVD line looks faked (A)	ligne RCVD paraissent fausses (A)	FH_FAKE_RCVD_LINE	2.167 1.431 2.525 1.778
header	RCVD line looks faked (B)	ligne RCVD paraissent fausses (B)	FH_FAKE_RCVD_LINE_B	4.000 3.372 3.999 3.999
header	E-mail address doesn't have TLD (.com, etc.)	Adresse e-mail n'a pas TLD (. com, etc)	FH_FROMEML_NOTLD	1.708 0.180 0.975 1.082
header	From name has "cash"	Du nom a "cash"	FH_FROM_CASH	2.599 2.436 2.599 1.739
header	From name says Get	Du nom l'indique, Get	FH_FROM_GET_NAME	01/02/99
header	From name is giveaway.	Du nom est cadeau.	FH_FROM_GIVEAWAY	2.599 1.817 1.810 1.655
header	From has Hoodia!?!?	Du a Hoodia!?!?	FH_FROM_HOODIA	1
header	Has X-AIMC-AUTH header	Est-tête X-AIMC-AUTH	FH_HAS_XAIMC	1.602 1.899 0.561 1.899
header	Has X-ID	Est-X-ID	FH_HAS_XID	3.299 3.215 3.003 1.782
header	Helo is almost an IP addr.	Helo est presque une addr IP.	FH_HELO_ALMOST_IP	3.699 3.268 3.457 0.688
header	Helo ends with a dot.	Helo se termine par un point.	FH_HELO_ENDS_DOT	1
header	Helo is 6-10 hex chr's.	Helo est de 6-10 chr HEX.	FH_HELO_EQ_610HEX	1
header	Helo is d-d-d-d charter.com	Helo est dddd charter.com	FH_HELO_EQ_CHARTER	0.607 0.286 0.093 2.683
header	Helo is d-d-d-d	Helo est dddd	FH_HELO_EQ_D_D_D_D	2.361 1.117 2.815 3.177
header	Faked helo of gmail-smtp-in	helo Fausses de gmail-smtp-in	FH_HELO_GMAILSMTP	1
header	Host is dynamicip	Hôte est dynamicip	FH_HOST_EQ_DYNAMICIP	2.632 2.454 3.299 3.298
header	Host is pacbell.net dsl	Hôte est pacbell.net dsl	FH_HOST_EQ_PACBELL_D	0.001 0.927 0.559 1.703
header	Host is pool+.verizon.net	Hôte est la piscine. Verizon.net +	FH_HOST_EQ_VERIZON_P	2.681 1.237 3.671 1.323
header	HOST dns says "in-addr.arpa"	hôte DNS dit "in-addr.arpa"	FH_HOST_IN_ADDRARPA	3.199 2.933 2.452 2.157
header	Special MSGID	Spécial MSGID	FH_MSGID_000000	1
header	Special MSGID	Spécial MSGID	FH_MSGID_01C67	1
header	MESSAGE ID seen often!!!	MESSAGE ID vu souvent!	FH_MSGID_01C70XXX	1
header	Broken Replace Template	Remplacer Broken modèle	FH_MSGID_REPLACE	1
header	Common sign in msg-id's 12/21/2006	Inscrivez-vous en commun de msg-id 21/12/2006	FH_MSGID_XXBLAH	1

Feuille1

header	Message-Id = @xxx	Message-Id = @xxx	FH_MSGID_XXX	2.399 1.632 2.376 1.482
header	Subject is Re: new \d\d\d	Subject is Re: new \d\d\d	FH_RE_NEW_DDD	1
header	Broken Replace Template	Broken Replace Template	FH_XMAIL_REPLACE	1
body	Fill in a form with personal information	Fill in a form with personal information	FILL_THIS_FORM_LONG	3.800 3.476 2.300 3.404
header	Looks like Fake Outlook?	Looks like Fake Outlook?	FM_XMAIL_F_OUT	1
header	X-Spam-Relays-External =~ /^[ip=(?!127)([d.]+) [^]]^ [ip=1 [^]]+ helo=(!(?!(:?10 127 169\254 172\.(?:1[6-9] 2[0-9] 3[01]) 192\168)\.)) [^]]+(dollar) /	X-Spam-Relays-External =~ /^[ip=(?!127)([d.]+) [^]]^ [ip=1 [^]]+ helo=(!(?!(:?10 127 169\254 172\.(?:1[6-9] 2[0-9] 3[01]) 192\168)\.)) [^]]+(dollar) /	FORGED_RELAY_MUA_TO_MX	1
body	ReplaceTags: Adobe	ReplaceTags: Adobe	FRT_ADOBE2	0.001 1.099 0.221 0.877
body	ReplaceTags: Approve	ReplaceTags: Approve	FRT_APPROV	31/01/99
body	ReplaceTags: Bigger / Larger, Penis / Member	ReplaceTags: Bigger / Larger, Penis / Member	FRT_BIGGERMEM1	2.523 0.146 2.372 1.758
body	ReplaceTags: Diploma	ReplaceTags: Diploma	FRT_DIPLOMA	0.000 1.548 0.787 1.599
body	ReplaceTags: Discount	ReplaceTags: Discount	FRT_DISCOUNT	1
body	ReplaceTags: Dollar	ReplaceTags: Dollar	FRT_DOLLAR	1
body	ReplaceTags: Establish (2)	ReplaceTags: Establish (2)	FRT_ESTABLISH2	1
body	ReplaceTags: Fuck (2)	ReplaceTags: Fuck (2)	FRT_FUCK2	1
body	ReplaceTags: Guarantee (1)	ReplaceTags: Guarantee (1)	FRT_GUARANTEE1	1
body	ReplaceTags: Investor	ReplaceTags: Investor	FRT_INVESTOR	1
body	ReplaceTags: Levitra	ReplaceTags: Levitra	FRT_LEVITRA	1
body	ReplaceTags: Meeting	ReplaceTags: Meeting	FRT_MEETING	1
body	ReplaceTags: Offer (2)	ReplaceTags: Offer (2)	FRT_OFFER2	1.681 1.109 2.048 0.926
body	ReplaceTags: Oppertun (2)	ReplaceTags: Oppertun (2)	FRT_OPPORTUN2	1
body	ReplaceTags: Penis	ReplaceTags: Penis	FRT_PENIS1	2.299 2.293 1.029 0.731
body	ReplaceTags: Pharmac	ReplaceTags: Pharmac	FRT_PHARMAC	1
body	ReplaceTags: Price	ReplaceTags: Price	FRT_PRICE	0.001
body	ReplaceTags: Refinance (1)	ReplaceTags: Refinance (1)	FRT_REFINANCE1	1
body	ReplaceTags: Rolex	ReplaceTags: Rolex	FRT_ROLEX	2.699 2.183 1.440 2.699
body	ReplaceTags: Sexual	ReplaceTags: Sexual	FRT_SEXUAL	1
body	ReplaceTags: Soma	ReplaceTags: Soma	FRT_SOMA	0.000 3.280 2.099 2.871
body	ReplaceTags: Soma (2)	ReplaceTags: Soma (2)	FRT_SOMA2	0.001 0.001 0.001 0.001
body	ReplaceTags: Strong (1)	ReplaceTags: Strong (1)	FRT_STRONG1	1
body	ReplaceTags: Strong (2)	ReplaceTags: Strong (2)	FRT_STRONG2	1
body	ReplaceTags: Symbol	ReplaceTags: Symbol	FRT_SYMBOL	1
body	ReplaceTags: Today (2)	ReplaceTags: Today (2)	FRT_TODAY2	0.480 0.693 1.988 0.905
body	ReplaceTags: Valium	ReplaceTags: Valium	FRT_VALIUM1	1
body	ReplaceTags: Valium (2)	ReplaceTags: Valium (2)	FRT_VALIUM2	1
body	ReplaceTags: Weight (2)	ReplaceTags: Weight (2)	FRT_WEIGHT2	1
body	ReplaceTags: Xanax (1)	ReplaceTags: Xanax (1)	FRT_XANAX1	1
body	ReplaceTags: Xanax (2)	ReplaceTags: Xanax (2)	FRT_XANAX2	1
rawbody	Looks like 3 <e> small tags.	Looks like 3 <e> small tags.	FR_3TAG_3TAG	1

Feuille1

rawbody	Almost looks like viagra.	Almost looks like viagra.	FR_ALMOST_VIAG2	2.299 1.594 2.299 1.531
rawbody	Phrase class=cantseetext	Phrase class=cantseetext	FR_CANTSEETEXT	1
rawbody	Sign often seen in spams	Sign often seen in spams	FR_MIDER	1
rawbody	HTML Title is only numbers	HTML Title is only numbers	FR_TITLE_NUMS	2.899 2.695 2.899 2.899
header	X-Spam-Relays-External =~ /gmail-smtp-in\\.\\.google\\.com/	X-Spam-Relays-External =~ /gmail-smtp-in\\.\\.google\\.com/	FSL_FAKE_GMAIL_RCVD	3.099 2.974 1.002 2.104
header	X-Spam-Relays-External =~ /mx[1234]\\.hotmail\\.com/	X-Spam-Relays-External =~ /mx[1234]\\.hotmail\\.com/	FSL_FAKE_HOTMAIL_RVCD	2.631 1.816 2.011 2.365
uri	/\\geocities\\.com\\S+(dollar) /	/\\geocities\\.com\\S+(dollar) /	FSL_GEO_ABUSE	2.699 2.699 2.313 2.167
header	X-Spam-Relays-External =~ /^[^]]+ helo=\\d+\\.\\d+\\.\\d+\\.\\d+ /i	X-Spam-Relays-External =~ /^[^]]+ helo=\\d+\\.\\d+\\.\\d+\\.\\d+ /i	FSL_HELO_BARE_IP_1	2.598 1.426 3.099 2.347
header	X-Spam-Relays-External =~ \\bhelo=(?:(?:ds)?device speedtouch)\\.lan\\b/i	X-Spam-Relays-External =~ \\bhelo=(?:(?:ds)?device speedtouch)\\.lan\\b/i	FSL_HELO_DEVICE	1.682 0.001 0.884 0.806
header	X-Spam-Relays-External =~ /^[^]]+ helo=[a-zA-Z0-9- _]+ /i	X-Spam-Relays-External =~ /^[^]]+ helo=[a-zA-Z0-9- _]+ /i	FSL_HELO_NON_FQDN_1	2.361 0.001 1.783 0.001
header	X-Spam-Relays-External =~ \\bhelo=\\S+\\.setup\\b/i	X-Spam-Relays-External =~ \\bhelo=\\S+\\.setup\\b/i	FSL_HELO_SETUP	1
uri	/\\S+\\.\\(?:w eu fm)\\.interia\\.pl/	/\\S+\\.\\(?:w eu fm)\\.interia\\.pl/	FSL_INTERIA_ABUSE	3.899 2.664 3.080 3.106
uri	/cid\\-\\S+\\.spaces\\.live\\.com/	/cid\\-\\S+\\.spaces\\.live\\.com/	FSL_LSPACES_ABUSE	1
uri	/\\groups\\.yahoo\\.com\\Vgroup\\S+\\Vmessage\\V1(dollar) /	/\\groups\\.yahoo\\.com\\Vgroup\\S+\\Vmessage\\V1(dollar) /	FSL_YG_ABUSE	31/03/99
header	Subject has "a bigger"	Subject has "a bigger"	FS_ABIGGER	1.693 1.354 2.477 1.112
header	Subject says approve you	Subject says approve you	FS_APPROVE_YOU	2.499 1.272 1.942 1.873
header	Subject says "At No Cost"	Subject says "At No Cost"	FS_AT_NO_COST	31/01/99
header	Phrase: Cheap in Caps in Subject.	Phrase: Cheap in Caps in Subject.	FS_CHEAP_CAP	1
header	Subject talks about money bonus!	Subject talks about money bonus!	FS_DOLLAR_BONUS	1
header	Phrase: ejaculation in subject.	Phrase: ejaculation in subject.	FS_EJACULA	1
header	Phrase: erection in subject.	Phrase: erection in subject.	FS_ERECTION	1
header	Phrase: Huge Cock	Phrase: Huge Cock	FS_HUGECK	1
header	Larger than 100% in subj.	Larger than 100% in subj.	FS_LARGE_PERCENT2	2.645 2.699 0.001 1.960
header	Subject says low rates	Subject says low rates	FS_LOW_RATES	1
header	Subj starts with New software uploaded	Subj starts with New software uploaded	FS_NEW_SOFT_UPLOAD	1
header	Subject looks like Pharmacy spams.	Subject looks like Pharmacy spams.	FS_NEW_XXX	1
header	Subject almost says No prescription	Subject almost says No prescription	FS_NO_SCRIP	1
header	Subject says Nude	Subject says Nude	FS_NUDE	2.399 1.653 1.288 1.101
header	what could this word be?	what could this word be?	FS_OBFU_PRMCY	2.400 0.384 0.204 1.248
header	Subject mis-spelled prescription	Subject mis-spelled prescription	FS_PERSCRIPTION	1
header	Looks like Phramacy subject.	Looks like Phramacy subject.	FS_PHARMASUB2	2.980 1.345 2.956 0.549
header	Subject says Ramrod	Subject says Ramrod	FS_RAMROD	1
header	Subject says "replica"	Subject says "replica"	FS_REPLICA	1.630 3.599 2.028 3.599
header	Subject says Replica watch	Subject says Replica watch	FS_REPLICAWATCH	3.237 1.715 1.733 3.015
header	Phrase: re approved	Phrase: re approved	FS_RE_APPROV	1
header	Subject starts with Do you dream,have,want,love, etc.	Subject starts with Do you dream,have,want,love, etc.	FS_START_DOYOU2	2.799 2.799 2.799 2.800

Feuille1

header	Subject starts with Lose	Subject starts with Lose	FS_START_LOSE	0.249 0.176 1.424 1.809
header	Subject says something bad about teens	Subject says something bad about teens	FS_TEEN_BAD	1
header	Phrase: subject = tip ddd	Phrase: subject = tip ddd	FS_TIP_DDD	1
header	Subject says Weight Loss	Subject says Weight Loss	FS_WEIGHT_LOSS	1.894 1.541 2.501 2.036
header	Subject says will help	Subject says will help	FS_WILL_HELP	2.599 0.893 2.484 0.734
header	Subject says With ... small	Subject says With ... small	FS_WITH_SMALL	1
body	/<inter W3><post P2>\b(?!meridia)<M><E><R><I><D><I><A>\b/i	/<inter W3><post P2>\b(?!meridia)<M><E><R><I><D><I><A>\b/i	FUZZY_MERIDIA	1
uri	Sub-dir seen often in spam (2).	Sub-dir seen often in spam (2).	FU_COMMON_SUBS2	2.801 2.650 2.823 0.292
uri	Ends with clk/d+.d+.d+	Ends with clk/d+.d+.d+	FU_ENDS_NUMS_DOTS_CLK	1
uri	ET Phone Home?	ET Phone Home?	FU_END_ET	1
uri	URL has hoodia in it.	URL has hoodia in it.	FU_HOODIA	1
uri	URL has a long file name with .aspx extension.	URL has a long file name with .aspx extension.	FU_LONG_QUERY3	1
uri	URL has /gal/	URL has /gal/	FU_MIDER	1
uri	URL with [a-z]{2}.geocities.com	URL with [a-z]{2}.geocities.com	FU_UKGEOCITIES	1
uri	URI style tracker (T)	URI style tracker (T)	FU_URI_TRACKER_T	1
uri	/^http:\w{2,4}\.?)?geocities\.com(?:\d*)?V.+?V?/i	/^http:\w{2,4}\.?)?geocities\.com(?:\d*)?V.+?V?/i	GEO_QUERY_STRING	1
header	Misspaced headers	Misspaced headers	HDRS_MISSP	1
header	Multiple Subject headers found	Multiple Subject headers found	HEADER_COUNT_SUBJECT	1
header	X-Spam-Relays-External =~ /^[^]]+ helo=friend /i	X-Spam-Relays-External =~ /^[^]]+ helo=friend /i	HELO_FRIEND	1
header	X-Spam-Relays-External =~ /^[^]]+ helo=IS+\.(?:home lan) /i	X-Spam-Relays-External =~ /^[^]]+ helo=IS+\.(?:home lan) /i	HELO_LH_HOME	0.001 2.023 0.537 1.736
header	X-Spam-Relays-External =~ /^[^]]+ helo=localhost\.localdomain /i	X-Spam-Relays-External =~ /^[^]]+ helo=localhost\.localdomain /i	HELO_LH_LD	1
header	X-Spam-Relays-External =~ /^[^]]+ helo=localhost /i	X-Spam-Relays-External =~ /^[^]]+ helo=localhost /i	HELO_LOCALHOST	2.639 3.603 2.915 3.828
header	X-Spam-Relays-External =~ /^[^]]+ helo=(?:pc oem\S*) /i	X-Spam-Relays-External =~ /^[^]]+ helo=(?:pc oem\S*) /i	HELO_OEM	2.899 2.899 1.234 0.270
header	From name contains drugs	From name contains drugs	HK_NAME_DRUGS	4.299 0.001 3.077 0.552
header	From name mentions free stuff	From name mentions free stuff	HK_NAME_FREE	1
header	Envelope sender username looks random	Envelope sender username looks random	HK_RANDOM_ENVFROM	2.638 0.626 1.798 0.001
body	/\bnext of kin\b/i	/\bnext of kin\b/i	HK_SCAM_N2	1
header	Bobax? Message-Id: <01X000EJXVWDA000@example.com>	Bobax? Message-Id: <01X000EJXVWDA000@example.com>	HS_BOBAX_MID_2	2.762 2.612 1.243 1.437
body	Somebody has uploaded some new software for you	Somebody has uploaded some new software for you	HS_BODY_UPLOADED_SOFTWARE	1
body	Contains a drug and price-like pattern.	Contains a drug and price-like pattern.	HS_DRUG_DOLLAR_1	0.001
body	Contains a drug and price-like pattern.	Contains a drug and price-like pattern.	HS_DRUG_DOLLAR_2	0.001
body	Contains a drug and price-like pattern.	Contains a drug and price-like pattern.	HS_DRUG_DOLLAR_3	0.001
uri	Links to common unsubscribe script: 'getmeoff.php'	Links to common unsubscribe script: 'getmeoff.php'	HS_GETMEOFF	1
uri	Link contains a common tracker pattern.	Link contains a common tracker pattern.	HS_INDEX_PARAM	1.105 0.023 1.203 0.574
body	Talks about meeting up for sex.	Talks about meeting up for sex.	HS_MEETUP_FOR_SEX	1
header	Subject starts with 'New software uploaded by'	Subject starts with 'New software uploaded by'	HS_SUBJ_NEW_SOFTWARE	1

Feuille1

header	Subject contains the phrase 'Online pharmaceutical'	Subject contains the phrase 'Online pharmaceutical'	HS_SUBJ_ONLINE_PHARMACEUTICAL	1
body	Contains VPXL, yet the recommended dose is only 2 tablets.	Contains VPXL, yet the recommended dose is only 2 tablets.	HS_VPXL	3.211 1.399 2.696 1.948
body	eval:check_https_http_mismatch('1','10')	eval:check_https_http_mismatch('1','10')	HTTPS_HTTP_MISMATCH	0.557 0.000 1.778 1.989
uri	/(?:\& \?)btnl=ec(?:(\$) \&)/	/(?:\& \?)btnl=ec(?:(\$) \&)/	JM_I_FEEL_LUCKY	1
header	Received =~ /by \S+ \Qmailv1\ with ESMTMP/	Received =~ /by \S+ \Qmailv1\ with ESMTMP/	JM_RCVD_QMAILV1	1
header	Date:raw =~ /^w/	Date:raw =~ /^w/	KB_DATE_CONTAINS_TAB	3.800 3.799 3.799 2.751
header	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) [0-9a-f]{8}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1.msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) [0-9a-f]{8}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1.msi	KB_RATWARE_OUTLOOK_08	1
header	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{4}) [0-9a-f]{4}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2.msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{4}) [0-9a-f]{4}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2.msi	KB_RATWARE_OUTLOOK_12	1
header	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2.msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2.msi	KB_RATWARE_OUTLOOK_16	1
header	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) [0-9a-f]{8}\@. {100,400}boundary="-----_NextPart_000_..._1\1\2.msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) [0-9a-f]{8}\@. {100,400}boundary="-----_NextPart_000_..._1\1\2.msi	KB_RATWARE_OUTLOOK_MID	4.400 4.400 2.503 1.499
uri	m~livefilestore.com/~	m~livefilestore.com/~	LIVEFILESTORE	3.300 2.570 3.183 0.771
body	/long\W+term\W+(target projected)\(W+price)?/i	/long\W+term\W+(target projected)\(W+price)?/i	LONG_TERM_PRICE	0.001
body	A loop hole in the banking laws?	A loop hole in the banking laws?	LOOPHOLE_1	1
body	Claims Agent	Claims Agent	LOTTO_AGENT	1
header	Date =~ \s+[+~]d(?:[2358]45)d[124-9]d(dollar) /	Date =~ \s+[+~]d(?:[2358]45)d[124-9]d(dollar) /	L_SPAM_TOOL_13	0.539 0.485 0.494 1.333
header	Message-ID =~ /^<d{14}\.[A-F0-9]{10}\@[A-Z0-9]+>(dollar) /	Message-ID =~ /^<d{14}\.[A-F0-9]{10}\@[A-Z0-9]+>(dollar) /	MID_DEGREES	1
header	Content-Type =~ /boundary="====_id+=.REL"/s	Content-Type =~ /boundary="====_id+=.REL"/s	MIME_BOUND_EQ_REL	1
full	Message has NUL (ASCII 0) byte in message	Message has NUL (ASCII 0) byte in message	NULL_IN_BODY	0.511 0.498 2.056 1.596
header	Received =~ \bid\s+[a-zA-Z0-9_+!@#%&'()*~]?(?:\["#\(\dollar) \&'()*~<=>?@\[\]^`{ }~] ;S/	Received =~ \bid\s+[a-zA-Z0-9_+!@#%&'()*~]?(?:\["#\(\dollar) \&'()*~<=>?@\[\]^`{ }~] ;S/	RCVD_BAD_ID	1
header	Forged 'Received' header found ('wrote:' spam)	Forged 'Received' header found ('wrote:' spam)	RCVD_FORGED_WROTE	1
header	Received =~ /from [0-9.] + \HELO \S+[A-Za-z+] by (\S+) with esmtp \(\S+\s\S+) id \S{6}-\S{6}-\S\S for \S+@\S+;/s	Received =~ /from [0-9.] + \HELO \S+[A-Za-z+] by (\S+) with esmtp \(\S+\s\S+) id \S{6}-\S{6}-\S\S for \S+@\S+;/s	RCVD_FORGED_WROTE2	1
header	eval:check_rbl('brbl-lastexternal','bb.barracudacentral.org')	eval:check_rbl('brbl-lastexternal','bb.barracudacentral.org')	RCVD_IN_BRBL_LASTTEXT	0 1.644 0 1.449
header	Received via a relay in Spamhaus CSS	Received via a relay in Spamhaus CSS	RCVD_IN_CSS	0 1.0 0 1.0
header	Sender listed at http://www.dnswl.org/, high trust	Sender listed at http://www.dnswl.org/, high trust	RCVD_IN_DNSWL_HI	0 -5 0 -5
header	Sender listed at http://www.dnswl.org/, low trust	Sender listed at http://www.dnswl.org/, low trust	RCVD_IN_DNSWL_LOW	0 -0.7 0 -0.7
header	Sender listed at http://www.dnswl.org/, medium trust	Sender listed at http://www.dnswl.org/, medium trust	RCVD_IN_DNSWL_MED	0 -2.3 0 -2.3
header	Sender listed at http://www.dnswl.org/, low trust	Sender listed at http://www.dnswl.org/, low trust	RCVD_IN_DNSWL_NONE	0 -0.0001 0 -0.0001
header	IADB: Sender publishes Domain Keys record	IADB: Sender publishes Domain Keys record	RCVD_IN_IADB_DK	0 -0.223 0 -0.095
header	IADB: All mailing list mail is confirmed opt-in	IADB: All mailing list mail is confirmed opt-in	RCVD_IN_IADB_DOPTIN	0 -4 0 -4
header	IADB: Confirmed opt-in used more than 50% of the time	IADB: Confirmed opt-in used more than 50% of the time	RCVD_IN_IADB_DOPTIN_GT50	1

Feuille1

header	IADB: Confirmed opt-in used less than 50% of the time	IADB: Confirmed opt-in used less than 50% of the time	RCVD_IN_IADB_DOPTIN_LT50	0 -0.001 0 -0.001
header	IADB: Participates in Email Deliverability Database	IADB: Participates in Email Deliverability Database	RCVD_IN_IADB_EDDB	1
header	IADB: Member of Email Processing Industry Alliance	IADB: Member of Email Processing Industry Alliance	RCVD_IN_IADB_EPIA	1
header	IADB: Sender has been certified by GoodMail	IADB: Sender has been certified by GoodMail	RCVD_IN_IADB_GOODMAIL	1
header	Participates in the IADB system	Participates in the IADB system	RCVD_IN_IADB_LISTED	0 -0.380 0 -0.001
header	IADB: Adds relationship addrs w/out opt-in	IADB: Adds relationship addrs w/out opt-in	RCVD_IN_IADB_LOOSE	1
header	IADB: Complies with Michigan's CPEAR law	IADB: Complies with Michigan's CPEAR law	RCVD_IN_IADB_MI_CPEAR	1
header	IADB: Checked lists against Michigan's CPR within 30 days	IADB: Checked lists against Michigan's CPR within 30 days	RCVD_IN_IADB_MI_CPR_30	1
header	IADB: Sends no material under Michigan's CPR	IADB: Sends no material under Michigan's CPR	RCVD_IN_IADB_MI_CPR_MAT	0 -0.332 0 -0.000
header	IADB: Mailing list email only, confirmed opt-in	IADB: Mailing list email only, confirmed opt-in	RCVD_IN_IADB_ML_DOPTIN	0 -6 0 -6
header	IADB: Has absolutely no mailing controls in place	IADB: Has absolutely no mailing controls in place	RCVD_IN_IADB_NOCONTROL	1
header	IADB: One-to-one/transactional email only	IADB: One-to-one/transactional email only	RCVD_IN_IADB_OOO	1
header	IADB: All mailing list mail is opt-in	IADB: All mailing list mail is opt-in	RCVD_IN_IADB_OPTIN	0 -2.057 0 -1.470
header	IADB: Opt-in used more than 50% of the time	IADB: Opt-in used more than 50% of the time	RCVD_IN_IADB_OPTIN_GT50	0 -1.208 0 -0.007
header	IADB: Opt-in used less than 50% of the time	IADB: Opt-in used less than 50% of the time	RCVD_IN_IADB_OPTIN_LT50	1
header	IADB: Scrapes addresses, pure opt-out only	IADB: Scrapes addresses, pure opt-out only	RCVD_IN_IADB_OPTOUTONLY	1
header	IADB: Sender has reverse DNS record	IADB: Sender has reverse DNS record	RCVD_IN_IADB_RDNS	0 -0.167 0 -0.235
header	IADB: Sender publishes Sender ID record	IADB: Sender publishes Sender ID record	RCVD_IN_IADB_SENDERID	0 -0.001 0 -0.001
header	IADB: Sender publishes SPF record	IADB: Sender publishes SPF record	RCVD_IN_IADB_SPF	0 -0.001 0 -0.059
header	IADB: Accepts unverified sign-ups	IADB: Accepts unverified sign-ups	RCVD_IN_IADB_UNVERIFIED_1	1
header	IADB: Accepts unverified sign-ups, gives chance to opt out	IADB: Accepts unverified sign-ups, gives chance to opt out	RCVD_IN_IADB_UNVERIFIED_2	1
header	IADB: Complies with Utah's CPEAR law	IADB: Complies with Utah's CPEAR law	RCVD_IN_IADB_UT_CPEAR	1
header	IADB: Checked lists against Utah's CPR within 30 days	IADB: Checked lists against Utah's CPR within 30 days	RCVD_IN_IADB_UT_CPR_30	1
header	IADB: Sends no material under Utah's CPR	IADB: Sends no material under Utah's CPR	RCVD_IN_IADB_UT_CPR_MAT	0 -0.095 0 -0.001
header	Received via a relay in PSBL	Received via a relay in PSBL	RCVD_IN_PSBL	0 2.700 0 2.700
header	Sender is in Return Path Certified (trusted relay)	Sender is in Return Path Certified (trusted relay)	RCVD_IN_RP_CERTIFIED	0.0 -3.0 0.0 -3.0
header	Relay in RNBL, https://senderscore.org/blacklistlookup/	Relay in RNBL, https://senderscore.org/blacklistlookup/	RCVD_IN_RP_RNBL	0 1.284 0 1.310
header	Sender is in Return Path Safe (trusted relay)	Sender is in Return Path Safe (trusted relay)	RCVD_IN_RP_SAFE	0.0 -2.0 0.0 -2.0
header	Forged Received header (contains post.com or mail.com)	Forged Received header (contains post.com or mail.com)	RCVD_MAIL_COM	1
header	Sender's public rDNS is "localhost"	Sender's public rDNS is "localhost"	RDNS_LOCALHOST	3.700 0.969 2.345 0.001
body	Email.Spam.Gen3177.Saneseecurity.08051611	Email.Spam.Gen3177.Saneseecurity.08051611	SANE_04e8bf28eb445199a7f11b943c44d209	1.712 3.185 2.654 1.337
body	Email.Spam.Gen3234.Saneseecurity.08052309	Email.Spam.Gen3234.Saneseecurity.08052309	SANE_1c4f3286fa4aed6424ced88bfaf8b09c	3.199 2.040 3.199 1.502
body	Email.Spam.Saneseecurity.Url_2496	Email.Spam.Saneseecurity.Url_2496	SANE_2b173a7fb7518c75ac8a2d294d773fd8	2.976 1.117 1.951 0.942
body	Email.Spam.Gen158.Saneseecurity.07012700	Email.Spam.Gen158.Saneseecurity.07012700	SANE_3b92eda751c992f230f215fb7eb36844	0.001 0.626 0.585 3.040

Feuille1

body	Email.Spam.Gen1941.Saneseconomy.07112519	Email.Spam.Gen1941.Saneseconomy.07112519	SANE_4ef8302546bf270a19baf98508afacc4	2.231 3.464 2.266 3.543
body	Email.Spam.Gen2507.Saneseconomy.08021303	Email.Spam.Gen2507.Saneseconomy.08021303	SANE_7429530a7398f43f1f1b795f9420714e	3.999 1.655 2.776 1.479
body	Email.Malware.Saneseconomy.07011300	Email.Malware.Saneseconomy.07011300	SANE_91eb43f705d25c804374a746d7519660	3.099 2.803 2.746 1.572
body	Email.Spam.Saneseconomy.Url_2499	Email.Spam.Saneseconomy.Url_2499	SANE_d0d2b0f6373bf91253d66dd74c594b87	3.799 2.040 2.710 1.494
body	/short\W+term\W+(target projected)\(W+price)?/i	/short\W+term\W+(target projected)\(W+price)?/i	SHORT_TERM_PRICE	0.001
header	Content-Type =~ /text/plain; .* reply-type=original/	Content-Type =~ /text/plain; .* reply-type=original/	STOX_REPLY_TYPE	1.898 0.212 0.141 0.439
header	From starts with a tab	From starts with a tab	TAB_IN_FROM	1
header	X-Mailer =~ /^The Bat! .{0,20} UNREG(dollar) /	X-Mailer =~ /^The Bat! .{0,20} UNREG(dollar) /	THEBAT_UNREG	2.599 1.843 2.324 1.524
header	Scora: Message-Id ends after left-bracket + digits	Scora: Message-Id ends after left-bracket + digits	TT_MSGID_TRUNC	0.748 0.023 1.434 1.448
body	/\bact of (? :193 nineteen thirty)/i	/\bact of (? :193 nineteen thirty)/i	TVD_ACT_193	1
body	/you.{1,2}re .{0,20}approved/i	/you.{1,2}re .{0,20}approved/i	TVD_APPROVED	2.356 2.599 2.599 2.090
body	/^dear homeowner/i	/^dear homeowner/i	TVD_DEAR_HOMEOWNER	1
header	EnvelopeFrom =~ \//	EnvelopeFrom =~ \//	TVD_ENVFROM_APOST	1
header	Content-Type =~ /text/plain(?:; (?:format=flowed charset="Windows-1252" reply-type=original)){3}/i	Content-Type =~ /text/plain(?:; (?:format=flowed charset="Windows-1252" reply-type=original)){3}/i	TVD_FINGER_02	0.001 1.544 1.394 1.215
rawbody	/\bstyle\s*=\s*"[\"]*\bfloat\s*:\s*[a-z]+\s*">\s*[a-zA-Z]+\s*</i	/\bstyle\s*=\s*"[\"]*\bfloat\s*:\s*[a-z]+\s*">\s*[a-zA-Z]+\s*</i	TVD_FLOAT_GENERAL	1
body	/<inter W1><post P1>\b(?:degree)<D><E><G><R><E><E>\b/i	/<inter W1><post P1>\b(?:degree)<D><E><G><R><E><E>\b/i	TVD_FUZZY_DEGREE	1
body	/(?:!finance)<F><I><N><A><N><C><E>/i	/(?:!finance)<F><I><N><A><N><C><E>/i	TVD_FUZZY_FINANCE	1
body	/<inter W2><post P2>(?!fixed rate)<F><I><X><E><D>\s*<R><A><T><E>/i	/<inter W2><post P2>(?!fixed rate)<F><I><X><E><D>\s*<R><A><T><E>/i	TVD_FUZZY_FIXED_RATE	1
body	/<inter W2><post P2>(?!microcap)(?!microcap)<M><I><C><R><O>?<C><A><P>/i	/<inter W2><post P2>(?!microcap)(?!microcap)<M><I><C><R><O>?<C><A><P>/i	TVD_FUZZY_MICROCAP	1
body	/<inter W2><post P2>(?!pharmaceutical)<P><H><A><R><M><A><C><E><U><T><I><C><A><L>/i	/<inter W2><post P2>(?!pharmaceutical)<P><H><A><R><M><A><C><E><U><T><I><C><A><L>/i	TVD_FUZZY_PHARMACEUTICAL	1
body	/<inter W2><post P2>(?!symbol)<S><Y><M><O><L>/i	/<inter W2><post P2>(?!symbol)<S><Y><M><O><L>/i	TVD_FUZZY_SYMBOL	1
body	/\bsize of .{1,20}(?:.penis dick manhood)/i	/\bsize of .{1,20}(?:.penis dick manhood)/i	TVD_INCREASE_SIZE	1.529 0.601 1.055 0.001
body	/\blink to save\b/i	/\blink to save\b/i	TVD_LINK_SAVE	1
header	Subject =~ /(?:.Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec)\S* \d+% OFF/	Subject =~ /(?:.Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec)\S* \d+% OFF/	TVD_PCT_OFF	1
body	/\baccounts? (? :[a-z_-]+)+?(?:.record[a-z]*] suspen[a-z]+ notif(?:.y ication)) updated verifications? credited)\b/i	/\baccounts? (? :[a-z_-]+)+?(?:.record[a-z]*] suspen[a-z]+ notif(?:.y ication)) updated verifications? credited)\b/i	TVD_PH_BODY_ACCOUNTS_P E	1.201 1.527 1.327 2.393
body	Message has a phrase standard for phishing mails	Message has a phrase standard for phishing mails	TVD_PH_REC	3.127 2.026 3.266 1.784
body	Message has a phrase standard for phishing mails	Message has a phrase standard for phishing mails	TVD_PH_SEC	0.291 1.498 0.869 1.764
header	Subject =~ /\b(?:.re-)??activat[a-z]*] secure verify restore flagged limited unusual update report notif(?:.y ication)) suspen(?:.d ded sion) co(?:.n m)firm[a-z]*] (? :[a-z_-]+)+?*accounts?\b/i	Subject =~ /\b(?:.re-)??activat[a-z]*] secure verify restore flagged limited unusual update report notif(?:.y ication)) suspen(?:.d ded sion) co(?:.n m)firm[a-z]*] (? :[a-z_-]+)+?*accounts?\b/i	TVD_PH_SUBJ_ACCOUNTS_POS T	2.602 2.607 2.497 3.099
header	Subject =~ /\bsecurity (? :[a-z_-]+)+?*measures?\b/i	Subject =~ /\bsecurity (? :[a-z_-]+)+?*measures?\b/i	TVD_PH_SUBJ_SEC_MEASURES	2.284 1.522 1.675 1.145

