

Feuille1

AREA TESTED	DESCRIPTION OF TEST	DESCRIPTION DE L'ESSAI	TEST NAME	DEFAULT SCORES (local, net, with bayes, with bayes+net)
<b>body</b>	Generic Test for Unsolicited Bulk Email	Test générique pour les courriers électroniques indésirables	GTUBE	1000.000
<b>body</b>	Incorporates a tracking ID number	Intègre un numéro de suivi	TRACKER_ID	2.026 1.102 1.750 1.306
<b>body</b>	Weird repeated double-quotation marks	Weird répétées guillemets doubles	WEIRD_QUOTING	0.001 0.001 0.001 0.001
<b>body</b>	Body contains a ROT13-encoded email address	Corps contient une adresse e-mail codé ROT13	EMAIL_ROT13	1
<b>body</b>	HTML and text parts are different	HTML et de textes sont différents	MPART_ALT_DIFF	2.246 0.724 0.595 0.790
<b>body</b>	HTML and text parts are different	HTML et de textes sont différents	MPART_ALT_DIFF_COUNT	2.799 1.483 1.199 1.112
<b>body</b>	Message body has 80-90% blank lines	Corps du message a 80-90% des lignes vides	BLANK_LINES_80_90	1
<b>body</b>	eval:check_ma_non_text()	eval: check_ma_non_text ()	MULTIPART_ALT_NON_TEXT	1
<b>body</b>	Character set indicates a foreign language	Jeu de caractères indique une langue étrangère	CHARSET_FARAWAY	29/02/00
<b>rawbody</b>	Extra blank lines in base64 encoding	lignes vides dans l'encodage base64	MIME_BASE64_BLANKS	0.001 0.001 0.001 0.001
<b>rawbody</b>	Message text disguised using base64 encoding	Message texte déguisée en utilisant l'encodage base64	MIME_BASE64_TEXT	0.001 0.001 0.001 1.741
<b>body</b>	Missing blank line between MIME header and body	Missing ligne blanche entre en-tête MIME et le corps	MISSING_MIME_HB_SEP	0.001 0.001 0.001 0.001
<b>body</b>	Multipart message mostly text/html MIME	message Multipart principalement du texte / MIME html	MIME_HTML_MOSTLY	0.354 0.001 0.725 0.428
<b>body</b>	Message only has text/html MIME parts	Message n'a text / html parties MIME	MIME_HTML_ONLY	2.199 1.105 1.199 0.723
<b>rawbody</b>	Quoted-printable line longer than 76 chars	ligne Quoted-printable de plus de 76 caractères	MIME_QP_LONG_LINE	0.001
<b>body</b>	MIME character set is an unknown ISO charset	MIME est un jeu de caractères charset ISO inconnue	MIME_BAD_ISO_CHARSET	1
<b>body</b>	IP to HTTPS link found in HTML	IP vers HTTPS lien qui se trouve en HTML	HTTPS_IP_MISMATCH	1
<b>body</b>	Message contained a URI which was truncated	Message contenait un URI qui a été tronquée	URI_TRUNCATED	0.001
<b>header</b>	Passed through trusted hosts only via SMTP	Adoption par des hôtes de confiance uniquement via SMTP	ALL_TRUSTED	-1.000
<b>header</b>	Informational: message was not relayed via SMTP	Information: message n'a pas été relayé via SMTP	NO_RELAYS	-0.001
<b>header</b>	NJABL: sender is confirmed open relay	NJABL: l'expéditeur est confirmée relais ouvert	RCVD_IN_NJABL_RELAY	0 1.881 0 2.499
<b>header</b>	NJABL: sender is confirmed spam source	NJABL: l'expéditeur est confirmée source de spam	RCVD_IN_NJABL_SPAM	0 1.466 0 1.249
<b>header</b>	NJABL: sent through multi-stage open relay	NJABL: envoyé par plusieurs étapes de relais ouvert	RCVD_IN_NJABL_MULTI	1
<b>header</b>	NJABL: sender is an open formmail	NJABL: l'expéditeur est un formmail ouverte	RCVD_IN_NJABL_CGI	1
<b>header</b>	NJABL: sender is an open proxy	NJABL: l'expéditeur est un proxy ouvert	RCVD_IN_NJABL_PROXY	0 0.208 0 2.224
<b>header</b>	SORBS: sender is open HTTP proxy server	SORBS: l'expéditeur est ouvert serveur proxy HTTP	RCVD_IN_SORBS_HTTP	0 2.499 0 0.001
<b>header</b>	SORBS: sender is open SOCKS proxy server	SORBS: l'expéditeur est ouverte serveur proxy SOCKS	RCVD_IN_SORBS SOCKS	0 2.443 0 1.927
<b>header</b>	SORBS: sender is open proxy server	SORBS: l'expéditeur est le serveur proxy ouvert	RCVD_IN_SORBS_MISC	1
<b>header</b>	SORBS: sender is open SMTP relay	SORBS: l'expéditeur est ouvert de relais SMTP	RCVD_IN_SORBS SMTP	1
<b>header</b>	SORBS: sender is an abusable web server	SORBS: l'expéditeur est un serveur web abus évidents	RCVD_IN_SORBS_WEB	0 0.614 0 0.770
<b>header</b>	SORBS: sender demands to never be tested	SORBS: demandes expéditeur de ne jamais être testé	RCVD_IN_SORBS_BLOCK	1
<b>header</b>	SORBS: sender is on a hijacked network	SORBS: l'expéditeur est sur un réseau détourné	RCVD_IN_SORBS_ZOMBIE	1
<b>header</b>	SORBS: sent directly from dynamic IP address	SORBS: envoyé directement à partir de l'adresse IP dynamique	RCVD_IN_SORBS_DUL	0 0.001 0 0.001
<b>header</b>	Received via a relay in Spamhaus SBL	Reçu via un relais dans Spamhaus SBL	RCVD_IN_SBL	0 2.596 0 0.141
<b>header</b>	Received via a relay in Spamhaus XBL	Reçu via un relais dans Spamhaus XBL	RCVD_IN_XBL	0 0.724 0 0.375
<b>header</b>	Received via a relay in Spamhaus PBL	Reçu via un relais dans Spamhaus PBL	RCVD_IN_PBL	0 3.558 0 3.335

## Feuille1

<b>header</b>	Envelope sender in dsn.rfc-ignorant.org	expéditeur de l'enveloppe dans dsn.rfc-ignorant.org	DNS_FROM_RFC_DSN	0 0.001 0 0.001
<b>header</b>	Envelope sender in bogusmx.rfc-ignorant.org	expéditeur de l'enveloppe dans bogusmx.rfc-ignorant.org	DNS_FROM_RFC_BOGUSMX	0 1.464 0 1.668
<b>header</b>	Envelope sender listed in dnsbl.ahbl.org	expéditeur de l'enveloppe énumérés dans dnsbl.ahbl.org	DNS_FROM_AHBL_RHSBL	0 2.438 0 2.699
<b>header</b>	Received via a relay in bl.spamcop.net	Reçu via un relais dans bl.spamcop.net	RCVD_IN_BL_SPAMCOP_NET	0 1.246 0 1.347
<b>header</b>	Relay in RBL, http://www.mail-abuse.com/enduserinfo_rbl.html	Relais de RBL, http://www.mail-abuse.com/enduserinfo_rbl.html	RCVD_IN_MAPS_RBL	1
<b>header</b>	Relay in DUL, http://www.mail-abuse.com/enduserinfo_dul.html	Relais dans DUL, http://www.mail-abuse.com/enduserinfo_dul.html	RCVD_IN_MAPS_DUL	1
<b>header</b>	Relay in RSS, http://www.mail-abuse.com/enduserinfo_rss.html	Relais de RSS, http://www.mail-abuse.com/enduserinfo_rss.html	RCVD_IN_MAPS_RSS	1
<b>header</b>	Relay in OPS, http://www.mail-abuse.com/enduserinfo_ops.html	Relais à l'OPS, http://www.mail-abuse.com/enduserinfo_ops.html	RCVD_IN_MAPS_OPS	1
<b>header</b>	Relay in NML, http://www.mail-abuse.com/enduserinfo_nml.html	Relais de LNM, http://www.mail-abuse.com/enduserinfo_nml.html	RCVD_IN_MAPS_NML	1
<b>header</b>	ISIPP IADB lists as vouched-for sender	ISIPP BID listes que garant de l'expéditeur-	RCVD_IN_IADB_VOUCHED	0 -2.2 0 -2.2
<b>header</b>	Subject contains a gappy version of 'cialis'	Sous réserve contient une version Gappy de «cialis»	SUBJECT_DRUG_GAP_C	2.108 0.989 1.348 2.140
<b>header</b>	Subject contains a gappy version of 'levitra'	Sous réserve contient une version Gappy de «levitra '	SUBJECT_DRUG_GAP_L	2.799 2.304 1.402 1.561
<b>header</b>	Subject contains a gappy version of 'soma'	Sous réserve contient une version Gappy de «soma»	SUBJECT_DRUG_GAP_S	1
<b>header</b>	Subject contains a gappy version of 'valium'	Sous réserve contient une version Gappy de «valium»	SUBJECT_DRUG_GAP_VA	1
<b>header</b>	Subject contains a gappy version of 'xanax'	Sous réserve contient une version de Gappy 'xanax'	SUBJECT_DRUG_GAP_X	1
<b>body</b>	Talks about price per dose	Les pourparlers sur le prix par dose	DRUG_DOSAGE	1
<b>body</b>	Mentions an E.D. drug	Mentions une drogue ED	DRUG_ED_CAPS	2.799 1.023 2.516 0.936
<b>body</b>	Talks about an E.D. drug using its chemical name	Parle d'un médicament d'urgence en utilisant son nom chimique	DRUG_ED_SILD	0.001 0.170 0.113 1.794
<b>body</b>	Mentions Generic Viagra	Mentions Viagra générique	DRUG_ED_GENERIC	1
<b>body</b>	Fast Viagra Delivery	Livraison rapide Viagra	DRUG_ED_ONLINE	0.696 1.152 1.221 0.608
<b>body</b>	Online Pharmacy	Pharmacie en ligne	ONLINE_PHARMACY	0.843 2.371 0.008 0.650
<b>body</b>	No prescription needed	Aucune prescription n'est nécessaire	NO_PRESCRIPTION	1.915 1.102 2.280 2.399
<b>body</b>	Attempts to disguise the word 'viagra'	Les tentatives visant à dissimuler «viagra» le mot	VIA_GAP_GRA	1
<b>body</b>	Two or more drugs crammed together into one word	Deux ou plusieurs médicaments entassés en un seul mot	DRUGS_SMEAR1	3.300 2.051 3.148 0.235
<b>header</b>	Relay HELO'd with suspicious hostname (mail.com)	Relais HELO'd avec hostname suspects (mail.com)	FAKE_HELO_MAIL_COM_DOM	1.887 0.152 1.370 2.136
<b>header</b>	Relay HELO'd using suspicious hostname (Rogers)	Relais HELO'd en utilisant le nom d'hôte suspects (Rogers)	HELO_DYNAMIC_ROGERS	1
<b>header</b>	Relay HELO'd using suspicious hostname (T-Dialin)	Relais HELO'd nom d'hôte à l'aide suspects (T-Dialin)	HELO_DYNAMIC_DIALIN	2.629 3.233 2.186 1.366
<b>header</b>	Relay HELO'd using suspicious hostname (Hex IP)	Relais HELO'd en utilisant le nom d'hôte suspects (Hex IP)	HELO_DYNAMIC_HEXIP	2.321 0.511 1.773 1.789
<b>header</b>	Relay HELO'd using suspicious hostname (Split IP)	Relais HELO'd en utilisant le nom d'hôte suspects (Split IP)	HELO_DYNAMIC_SPLIT_IP	3.031 2.893 4.225 3.482
<b>header</b>	Relay HELO'd using suspicious hostname (IP addr 2)	Relais HELO'd en utilisant le nom d'hôte suspects (IP addr 2)	HELO_DYNAMIC_IPADDR2	2.815 3.888 3.728 3.607
<b>header</b>	Relay HELO'd using suspicious hostname (Chello.nl)	Relais HELO'd en utilisant le nom d'hôte suspects (Chello.nl)	HELO_DYNAMIC_CHELLO_NL	2.412 1.918 2.019 2.428
<b>header</b>	Relay HELO'd using suspicious hostname (Home.nl)	Relais HELO'd en utilisant le nom d'hôte suspects (Home.nl)	HELO_DYNAMIC_HOME_NL	2.385 1.530 1.024 1.459
<b>header</b>	Sender email is freemail	email de l'expéditeur est freemail	FREEMAIL_FROM	0.001
<b>header</b>	Envelope-from freemail username ends in digit	Enveloppe de nom d'utilisateur freemail se termine en chiffres	FREEMAIL_ENVFROM_END_DIGIT	2.602 2.223 1.770 1.553
<b>header</b>	Reply-To freemail username ends in digit	Reply-To freemail extrémités nom d'utilisateur dans chiffres	FREEMAIL_REPLYTO_END_DIGIT	1.221 0.980 1.179 1.151
<b>header</b>	Partial message	message partiel	FRAGMENTED_MESSAGE	1

# Feuille1

<b>header</b>	From: contains empty name	De: contient le nom vide	FROM_BLANK_NAME	2.099 2.099 2.099 0.723
<b>header</b>	From: starts with many numbers	De: commence avec de nombreux chiffres	FROM_STARTS_WITH_NUMS	2.801 0.553 1.201 0.738
<b>header</b>	From address is "at something-offers"	Partir de l'adresse est «quelque chose-offre»	FROM_OFFERS	2.699 2.699 2.510 2.699
<b>header</b>	From: has no local-part before @ sign	De: n'a pas de partie locale avant @ signe	FROM_NO_USER	0.001 2.599 0.019 0.798
<b>header</b>	Spam tool Message-Id: (caps variant)	outil de Spam Message-Id: (variante caps)	MSGID_SPAM_CAPS	2.366 1.997 3.099 3.099
<b>header</b>	Spam tool Message-Id: (letters variant)	outil de Spam Message-Id: (variante de lettres)	MSGID_SPAM_LETTERS	1
<b>header</b>	Message-ID has ALLCAPS@yahoo.com	Message-ID a ALLCAPS@yahoo.com	MSGID_YAHOO_CAPS	0.797 1.413 2.278 1.411
<b>header</b>	Message-ID is unusually short	Message-ID est exceptionnellement court	MSGID_SHORT	0.001 0.337 0.001 0.001
<b>header</b>	Message-ID contains multiple '@' characters	Message-ID contient plusieurs caractère '@'	MSGID_MULTIPLE_AT	0.001
<b>header</b>	Date header uses unusual Y2K formatting	Date de mise en en-tête utilise Y2K inhabituel	DATE_SPAMWARE_Y2K	1
<b>header</b>	Invalid Date: header (not RFC 2822)	Blancs Date: en-tête (pas RFC 2822)	INVALID_DATE	1.701 0.432 1.200 1.096
<b>header</b>	Invalid Date: header (timezone does not exist)	Blancs Date: header (fuseau horaire n'existe pas)	INVALID_DATE_TZ_ABSURD	0.262 0.632 0.706 0.491
<b>header</b>	Invalid date in header (wrong CST timezone)	Date non valide en-tête (fuseau horaire CST tort)	INVALID_TZ_CST	1
<b>header</b>	Invalid date in header (wrong EST timezone)	Date non valide en-tête (fuseau horaire EST tort)	INVALID_TZ_EST	1
<b>header</b>	Subject contains an English UCE tag	Sous réserve contient une balise anglais UCE	ENGLISH_UCE_SUBJECT	0.953 1.542 2.569 2.899
<b>header</b>	Subject contains a Japanese UCE tag	Sous réserve contient une balise UCE japonais	JAPANESE_UCE_SUBJECT	1
<b>header</b>	Subject: contains Korean unsolicited email tag	Objet: contient coréenne tag courriels non sollicités	KOREAN_UCE_SUBJECT	1
<b>header</b>	Contains forged hostname for a DSL IP in Brazil	Contient faux nom d'hôte pour une adresse IP DSL au Brésil	FORGED_TELESP_RCVD	2.499 2.499 2.499 1.841
<b>header</b>	Character set doesn't exist	Jeu de caractères n'existe pas	NONEXISTENT_CHARSET	1
<b>header</b>	Message has Prevent-NonDelivery-Report header	Le message a en-tête non-remise-Prevent-Rapport	PREVENT_NONDELIVERY	1
<b>header</b>	Message has X-IP header	Le message a en-tête X-IP	X_IP	0.001 0.001 0.001 0.001
<b>header</b>	Subject contains "As Seen"	Objet contient "As Seen"	SUBJ_AS_SEEN	2.711 3.099 3.099 1.461
<b>header</b>	Subject starts with dollar amount	Sous réserve commence par montant en dollars	SUBJ_DOLLARS	0.600 0.001 0.601 1.800
<b>header</b>	Subject contains "Your Bills" or similar	Objet contient "Votre projets de loi» ou similaires	SUBJ_YOUR_DEBT	3.299 3.045 1.199 0.987
<b>header</b>	Subject contains "Your Family"	Objet contient "Votre famille"	SUBJ_YOUR_FAMILY	2.910 2.999 2.999 2.999
<b>header</b>	Received contains a faked HELO hostname	Reçu contient un nom d'hôte HELO truquées	RCVD_FAKE_HELO_DOTCOM	2.799 2.389 2.605 1.189
<b>header</b>	Subject talks about losing pounds	Sous réserve des pourparlers de perdre livres	SUBJECT_DIET	1.927 1.563 0.817 1.466
<b>header</b>	Header has extraneous Content-type:...type= entry	En-tête a étrangères Content-type: ... type = entrée	EXTRA_MPART_TYPE	01/01/00
<b>header</b>	Spam tool pattern in MIME boundary	motif outil Spam dans la limite MIME	MIME_BOUND_DD_DIGITS	3.016 0.349 2.417 1.373
<b>header</b>	Spam tool pattern in MIME boundary	motif outil Spam dans la limite MIME	MIME_BOUND_DIGITS_15	0.432 1.225 1.241 0.798
<b>header</b>	Spam tool pattern in MIME boundary	motif outil Spam dans la limite MIME	MIME_BOUND_MANY_HEX	1
<b>header</b>	To: has a malformed address	Pour: a une adresse incorrecte	TO_MALFORMED	0.892 1.247 2.099 2.099
<b>header</b>	Received line contains spam-sign (lowercase smtp)	Reçu en ligne contient spam-signe (minuscules SMTP)	WITH_LC_SMTP	1
<b>header</b>	Subject line starts with Buy or Buying	Sous réserve de la ligne commence par achat ou d'achat	SUBJ_BUY	0.594 1.498 0.001 0.639
<b>header</b>	Received headers forged (AM/PM)	Reçu fausses en-têtes (AM / PM)	RCVD_AM_PM	1
<b>header</b>	Received header contains faked 'mr.outblaze.com'	Reçu en-tête contient truquée »mr.outblaze.com '	FAKE_OUTBLAZE_RCVD	1
<b>header</b>	Headers contain an unclosed bracket	En-têtes contiennent une parenthèse non fermée	UNCLOSED_BRACKET	2.699 1.329 1.425 1.496
<b>header</b>	From: domain has series of non-vowel letters	De: domaine a une série de lettres non-voyelle	FROM_DOMAIN_NOVOWEL	0.500
<b>header</b>	From: localpart has series of non-vowel letters	De: la partie locale a une série de lettres non-voyelle	FROM_LOCAL_NOVOWEL	0.500

# Feuille1

<b>header</b>	From: localpart has long hexadecimal sequence	De: la partie locale a longue séquence hexadécimale	FROM_LOCAL_HEX	0.000 0.331 0.001 0.006
<b>header</b>	From: localpart has long digit sequence	De: la partie locale a longue séquence chiffres	FROM_LOCAL_DIGITS	0.001
<b>header</b>	Cc: after X-Priority: (bulk email fingerprint)	Cc: après X-Priority: (empreintes digitales d'email en vrac)	X_PRIORITY_CC	1
<b>header</b>	Message has bad MIME encoding in the header	Message a l'encodage MIME mal dans l'en-tête	BAD_ENC_HEADER	3.099 1.716 1.805 1.988
<b>header</b>	Received: contains illegal IP address	Reçu: contient l'adresse IP illégale	RCVD_ILLEGAL_IP	28/02/99
<b>header</b>	A foreign language charset used in headers	Un jeu de caractères des langues étrangères utilisées dans les entêtes	CHARSET_FARAWAY_HEADER	29/02/00
<b>header</b>	From: has too many raw illegal characters	De: a trop cru des caractères illégaux	FROM_ILLEGAL_CHARS	2.192 2.059 0.240 0.036
<b>header</b>	Headers have too many raw illegal characters	En-têtes ont trop de premières caractères illégaux	HEAD_ILLEGAL_CHARS	1
<b>header</b>	hotmail.com 'From' address, but no 'Received.'	hotmail.com adresse d'expédition, mais pas de «Reçu:»	FORGED_HOTMAIL_RCVD2	0.001 1.187 0.698 0.874
<b>header</b>	From' yahoo.com does not match 'Received' headers	"De:" yahoo.com ne correspond pas à en-têtes «reçu»	FORGED_YAHOO_RCVD	2.397 1.022 2.599 1.630
<b>header</b>	Recipient list is sorted by address	liste des destinataires est triée par adresse	SORTED_RECIPS	1.801 2.474 1.791 2.499
<b>header</b>	Similar addresses in recipient list	adresses similaires dans la liste de destinataires	SUSPICIOUS_RECIPS	2.499 2.497 2.139 2.510
<b>header</b>	Missing To: header	Pour Missing: en-tête	MISSING_HEADERS	0.915 1.207 1.204 1.021
<b>header</b>	Date: is 3 to 6 hours before Received: date	Date: est 3 à 6 heures avant Reçu: date	DATE_IN_PAST_03_06	2.399 1.076 1.200 1.592
<b>header</b>	Date: is 6 to 12 hours before Received: date	Date: est 6 à 12 heures avant Reçu: date	DATE_IN_PAST_06_12	1.699 1.103 1.274 1.543
<b>header</b>	Date: is 12 to 24 hours before Received: date	Date: est 12 à 24 heures avant Reçu: date	DATE_IN_PAST_12_24	0.001 0.804 1.190 1.049
<b>header</b>	Date: is 24 to 48 hours before Received: date	Date: est 24 à 48 heures avant Reçu: date	DATE_IN_PAST_24_48	1.109 0.485 0.624 1.340
<b>header</b>	Date: is 96 hours or more before Received: date	Date: est 96 heures ou plus avant Reçu: date	DATE_IN_PAST_96_XX	2.600 2.070 1.233 3.405
<b>header</b>	Date: is 3 to 6 hours after Received: date	Date: est 3 à 6 heures après la réception: la date	DATE_IN_FUTURE_03_06	3.399 2.426 2.997 3.027
<b>header</b>	Date: is 6 to 12 hours after Received: date	Date: est 6 à 12 heures après la réception: la date	DATE_IN_FUTURE_06_12	2.899 0.001 2.222 1.947
<b>header</b>	Date: is 12 to 24 hours after Received: date	Date: est 12 à 24 heures après la réception: la date	DATE_IN_FUTURE_12_24	2.603 2.489 3.199 3.199
<b>header</b>	Date: is 24 to 48 hours after Received: date	Date: est 24 à 48 heures après la réception: la date	DATE_IN_FUTURE_24_48	2.598 1.248 0.001 2.048
<b>header</b>	Date: is 48 to 96 hours after Received: date	Date: est 48 à 96 heures après la réception: la date	DATE_IN_FUTURE_48_96	2.384 0.813 1.078 2.181
<b>header</b>	Date: is 96 hours or more after Received: date	Date: est 96 heures ou plus après la réception: la date	DATE_IN_FUTURE_96_XX	2.614 3.028 2.851 3.087
<b>header</b>	Headers contain an unresolved template	En-têtes contiennent un modèle non résolu	UNRESOLVED_TEMPLATE	3.035 0.716 2.424 1.252
<b>header</b>	Subject is all capitals	Le sujet est toutes les capitales	SUBJ_ALL_CAPS	0.518 1.625 1.197 1.506
<b>header</b>	Local part of To: address appears in Subject	partie locale de To: adresse apparaît dans Sujet	LOCALPART_IN_SUBJECT	0.001 0.730 1.199 1.107
<b>header</b>	Message-Id is fake (in Outlook Express format)	Message-Id est faux (dans Outlook Express format)	MSGID_OUTLOOK_INVALID	01/03/99
<b>header</b>	Multiple Content-Type headers found	plusieurs en-têtes Content-Type trouvé	HEADER_COUNT_CTYPE	1
<b>header</b>	Message headers are very long	Message en-têtes sont très longues	HEAD_LONG	1
<b>header</b>	Missing blank line between message header and body	Missing ligne blanche entre-tête du message et le corps	MISSING_HB_SEP	1
<b>header</b>	Informational: message has unparseable relay lines	Information: message a lignes de relais unparseable	UNPARSEABLE_RELAY	0.001
<b>header</b>	Received: HELO and IP do not match, but should	Reçu: HELO et IP ne correspondent pas, mais	RCVD_HELO_IP_MISMATCH	1.680 1.186 2.362 2.368
<b>header</b>	Received: contains an IP address used for HELO	Reçu: contient une adresse IP utilisée pour HELO	RCVD_NUMERIC_HELO	0.001 0.865 0.001 1.164
<b>header</b>	Host HELO'd as a big ISP, but had no rDNS	Host HELO'd comme un grand fournisseur de services Internet, mais n'avait pas rDNS	NO_RDNS_DOTCOM_HELO	3.100 0.433 3.099 0.823
<b>rawbody</b>	Javascript to hide URLs in browser	JavaScript pour cacher les URL dans le navigateur	HIDE_WIN_STATUS	0.001 1.353 0.754 1.380
<b>body</b>	HTML included in message	HTML inclus dans le message	HTML_MESSAGE	0.001
<b>body</b>	HTML comment is very short	commentaire HTML est très courte	HTML_COMMENT_SHORT	1

# Feuille1

<b>body</b>	HTML message is a saved web page	message HTML est une page Web enregistrée	HTML_COMMENT_SAVED_URL	0.198 0.357 0.899 1.391
<b>body</b>	HTML with embedded plugin object	HTML intégré avec plugin objet	HTML_EMBEDS	0.001 0.001 1.171 1.799
<b>body</b>	HTML contains far too many close tags	HTML contient beaucoup trop de balises de fermeture	HTML_EXTRA_CLOSE	0.001
<b>body</b>	HTML font size is large	la taille de police HTML est grand	HTML_FONT_SIZE_LARGE	0.001
<b>body</b>	HTML font size is huge	la taille de police HTML est énorme	HTML_FONT_SIZE_HUGE	0.001
<b>body</b>	HTML font color similar to background	couleur de la police HTML similaire à fond	HTML_FONT_LOW_CONTRAST	0.713 0.001 0.786 0.001
<b>body</b>	HTML font face is not a word	face à la police HTML n'est pas un mot	HTML_FONT_FACE_BAD	0.001 0.289 0.286 0.981
<b>body</b>	HTML includes a form which sends mail	HTML contient un formulaire qui envoie un message	HTML_FORMACTION_MAILTO	1
<b>body</b>	HTML: images with 0-400 bytes of words	HTML: images avec 000 à 400 octets de mots	HTML_IMAGE_ONLY_04	1.680 0.342 1.799 1.172
<b>body</b>	HTML: images with 400-800 bytes of words	HTML: images avec 400-800 octets de mots	HTML_IMAGE_ONLY_08	0.585 1.781 1.845 1.651
<b>body</b>	HTML: images with 800-1200 bytes of words	HTML: images avec des mots 800-1200 octets	HTML_IMAGE_ONLY_12	1.381 1.629 1.400 2.059
<b>body</b>	HTML: images with 1200-1600 bytes of words	HTML: images avec des mots octets 1200-1600	HTML_IMAGE_ONLY_16	1.969 1.048 1.199 1.092
<b>body</b>	HTML: images with 1600-2000 bytes of words	HTML: images avec des mots octets 1600-2000	HTML_IMAGE_ONLY_20	2.109 0.700 1.300 1.546
<b>body</b>	HTML: images with 2000-2400 bytes of words	HTML: images avec des mots octets 2000-2400	HTML_IMAGE_ONLY_24	2.799 1.282 1.328 1.618
<b>body</b>	HTML: images with 2400-2800 bytes of words	HTML: images avec des mots octets 2400-2800	HTML_IMAGE_ONLY_28	2.799 0.726 1.512 1.404
<b>body</b>	HTML: images with 2800-3200 bytes of words	HTML: images avec des mots octets 2800-3200	HTML_IMAGE_ONLY_32	2.196 0.001 1.172 0.001
<b>body</b>	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_02	2.199 0.805 1.200 0.437
<b>body</b>	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_04	2.089 0.610 0.607 0.556
<b>body</b>	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_06	0.001 0.001 0.001 0.001
<b>body</b>	HTML has a low ratio of text to image area	HTML a un faible ratio de texte à zone de l'image	HTML_IMAGE_RATIO_08	0.001 0.001 0.001 0.001
<b>body</b>	Message is 5% to 10% HTML obfuscation	Message est de 5% à 10% d'obscurcissement HTML	HTML_OBFUSCATE_05_10	0.601 0.001 0.718 0.260
<b>body</b>	Message is 10% to 20% HTML obfuscation	Message est de 10% à 20% d'obscurcissement HTML	HTML_OBFUSCATE_10_20	0.174 1.162 0.588 0.093
<b>body</b>	Message is 20% to 30% HTML obfuscation	Message est de 20% à 30% d'obscurcissement HTML	HTML_OBFUSCATE_20_30	2.499 2.441 1.449 1.999
<b>body</b>	Message is 30% to 40% HTML obfuscation	Message est de 30% à 40% d'obscurcissement HTML	HTML_OBFUSCATE_30_40	1
<b>body</b>	Message is 50% to 60% HTML obfuscation	Message est de 50% à 60% d'obscurcissement HTML	HTML_OBFUSCATE_50_60	1
<b>body</b>	Message is 70% to 80% HTML obfuscation	Message est de 70% à 80% d'obscurcissement HTML	HTML_OBFUSCATE_70_80	1
<b>body</b>	Message is 90% to 100% HTML obfuscation	Message est de 90% à 100% HTML obfuscation	HTML_OBFUSCATE_90_100	1
<b>body</b>	HTML has unbalanced "body" tags	HTML a déséquilibré "corps" tags	HTML_TAG_BALANCE_BODY	1.247 0.712 0.628 1.157
<b>body</b>	HTML has unbalanced "head" tags	HTML a déséquilibré balises "head"	HTML_TAG_BALANCE_HEAD	0.520 0.000 0.600 0.817
<b>body</b>	HTML has "bgsound" tag	HTML a "BGSOUND" tag	HTML_TAG_EXIST_BGSOUND	1
<b>body</b>	HTML message is 40% to 50% bad tags	message HTML est de 40% à 50% tags mauvaise	HTML_BADTAG_40_50	1
<b>body</b>	HTML message is 50% to 60% bad tags	message HTML est de 50% à 60% tags mauvaise	HTML_BADTAG_50_60	1
<b>body</b>	HTML message is 60% to 70% bad tags	message HTML est de 60% à 70% tags mauvaise	HTML_BADTAG_60_70	1
<b>body</b>	HTML message is 90% to 100% bad tags	message HTML est de 90% à 100% tags mauvaise	HTML_BADTAG_90_100	1
<b>body</b>	30% to 40% of HTML elements are non-standard	30% à 40% d'éléments HTML sont non-standard	HTML_NONELEMENT_30_40	0.000 0.001 0.308 0.001
<b>body</b>	40% to 50% of HTML elements are non-standard	40% à 50% d'éléments HTML sont non-standard	HTML_NONELEMENT_40_50	1
<b>body</b>	60% to 70% of HTML elements are non-standard	60% à 70% d'éléments HTML sont non-standard	HTML_NONELEMENT_60_70	1
<b>body</b>	80% to 90% of HTML elements are non-standard	80% à 90% d'éléments HTML sont non-standard	HTML_NONELEMENT_80_90	1
<b>body</b>	Message has HTML IFRAME tag with SRC URI	Message HTML IFRAME a tag avec la SRC URI	HTML_IFRAME_SRC	1

# Feuille1

<b>header</b>	Envelope sender has no MX or A DNS records	expéditeur de l'enveloppe n'a pas de MX ou des enregistrements DNS	NO_DNS_FOR_FROM	0 0.379 0 0.001
<b>body</b>	Removal phrase right before a link	droit phrase Enlèvement avant un lien	REMOVE_BEFORE_LINK	0.406 1.587 1.799 1.800
<b>body</b>	One hundred percent guaranteed	Cent pour cent garanti	GUARANTEED_100_PERCENT	2.699 2.699 2.480 2.699
<b>body</b>	Dear Friend? That's not very dear!	Cher ami? Ce n'est pas très cher!	DEAR_FRIEND	2.683 2.604 1.801 2.577
<b>body</b>	Contains 'Dear (something)'	Contient: «Cher (quelque chose)»	DEAR_SOMETHING	1.999 1.731 1.787 1.973
<b>body</b>	Talks about lots of money	Parle beaucoup d'argent	BILLION_DOLLARS	0.001 1.451 1.229 1.638
<b>body</b>	Claims you can be removed from the list	Des revendications, vous pouvez être retiré de la liste	EXCUSE_4	2.399 1.687 2.399 1.325
<b>body</b>	Claims you wanted this ad	Des revendications que vous vouliez cette annonce	EXCUSE_24	01/02/99
<b>body</b>	Talks about how to be removed from mailings	Entretiens sur la façon d'être retiré de mailings	EXCUSE_REMOVE	2.907 2.992 3.299 3.299
<b>body</b>	Tells you about a strong buy	Vous informe sur une forte acheter	STRONG_BUY	1
<b>body</b>	Offers a alert about a stock	Offre une alerte sur un stock	STOCK_ALERT	1
<b>body</b>	Not registered investment advisor	Non enregistré conseiller en placement	NOT_ADVISOR	1
<b>body</b>	Prestigious Non-Accredited Universities'	«Prestigieuses universités non agréé»	PREST_NON_ACCREDITED	1
<b>body</b>	Information on growing body parts	Information sur la croissance de parties du corps	BODY_ENHANCEMENT	0.927 1.611 0.974 0.001
<b>body</b>	Information on getting larger body parts	Information sur accès des parties du corps plus	BODY_ENHANCEMENT2	1.691 1.507 1.865 1.541
<b>body</b>	Impotence cure	guérir l'impuissance	IMPOTENCE	1.539 2.144 3.028 1.374
<b>body</b>	Talks about a million North American dollars	Parle d'un million de dollars en Amérique du Nord	NA_DOLLARS	01/03/99
<b>body</b>	Mentions millions of (dollar) ((dollar) NN,NNN,NNN.NN)	Mentions millions d'(dollar) ((dollar) NN, NNN, NNN.NN)	US_DOLLARS_3	2.599 2.523 1.780 1.754
<b>body</b>	Talks about millions of dollars	Parle de millions de dollars	MILLION_USD	3.799 2.477 3.221 3.247
<b>body</b>	Contains urgent matter	Comprend du urgent	URG_BIZ	1.750 0.941 0.568 0.573
<b>body</b>	Money back guarantee	Satisfait ou remboursé	MONEY_BACK	2.910 2.486 0.601 1.232
<b>body</b>	Free express or no-obligation quote	Free expresse ou pas de quote-obligation	FREE_QUOTE_INSTANT	2.700 2.699 2.699 1.297
<b>body</b>	Eliminate Bad Credit	Éliminer les mauvais crédit	BAD_CREDIT	2.799 1.658 1.279 2.415
<b>body</b>	Home refinancing	Accueil de refinancement	REFINANCE_YOUR_HOME	1
<b>body</b>	Home refinancing	Accueil de refinancement	REFINANCE_NOW	1
<b>body</b>	No Medical Exams	Pas d'examen médical	NO_MEDICAL	2.199 1.254 2.199 1.773
<b>body</b>	Lose Weight Spam	Spam Perdre du poids	DIET_1	0.714 0.000 0.399 0.001
<b>body</b>	Freedom of a financial nature	Liberté de nature financière	FIN_FREE	2.699 2.289 2.699 2.700
<b>body</b>	Stock Disclaimer Statement	Exclusion de responsabilité Stock	FORWARD_LOOKING	1
<b>body</b>	One Time Rip Off	One Time Rip Off	ONE_TIME	1.840 1.175 1.830 0.714
<b>body</b>	Join Millions of Americans	Rejoignez des millions d'Américains	JOIN_MILLIONS	0.700 0.128 1.549 1.026
<b>body</b>	Claims you registered with a partner	Revendications vous vous êtes enregistré avec un partenaire	MARKETING_PARTNERS	0.553 0.235 0.689 0.001
<b>body</b>	Lowest Price	Prix le plus bas	LOW_PRICE	0.161 0.600 0.001 1.464
<b>body</b>	People just leave money laying around	Les gens laissent de l'argent autour de la pose	UNCLAIMED_MONEY	2.699 2.699 2.699 2.427
<b>body</b>	Message seems to contain rot13ed address	Message semble contenir l'adresse rot13ed	OBSCURED_EMAIL	1
<b>body</b>	Talks about Oprah with an exclamation!	Oprah parle avec un point d'exclamation!	BANG_OPRAH	1
<b>body</b>	Talks about 'acting now' with capitals	Parle de "agir maintenant" avec les capitales	ACT_NOW_CAPS	1.404 2.399 0.925 2.211
<b>body</b>	Talks about a bigger drive for sex	Parle d'un plus gros disque pour le sexe	MORE_SEX	2.799 2.765 2.568 1.413

# Feuille1

<b>body</b>	Something is emphatically guaranteed	Quelque chose n'est absolument garantis	BANG_GUAR	2.202 2.377 1.690 2.704
<b>body</b>	Message mentions investment advice	Message mentionne des conseils en placement	INVESTMENT_ADVICE	0.200 2.160 2.199 2.199
<b>body</b>	Message talks about enhancing men	Message parle de renforcer les hommes	MALE_ENHANCE	3.100 3.099 3.099 0.851
<b>body</b>	Message says that prices aren't too expensive	Message dit que les prix ne sont pas trop cher	PRICES_ARE_AFFORDABLE	0.794 0.851 1.112 0.551
<b>body</b>	Message talks about a replica watch	Message parle d'une réplique montre	REPLICA_WATCH	3.487 3.164 4.074 3.775
<b>body</b>	Message puts emphasis on the watch manufacturer	Message met l'accent sur le fabricant de montres	EM_ROLEX	0.595 1.309 2.068 0.618
<b>body</b>	Possible porn - Free Porn	Possible porno - Free Porn	FREE_PORN	1
<b>body</b>	Possible porn - Cum Shot	Possible porno - Cum Shot	CUM_SHOT	1
<b>body</b>	Possible porn - Live Porn	Possible porno - porno en direct	LIVE_PORN	1
<b>header</b>	Subject indicates sexually-explicit content	Objet indique contenu sexuellement explicite	SUBJECT_SEXUAL	1
<b>header</b>	Bulk email fingerprint (eGroups) found	Bulk email empreintes digitales (eGroups) trouvé	RATWARE_EGROUPS	1.898 1.258 1.406 1.621
<b>header</b>	X-Mailer has malformed Outlook Express version	X-Mailer a malformés Outlook Express version	RATWARE_OE_MALFORMED	1
<b>header</b>	Bulk email fingerprint (Mozilla malformed) found	En vrac d'empreintes digitales e-mail (Mozilla malformés) trouvé	RATWARE_MOZ_MALFORMED	1
<b>header</b>	Bulk email fingerprint (mPOP Web-Mail)	Bulk email empreintes digitales (mpop Web-Mail)	RATWARE_MPOP_WEBMAIL	1.153 1.338 1.229 1.999
<b>rawbody</b>	Contains a hashbuster in Send-Safe format	Contient un hashbuster en Envoyez-format Safe	RATWARE_HASH_DASH	1
<b>header</b>	Bulk email fingerprint (Gecko faked) found	Bulk email empreintes digitales (Gecko truquées) trouvé	RATWARE_GECKO_BUILD	1
<b>header</b>	Bulk email fingerprint (X-Message-Info) found	Bulk email empreintes digitales (X-Message-Info) ont constaté	X_MESSAGE_INFO	1
<b>header</b>	Bulk email fingerprint (header-based) found	Bulk email empreintes digitales (en-tête à base de) trouvé	HEADER_SPAM	2.499 2.499 1.994 0.585
<b>header</b>	Bulk email fingerprint (Received PF) found	Bulk email empreintes digitales (Reçu PF) ont constaté	RATWARE_RCVD_PF	1
<b>header</b>	Bulk email fingerprint (Received @) found	Bulk email empreintes digitales (Reçu @) trouvé	RATWARE_RCVD_AT	1
<b>header</b>	Bulk email fingerprint (envfrom) found	Bulk email empreintes digitales (envfrom) trouvé	RATWARE_EFROM	01/02/99
<b>uri</b>	/?https?:\W{4}&\#\{4\} [3456789]\d\d;/i	? (? : \ D {4,}   [3456789] \ d \ d : https ^ / \ / \ / [^ \ / ] * \ & \ # ; / i	HIGH_CODEPAGE_URI	1
<b>uri</b>	Uses a numeric IP address in URL	Utilise une adresse IP numérique dans les URL	NUMERIC_HTTP_ADDR	0.000 0.001 0.001 1.242
<b>uri</b>	Uses %-escapes inside a URL's hostname	Utilise les échappements% à l'intérieur de nom d'hôte d'une URL de	HTTP_ESCAPED_HOST	0.807 1.621 0.483 1.125
<b>uri</b>	Completely unnecessary %-escapes inside a URL	Complètement inutile échappement% l'intérieur d'une URL	HTTP_EXCESSIVE_ESCAPES	0.001 1.516 0.000 1.572
<b>uri</b>	Dotted-decimal IP address followed by CGI	Décimale pointée adresse IP suivie par CGI	IP_LINK_PLUS	0.001 0.001 0.246 0.012
<b>uri</b>	Uses non-standard port number for HTTP	Utilise le numéro de port non standard pour HTTP	WEIRD_PORT	0.001 0.001 0.097 0.001
<b>uri</b>	Has Yahoo Redirect URI	Yahoo a Redirect URI	YAHOO_RD_REDIR	1
<b>uri</b>	Has Yahoo Redirect URI	Yahoo a Redirect URI	YAHOO_DRS_REDIR	1
<b>uri</b>	Contains an URL-encoded hostname (HTTP77)	Contient un nom d'hôte codé en URL (HTTP77)	HTTP_77	1
<b>uri</b>	URI contains ".com" in middle	URI contient ". Com" au milieu	SPOOF_COM2OTH	2.999 2.999 2.877 2.723
<b>uri</b>	URI contains ".com" in middle and end	URI contient ". Com" en milieu et fin	SPOOF_COM2COM	0.001 1.632 1.952 2.048
<b>uri</b>	URI contains ".net" or ".org", then ".com"	URI contient ". Net" ou ". Org", puis ". Com"	SPOOF_NET2COM	1
<b>uri</b>	URI hostname has long hexadecimal sequence	hostname URI depuis longtemps séquence hexadécimale	URI_HEX	2.800 1.313 1.206 1.122
<b>uri</b>	URI hostname has long non-vowel sequence	hostname URI a longue séquence de non-voyelle	URI_NOVOWEL	0.500
<b>uri</b>	URI contains suspicious unsubscribe link	URI contient lien de désabonnement suspectes	URI_UNSUBSCRIBE	1
<b>uri</b>	CGI in .info TLD other than third-level "www"	CGI. Info a d'autres que le troisième niveau "www"	URI_NO_WWW_INFO_CGI	2.299 2.299 0.292 2.071
<b>uri</b>	CGI in .biz TLD other than third-level "www"	CGI. Biz autres que de troisième niveau "www"	URI_NO_WWW_BIZ_CGI	2.399 2.399 2.400 2.399

# Feuille1

<b>uri</b>	Uses a dotted-decimal IP address in URL	Utilise une adresse IP décimale dans les URL	NORMAL_HTTP_TO_IP	0.159 0.001 0.795 0.001
<b>body</b>	Bayes spam probability is 0 to 1%	probabilité de spam de Bayes est de 0 à 1%	BAYES_00	0 0 -1.5 -1.9
<b>body</b>	Bayes spam probability is 1 to 5%	probabilité de spam de Bayes est de 1 à 5%	BAYES_05	0 0 -0.3 -0.5
<b>body</b>	Bayes spam probability is 5 to 20%	probabilité de spam de Bayes est de 5 à 20%	BAYES_20	0 0 -0.001 -0.001
<b>body</b>	Bayes spam probability is 20 to 40%	probabilité de spam de Bayes est de 20 à 40%	BAYES_40	0 0 -0.001 -0.001
<b>body</b>	Bayes spam probability is 40 to 60%	probabilité de spam de Bayes est de 40 à 60%	BAYES_50	0 0 2.0 0.8
<b>body</b>	Bayes spam probability is 60 to 80%	probabilité de spam de Bayes est de 60 à 80%	BAYES_60	0 0 2.5 1.5
<b>body</b>	Bayes spam probability is 80 to 95%	probabilité de spam de Bayes est de 80 à 95%	BAYES_80	0 0 2.7 2.0
<b>body</b>	Bayes spam probability is 95 to 99%	probabilité de spam de Bayes est de 95 à 99%	BAYES_95	0 0 3.2 3.0
<b>body</b>	Bayes spam probability is 99 to 100%	probabilité de spam de Bayes est de 99 à 100%	BAYES_99	0 0 3.8 3.5
<b>header</b>	Message would have been caught by accessdb	Message aurait été capturé par accessdb	ACCESSDB	1
<b>body</b>	Message includes Microsoft executable program	Message inclut Microsoft programme exécutable	MICROSOFT_EXECUTABLE	0.1
<b>body</b>	MIME filename does not match content	Nom de fichier MIME ne correspond pas à la teneur	MIME_SUSPECT_NAME	0.1
<b>full</b>	Listed in DCC ( <a href="http://rhyolite.com/anti-spam/dcc/">http://rhyolite.com/anti-spam/dcc/</a> )	Objets en DCC ( <a href="http://rhyolite.com/anti-spam/dcc/">http://rhyolite.com/anti-spam/dcc/</a> )	DCC_CHECK	0 1.1 0 1.1
<b>full</b>	DCC reputation between 0 and 12 % (mostly ham)	réputation CDC entre 0 et 12% (principalement jambon)	DCC_REPUT_00_12	0 -0.8 0 -0.4
<b>full</b>	eval:check_dcc_reputation_range(13,19)	eval: check_dcc_reputation_range (13,19)	DCC_REPUT_13_19	0 -0.1 0 -0.1
<b>full</b>	DCC reputation between 70 and 89 %	réputation CDC entre 70 et 89%	DCC_REPUT_70_89	0 0.1 0 0.1
<b>full</b>	DCC reputation between 90 and 94 %	réputation CDC entre 90 et 94%	DCC_REPUT_90_94	0 0.4 0 0.6
<b>full</b>	DCC reputation between 95 and 98 % (mostly spam)	réputation CDC entre 95 et 98% (principalement spam)	DCC_REPUT_95_98	0 0.7 0 1.0
<b>full</b>	DCC reputation between 99 % or higher (spam)	réputation CDC entre 99% ou plus (spam)	DCC_REPUT_99_100	0 1.2 0 1.4
<b>full</b>	Message has a DKIM or DK signature, not necessarily valid	Message a une signature DKIM ou DK, pas nécessairement valable	DKIM_SIGNED	0.1
<b>full</b>	Message has at least one valid DKIM or DK signature	Le message a au moins un cours de validité ou de la signature DKIM DK	DKIM_VALID	-0.1
<b>full</b>	Message has a valid DKIM or DK signature from author's domain	Message a une signature valide DKIM ou DK à partir du domaine d'auteur	DKIM_VALID_AU	-0.1
<b>header</b>	No valid author signature and domain not in DNS	Pas de signature valide et auteur de domaine DNS pas en	DKIM_ADSP_NXDOMAIN	0 0.8 0 0.9
<b>header</b>	No valid author signature, domain signs all mail and suggests discarding the rest	Pas de signature valide auteur, des signes de domaine tout le courrier et suggère en rejetant le reste	DKIM_ADSP_DISCARD	0 1.8 0 1.8
<b>header</b>	No valid author signature, domain signs all mail	Pas de signature valide auteur, des signes de domaine tous les messages	DKIM_ADSP_ALL	0 1.1 0 0.8
<b>header</b>	No valid author signature, adsp_override is CUSTOM_LOW	Pas de signature valide auteur, adsp_override est CUSTOM_LOW	DKIM_ADSP_CUSTOM_LOW	0.001
<b>header</b>	No valid author signature, adsp_override is CUSTOM_MED	Pas de signature valide auteur, adsp_override est CUSTOM_MED	DKIM_ADSP_CUSTOM_MED	0.001
<b>header</b>	No valid author signature, adsp_override is CUSTOM_HIGH	Pas de signature valide auteur, adsp_override est CUSTOM_HIGH	DKIM_ADSP_CUSTOM_HIGH	0.001
<b>full</b>	eval:check_dkim_valid()	eval: check_dkim_valid ()	DKIM_VERIFIED	1
<b>header</b>	eval:check_dkim_testing()	eval: check_dkim_testing ()	DKIM_POLICY_TESTING	1
<b>header</b>	eval:check_dkim_signsome()	eval: check_dkim_signsome ()	DKIM_POLICY_SIGN SOME	1
<b>header</b>	eval:check_dkim_signall()	eval: check_dkim_signall ()	DKIM_POLICY_SIGN ALL	1
<b>header</b>	Contains valid Hashcash token (20 bits)	Hashcash Contient jeton valide (20 bits)	HASHCASH_20	-0.5
<b>header</b>	Contains valid Hashcash token (21 bits)	Hashcash Contient jeton valide (21 bits)	HASHCASH_21	-0.7

# Feuille1

<b>header</b>	Contains valid Hashcash token (22 bits)	Hashcash Contient jeton valide (22 bits)	HASHCASH_22	-1.0
<b>header</b>	Contains valid Hashcash token (23 bits)	Hashcash Contient jeton valide (23 bits)	HASHCASH_23	-2.0
<b>header</b>	Contains valid Hashcash token (24 bits)	Hashcash Contient jeton valide (24 bits)	HASHCASH_24	-3.0
<b>header</b>	Contains valid Hashcash token (25 bits)	Hashcash Contient jeton valide (25 bits)	HASHCASH_25	-4.0
<b>header</b>	Contains valid Hashcash token (>25 bits)	Contient valide Hashcash jeton (> 25 bits)	HASHCASH_HIGH	-5.0
<b>header</b>	Hashcash token already spent in another mail	Hashcash jeton déjà passé dans un autre mail	HASHCASH_2SPEND	0.1
<b>full</b>	Listed in Pyzor ( <a href="http://pyzor.sf.net/">http://pyzor.sf.net/</a> )	Mis en vente dans Pyzor ( <a href="http://pyzor.sf.net/">http://pyzor.sf.net/</a> )	PYZOR_CHECK	0 1.985 0 1.392
<b>full</b>	Listed in Razor2 ( <a href="http://razor.sf.net/">http://razor.sf.net/</a> )	Mis en vente dans Razor2 ( <a href="http://razor.sf.net/">http://razor.sf.net/</a> )	RAZOR2_CHECK	0 1.729 0 0.922
<b>full</b>	Razor2 gives confidence level above 50%	Razor2 donne un niveau de confiance supérieur à 50%	RAZOR2_CF_RANGE_51_100	0 0.365 0 0.500
<b>full</b>	Razor2 gives engine 4 confidence level above 50%	Razor2 donne un niveau de confiance du moteur 4 ci-dessus 50%	RAZOR2_CF_RANGE_E4_51_100	0 0.467 0 0.642
<b>full</b>	Razor2 gives engine 8 confidence level above 50%	Razor2 donne un niveau de confiance du moteur 8 ci-dessus 50%	RAZOR2_CF_RANGE_E8_51_100	0 2.430 0 1.886
<b>header</b>	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_MEDS	1
<b>header</b>	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_CHEAP	0.641 1.831 0.833 0.001
<b>header</b>	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_PENIS	1
<b>header</b>	Attempt to obfuscate words in Subject:	Tentative de masquer les mots dans Objet:	SUBJECT_FUZZY_TION	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_AFFORDABLE	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_AMBIEN	2.199 1.851 0.925 0.552
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_BILLION	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_CPILL	0.001 0.001 0.001 0.001
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_CREDIT	1.699 1.413 0.601 1.678
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_ERECT	2.356 1.306 2.360 1.859
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_GUARANTEE	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MEDICATION	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MILLION	2.599 2.599 1.659 2.505
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MONEY	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_MORTGAGE	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_OBLIGATION	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_OFFERS	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PHARMACY	2.960 3.299 1.967 1.353
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PHEMT	2.799 1.647 1.540 2.662
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PRESCRIPT	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_PRICES	1.821 0.720 2.210 2.311
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_REFINANCE	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_REMOVE	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_ROLEX	3.399 1.038 3.399 1.964
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_SOFTWARE	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_THOUSANDS	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_VLIUM	1

# Feuille1

<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_VIOXX	1
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_VPILL	0.001 0.494 0.796 1.014
<b>body</b>	Attempt to obfuscate words in spam	Tentative de masquer les mots dans le spam	FUZZY_XPILL	2.202 1.752 2.799 2.799
<b>header</b>	SPF: sender matches SPF record	SPF: l'expéditeur correspond enregistrement SPF	SPF_PASS	-0.001
<b>header</b>	SPF: sender does not match SPF record (neutral)	SPF: l'expéditeur ne correspond pas à enregistrement SPF (neutre)	SPF_NEUTRAL	0 0.652 0 0.779
<b>header</b>	SPF: sender does not match SPF record (fail)	SPF: l'expéditeur ne correspond pas à enregistrement SPF (échec)	SPF_FAIL	0 0.919 0 0.001
<b>header</b>	SPF: sender does not match SPF record (softfail)	SPF: l'expéditeur ne correspond pas à enregistrement SPF (Softfail)	SPF_SOFTFAIL	0 0.972 0 0.665
<b>header</b>	SPF: HELO matches SPF record	SPF: HELO matches enregistrement SPF	SPF_HELO_PASS	-0.001
<b>header</b>	SPF: HELO does not match SPF record (neutral)	SPF: HELO ne correspond pas à enregistrement SPF (neutre)	SPF_HELO_NEUTRAL	0 0.001 0 0.112
<b>header</b>	SPF: HELO does not match SPF record (fail)	SPF: HELO ne correspond pas à enregistrement SPF (échec)	SPF_HELO_FAIL	0 0.001 0 0.001
<b>header</b>	SPF: HELO does not match SPF record (softfail)	SPF: HELO ne correspond pas à enregistrement SPF (Softfail)	SPF_HELO_SOFTFAIL	0 0.896 0 0.732
<b>body</b>	Message written in an undesired language	Message écrit dans un langage non désirés	UNWANTED_LANGUAGE_BODY	01/02/00
<b>body</b>	Body includes 8 consecutive 8-bit characters	Conseil comprend 8 caractères consécutifs 8-bit	BODY_8BITS	31/12/99
<b>body</b>	Contains an URL listed in the SBL blacklist	Contient une URL répertoriée dans la liste de blocage SBL	URIBL_SBL	0 0.644 0 1.623
<b>body</b>	Contains an URL listed in the SC SURBL blacklist	Contient une URL répertoriée dans la liste de blocage SC SURBL	URIBL_SC_SURBL	0 0.001 0 0.568
<b>body</b>	Contains an URL listed in the WS SURBL blacklist	Contient une URL figurant dans la liste de blocs A SURBL	URIBL_WS_SURBL	0 1.659 0 1.608
<b>body</b>	Contains an URL listed in the PH SURBL blacklist	Contient une URL répertoriée dans la liste de blocage PH SURBL	URIBL_PH_SURBL	0 0.001 0 0.610
<b>body</b>	Contains an URL listed in the OB SURBL blacklist	Contient une URL répertoriée dans la liste de blocage OB SURBL	URIBL_OB_SURBL	0 0.785 0 0.122
<b>body</b>	Contains an URL listed in the AB SURBL blacklist	Contient une URL répertoriée dans la liste de blocage AB SURBL	URIBL_AB_SURBL	0 4.499 0 4.499
<b>body</b>	Contains an URL listed in the JP SURBL blacklist	Contient une URL répertoriée dans la liste de blocage JP SURBL	URIBL_JP_SURBL	0 1.948 0 1.250
<b>body</b>	Contains an URL listed in the URIBL blacklist	Contient une URL figurant dans la liste noire URIBL	URIBL_BLACK	0 1.775 0 1.725
<b>body</b>	Contains an URL listed in the URIBL greylist	Contient une URL figurant dans la liste grise URIBL	URIBL_GREY	0 1.084 0 0.424
<b>body</b>	Contains an URL listed in the URIBL redlist	Contient une URL répertoriée dans la liste rouge URIBL	URIBL_RED	0.001
<b>header</b>	From: address is in the auto white-list	De: l'adresse est dans la liste blanche automatique	AWL	1
<b>header</b>	Not all rules were run, due to a shortcircuited rule	Pas toutes les règles ont été exécutés, en raison d'une règle de court-circuiter	SHORTCIRCUIT	1
<b>header</b>	From: address is in the user's black-list	De: l'adresse est en noir de l'utilisateur-list	USER_IN_BLACKLIST	100.000
<b>header</b>	From: address is in the user's white-list	De: l'adresse est en blanc de l'utilisateur-list	USER_IN_WHITELIST	-100.000
<b>header</b>	From: address is in the default white-list	De: l'adresse est dans la liste blanche par défaut	USER_IN_DEF_WHITELIST	-15.000
<b>header</b>	User is listed in 'blacklist_to'	L'utilisateur est répertorié dans "blacklist_to "	USER_IN_BLACKLIST_TO	01/10/00
<b>header</b>	User is listed in 'whitelist_to'	L'utilisateur est répertorié dans "whitelist_to "	USER_IN_WHITELIST_TO	-6.000
<b>header</b>	User is listed in 'more_spam_to'	L'utilisateur est répertorié dans "more_spam_to "	USER_IN_MORE_SPAM_TO	-20.000
<b>header</b>	User is listed in 'all_spam_to'	Utilisateur est répertorié dans "all_spam_to "	USER_IN_ALL_SPAM_TO	-100.000
<b>header</b>	From: address is in the user's DKIM whitelist	De: l'adresse est dans la liste blanche de l'utilisateur DKIM	USER_IN_DKIM_WHITELIST	-100.000
<b>header</b>	From: address is in the default DKIM white-list	De: l'adresse est dans le DKIM défaut liste blanche	USER_IN_DEF_DKIM_WL	-7.500
<b>header</b>	From: address is in the user's SPF whitelist	De: l'adresse est dans la liste blanche de l'utilisateur SPF	USER_IN_SPF_WHITELIST	-100.000

Feuille1

<b>header</b>	From: address is in the default SPF white-list	De: l'adresse est dans le défaut SPF liste blanche	USER_IN_DEF_SPF_WL	-7.500
<b>header</b>	Subject: contains string in the user's white-list	Objet: contient la chaîne dans le blanc de l'utilisateur-list	SUBJECT_IN_WHITELIST	-100
<b>header</b>	Subject: contains string in the user's black-list	Objet: contient une chaîne en noir de l'utilisateur-list	SUBJECT_IN_BLACKLIST	100
<b>header</b>	From address contains an apostrophe	Partir de l'adresse contient une apostrophe	APOSTROPHE_FROM	0.148 0.786 0.651 0.545
<b>header</b>	HELO from home - untrusted	HELO de la maison - non fiables	AXB_HELO_HOME_UN	1
<b>header</b>	Barbera Fingerprint	Barbera d'empreintes digitales	AXB_XMID_1212	1
<b>header</b>	Brunello Fingerprint	Brunello empreintes digitales	AXB_XMID_1510	1
<b>header</b>	Amarone Fingerprint	Amarone empreintes digitales	AXB_XMID_OEGOESNULL	1
<b>header</b>	Nebbiolo fingerprint	Nebbiolo d'empreintes digitales	AXB_XM_SENDMAIL_NOT	1
<b>header</b>	Received =~ \/(8\.\.12\.\.3 da nor stuldap\8\.\.12\.\.3\)/	Reçu = ~ / \ (8 \ 0.12 \ 0.3 da ni stuldap \ / 8 \ 0.12 \ 0.3) /	AXB_XR_STULDAP	1
<b>body</b>	Talks about banking laws	Entretiens sur les lois bancaires	BANKING_LAWS	2.399 2.004 2.157 1.099
<b>body</b>	eval:check_base64_length('78';'79')	eval: check_base64_length ('78', '79')	BASE64_LENGTH_78_79	2.370 2.636 0.762 2.667
<b>body</b>	eval:check_base64_length('79')	eval: check_base64_length ('79')	BASE64_LENGTH_79_INF	1.379 2.019 0.583 1.502
<b>header</b>	Date =~ /[+](?!(?:0\d 1[0-4])(?:[03]0 [14]5))d{4}/	Date = ~ /[+](?!(?: 0 \ d   1 [0-4 ])(?:[ 03] 0   [14] 5)) \ d {4} /	BUG6152_INVALID_DATE_TZ_AB SURD	1.802 1.448 0.024 0.766
<b>header</b>	Content-Type =~ /multipart.{0,200}boundary="-----_NextPart_000_0000_01C[0-9A-F]{5}\.[0-9A-F]{7}0\"/	Content-Type = ~ / multipart. {0200} boundary = \ "-----_ NextPart_000_0000_01C [0-9A-F] {5} \. [0-9A-F] {7} 0 \ "/	CTYPE_001C_B	0.001 0.001 0.001 0.001
<b>body</b>	/bCurrent Price: /	Prix / \ Bactuel: /	CURR_PRICE	0.001
<b>body</b>	Dear Beneficiary:	Bénéficiaire Cher:	DEAR_BENEFICIARY	1
<b>body</b>	Message contains Dear email address	Message contient Chers adresse e-mail	DEAR_EMAIL	1
<b>body</b>	/bdear.{1,20}winner/i	/ \ Bdear. {} Gagnant 1,20 / i	DEAR_WINNER	3.099 3.099 2.309 3.099
<b>header</b>	X-mailer pattern common to anal porn site spam	modèle X-mailer commune à l'anal porno spam site	DOS_ANAL_SPAM_MAILER	1
<b>header</b>	Received from the same IP twice in a row (only one external relay; empty or IP helo)	Reçu de la même adresse IP deux fois de suite (un seul relais externe; helo vide ou IP)	DOS_RCVD_IP_TWICE_C	2.599 2.060 3.292 0.096
<b>uri</b>	Found an asterisk in a URI	Trouver un astérisque dans un URI	DOS_URI_ASTERISK	1
<b>header</b>	Subject =~ / \ bhoodia \ b / i	Subject = ~ / \ bhoodia \ b / i	DRUGS_HDIA	1
<b>body</b>	Add / Gain inches	Ajouter / Gain pouces	FB_ADD_INCHES	1
<b>body</b>	It's almost sex, but not!	C'est presque le sexe, mais non!	FB_ALMOST_SEX	1
<b>body</b>	Broken AnaTrim phrase.	Broken phrase AnaTrim.	FB_ANA_TRIM	1
<b>body</b>	Phrase: A_U_N_I	Phrase: A_U_N_I	FB_ANUI	1
<b>body</b>	Phrase: [BM]llli0n	Phrase: lllli0n [BM]	FB_BILLION	1
<b>body</b>	Phrase: C0mpany	Phrase: C0mpany	FB_COMPANY	1
<b>body</b>	Phrase: can last longer	Phrase: peut durer plus longtemps	FB_CAN_LONGER	1
<b>body</b>	Uses a mis-spelled version of cialis.	Utilise un mal orthographiés version de cialis.	FB_CIALIS_LEO3	1.688 3.055 2.465 3.245
<b>body</b>	Looks like double 0 words	On dirait que double 0 mots	FB_DOUBLE_0WORDS	1
<b>body</b>	Phrase: email hier	Phrase: hier email	FB_EMAIL_HIER	1
<b>body</b>	Phrase: extra inches	pouce supplémentaire: Phrase	FB_EXTRA_INCHES	0.289 0.000 2.603 0.001
<b>body</b>	Looks like numbers with O's insted of 0's	On dirait que les nombres avec O insted de 0	FB_FAKE_NUMBERS	1
<b>body</b>	Looks like fake numbers (4)	On dirait que le nombre de faux (4)	FB_FAKE_NUMS4	1
<b>body</b>	Phrase: Farmacy	Phrase: Pharmacie	FB_FHARMACY	1

Feuille1

<b>body</b>	Phrase: forward look with 0's	Phrase: regard vers l'avenir avec des 0	FB_FORWARD_LOOK	1
<b>body</b>	Too much spacing in Address	Trop d'espacement dans Adresse	FB_GAPPY_ADDRESS	1
<b>body</b>	Looks like trying to sell meds	On dirait que d'essayer de vendre des médicaments sous	FB_GET_MEDS	2.314 2.027 1.195 0.935
<b>body</b>	Looks like generic viagra	On dirait que viagra	FB_GVR	2.340 0.691 2.568 2.301
<b>body</b>	Phrase hey bro,	hey bro Phrase,	FB_HEY_BRO_COMMA	1
<b>body</b>	Phrase: HGH	Phrase: HGH	FB_HG_H_CAP	1
<b>body</b>	Phrase (dollar) x home loan	Phrase (dollar) prêt au logement x	FB_HOMELoAN	1
<b>body</b>	Phrase: impress ... girl	Phrase: impressionner ... fille	FB_IMPRESS_GIRL	1
<b>body</b>	Phrase: Increase your energy	Phrase: Augmente votre énergie	FB_INCREASE_YOUR	2.699 2.700 2.335 2.343
<b>body</b>	Phrase: independent reward	Phrase: récompenser les indépendants	FB_INDEPEND_RWD	01/02/99
<b>body</b>	Phrase: L0an	Phrase: L0an	FB_L0AN	1
<b>body</b>	Special people leave special signs!	les gens laissent des traces spécial spéciale!	FB_LETTERS_21B	1
<b>body</b>	Phrase: LOSE WEIGHT	Phrase: perdre du poids	FB_LOSE_WEIGHT_CAP	0.001 0.001 2.187 0.001
<b>body</b>	Phrase: lower your monthly payments	Phrase: réduire vos paiements mensuels	FB_LOWER_PAYM	1
<b>body</b>	Phrase: more size	Phrase: plus de taille	FB_MORE_SIZE	1
<b>body</b>	Looks like a fake phone number (1)	On dirait un faux numéro de téléphone (1)	FB_NOT_PHONE_NUM1	1
<b>body</b>	Looks like a fake phone number (3)	On dirait un faux numéro de téléphone (3)	FB_NOT_PHONE_NUM3	1
<b>body</b>	Looks like school but it's not!	On dirait que l'école, mais ce n'est pas!	FB_NOT_SCHOOL	1
<b>body</b>	Phrase: no prescription needed.	Phrase: pas de prescription.	FB_NO_SCRIP_NEEDED	1.656 1.469 2.133 0.922
<b>body</b>	Speaks of teenager.	Parle d'une adolescente.	FB_NUMYO	1
<b>body</b>	Speaks of 20+ year old.	Parle de 20 + ans.	FB_NUMYO2	1
<b>body</b>	Looks like money but has odd spacing.	On dirait que l'argent, mais un espacement étrange.	FB_ODD_SPACED_MONEY	1
<b>body</b>	Mis-spelled online	Mal orthographiés en ligne	FB_ONIINE	1
<b>body</b>	Phrase: p1ll	Phrase: p1ll	FB_P1LL	1
<b>body</b>	Phrase: penis growth	Phrase: la croissance du pénis	FB_PENIS_GROWTH	1
<b>body</b>	Phrase: Dollar, with pipes or 0's.	Phrase: Dollar, avec des tuyaux ou de 0.	FB_PIPEDOLLAR	1
<b>body</b>	Looks like illion, but it's not	On dirait que illions, mais ce n'est pas	FB_PIPE_ILLION	1
<b>body</b>	Talks about prolonged hardness	Parle de la dureté prolongée	FB_PROLONGED_HARD	1
<b>body</b>	Phrase: quality replica	Phrase: réplique de qualité	FB_QUALITY_REPLICA	3.313 3.149 2.005 2.308
<b>body</b>	Refcode with spacing	Refcode avec un espacement	FB_REF_CODE_SPACE	1
<b>body</b>	Phrase: Replica Rolex	Phrase: Rolex Replica	FB_REPLICA_ROLEX	1.674 0.710 1.115 3.175
<b>body</b>	Phrase: REPLICa	Phrase: REPLICa	FB_REPLIC_CAP	1
<b>body</b>	Looks like refi.	On dirait que refi.	FB_RE_FI	1
<b>body</b>	Phrase: Roller is th	Phrase: Roller est e	FB_ROLLER_IS_T	1
<b>body</b>	Phrase: rolx	Phrase: rolx	FB_ROLX	1
<b>body</b>	Phrase: save ... prescription.	Phrase: sauver ... prescription.	FB_SAVE_PERSC	2.799 0.367 1.864 1.492
<b>body</b>	Phrase: Softabs	Phrase: Softabs	FB_SOFTTABS	2.887 3.174 3.378 1.584
<b>body</b>	Phrase: F R E E	Phrase: GRATUIT	FB_SPACED_FREE	2.499 2.499 2.203 0.395
<b>body</b>	Phone number with -- spacing. (B)	Numéro de téléphone avec - espacement. (B)	FB_SPACED_PHN_3B	0.001

## Feuille1

<b>body</b>	Looks like a s p a c e d zipcode.	On dirait que zipcode aspaced.	FB_SPACEY_ZIP	1
<b>body</b>	Phrase: SPUR-M	Phrase: SPUR-M	FB_SPUR_M	1
<b>body</b>	Phrase: ssex	Phrase: SSEx	FB_SSEX	1
<b>body</b>	Looks like stocks exploding.	On dirait que les stocks explosent.	FB_STOCK_EXPLODE	1
<b>body</b>	Mis-spelled symbol.	Mal orthographiés symbole.	FB_SYMBLO	1
<b>body</b>	Phrase: this advertiser	Phrase: cet annonceur	FB_THIS_ADVERT	3.599 3.600 2.999 3.599
<b>body</b>	Phrase: thousand personal	Phrase: mille personnels	FB_THOUS_PERSONAL	1
<b>body</b>	Phrase: to stop further distribution	Phrase: faire cesser la distribution d'autres	FB_TO_STOP_DISTRO	28/02/99
<b>body</b>	Phrase: Ultra Allure	Phrase: Allure Ultra	FB_ULTRA_ALLURE	2.352 1.074 2.334 0.829
<b>body</b>	Phrase: lock to your girlfriend	Phrase: serrure à votre petite amie	FB_UNLOCK_YOUR_G	1
<b>body</b>	Pattern Replacement PROV_D	Remplacement Pattern PROV_D	FB_UNRESOLV_PROV	1
<b>body</b>	Phrase: yourself master	Phrase: maître-vous	FB_YOURSELF_MASTER	1
<b>body</b>	Phrase: Your refi	Phrase: Votre refi	FB_YOUR_REFI	1
<b>header</b>	Bad X-Mailer version	Bad X-Mailer version	FH_BAD_OEV1441	1
<b>header</b>	The date is not 19xx.	La date n'est pas 19xx.	FH_DATE_IS_19XX	0.000 1.598 2.373 0.277
<b>header</b>	RCVD line looks faked (A)	ligne RCVD paraissent fausses (A)	FH_FAKE_RCVD_LINE	2.167 1.431 2.525 1.778
<b>header</b>	RCVD line looks faked (B)	ligne RCVD paraissent fausses (B)	FH_FAKE_RCVD_LINE_B	4.000 3.372 3.999 3.999
<b>header</b>	E-mail address doesn't have TLD (.com, etc.)	Adresse e-mail n'a pas TLD (. com, etc)	FH_FROMEML_NOTLD	1.708 0.180 0.975 1.082
<b>header</b>	From name has "cash"	Du nom a "cash"	FH_FROM_CASH	2.599 2.436 2.599 1.739
<b>header</b>	From name says Get	Du nom l'indique, Get	FH_FROM_GET_NAME	01/02/99
<b>header</b>	From name is giveaway.	Du nom est cadeau.	FH_FROM_GIVEAWAY	2.599 1.817 1.810 1.655
<b>header</b>	From has Hoodia!?!?	Du a Hoodia!?!?	FH_FROM_HOODIA	1
<b>header</b>	Has X-AIMC-AUTH header	Est-tête X-AIMC-AUTH	FH_HAS_XAIMC	1.602 1.899 0.561 1.899
<b>header</b>	Has X-ID	Est-X-ID	FH_HAS_XID	3.299 3.215 3.003 1.782
<b>header</b>	Helo is almost an IP addr.	Helo est presque une addr IP.	FH_HELO_ALMOST_IP	3.699 3.268 3.457 0.688
<b>header</b>	Helo ends with a dot.	Helo se termine par un point.	FH_HELO_ENDS_DOT	1
<b>header</b>	Helo is 6-10 hex chr's.	Helo est de 6-10 chr HEX.	FH_HELO_EQ_610HEX	1
<b>header</b>	Helo is d-d-d-d charter.com	Helo est dddd charter.com	FH_HELO_EQ_CHARTER	0.607 0.286 0.093 2.683
<b>header</b>	Helo is d-d-d-d	Helo est dddd	FH_HELO_EQ_D_D_D_D	2.361 1.117 2.815 3.177
<b>header</b>	Faked helo of gmail-smtp-in	helo Fausses de gmail-smtp-in	FH_HELO_GMAILSMTP	1
<b>header</b>	Host is dynamicip	Hôte est dynamicip	FH_HOST_EQ_DYNAMICIP	2.632 2.454 3.299 3.298
<b>header</b>	Host is pacbell.net dsl	Hôte est pacbell.net dsl	FH_HOST_EQ_PACBELL_D	0.001 0.927 0.559 1.703
<b>header</b>	Host is pool-.+verizon.net	Hôte est la piscine. Verizon.net +	FH_HOST_EQ_VERIZON_P	2.681 1.237 3.671 1.323
<b>header</b>	HOST dns says "in-addr.arpa"	hôte DNS dit "in-addr.arpa"	FH_HOST_IN_ADDRARPA	3.199 2.933 2.452 2.157
<b>header</b>	Special MSGID	Spécial MSGID	FH_MSGID_000000	1
<b>header</b>	Special MSGID	Spécial MSGID	FH_MSGID_01C67	1
<b>header</b>	MESSAGE ID seen often!!!	MESSAGE ID vu souvent!	FH_MSGID_01C70XXX	1
<b>header</b>	Broken Replace Template	Remplacer Broken modèle	FH_MSGID_REPLACE	1
<b>header</b>	Common sign in msg-id's 12/21/2006	Inscrivez-vous en commun de msg-id 21/12/2006	FH_MSGID_XXBLAH	1

# Feuille1

<b>header</b>	Message-Id = @xxx	Message-Id = @xxx	FH_MSGID_XXX	2.399 1.632 2.376 1.482
<b>header</b>	Subject is Re: new \d\d\d	Subject is Re: new \d\d\d	FH_RE_NEW_DDD	1
<b>header</b>	Broken Replace Template	Broken Replace Template	FH_XMAIL_REPLACE	1
<b>body</b>	Fill in a form with personal information	Fill in a form with personal information	FILL_THIS_FORM_LONG	3.800 3.476 2.300 3.404
<b>header</b>	Looks like Fake Outlook?	Looks like Fake Outlook?	FM_XMAIL_F_OUT	1
<b>header</b>	X-Spam-Relays-External =~ /^[ ip=(?!127)([d.]+) [^]]^ [ ip=1 [^]]+ helo=(!(?!(:?10  127  169\254  172\.(?:1[6-9]  2[0-9]  3[01])  192\168)\.)) [^]]+(dollar) /	X-Spam-Relays-External =~ /^[ ip=(?!127)([d.]+) [^]]^ [ ip=1 [^]]+ helo=(!(?!(:?10  127  169\254  172\.(?:1[6-9]  2[0-9]  3[01])  192\168)\.)) [^]]+(dollar) /	FORGED_RELAY_MUA_TO_MX	1
<b>body</b>	ReplaceTags: Adobe	ReplaceTags: Adobe	FRT_ADOBE2	0.001 1.099 0.221 0.877
<b>body</b>	ReplaceTags: Approve	ReplaceTags: Approve	FRT_APPROV	31/01/99
<b>body</b>	ReplaceTags: Bigger / Larger, Penis / Member	ReplaceTags: Bigger / Larger, Penis / Member	FRT_BIGGERMEM1	2.523 0.146 2.372 1.758
<b>body</b>	ReplaceTags: Diploma	ReplaceTags: Diploma	FRT_DIPLOMA	0.000 1.548 0.787 1.599
<b>body</b>	ReplaceTags: Discount	ReplaceTags: Discount	FRT_DISCOUNT	1
<b>body</b>	ReplaceTags: Dollar	ReplaceTags: Dollar	FRT_DOLLAR	1
<b>body</b>	ReplaceTags: Establish (2)	ReplaceTags: Establish (2)	FRT_ESTABLISH2	1
<b>body</b>	ReplaceTags: Fuck (2)	ReplaceTags: Fuck (2)	FRT_FUCK2	1
<b>body</b>	ReplaceTags: Guarantee (1)	ReplaceTags: Guarantee (1)	FRT_GUARANTEE1	1
<b>body</b>	ReplaceTags: Investor	ReplaceTags: Investor	FRT_INVESTOR	1
<b>body</b>	ReplaceTags: Levitra	ReplaceTags: Levitra	FRT_LEVITRA	1
<b>body</b>	ReplaceTags: Meeting	ReplaceTags: Meeting	FRT_MEETING	1
<b>body</b>	ReplaceTags: Offer (2)	ReplaceTags: Offer (2)	FRT_OFFER2	1.681 1.109 2.048 0.926
<b>body</b>	ReplaceTags: Oppertun (2)	ReplaceTags: Oppertun (2)	FRT_OPPORTUN2	1
<b>body</b>	ReplaceTags: Penis	ReplaceTags: Penis	FRT_PENIS1	2.299 2.293 1.029 0.731
<b>body</b>	ReplaceTags: Pharmac	ReplaceTags: Pharmac	FRT_PHARMAC	1
<b>body</b>	ReplaceTags: Price	ReplaceTags: Price	FRT_PRICE	0.001
<b>body</b>	ReplaceTags: Refinance (1)	ReplaceTags: Refinance (1)	FRT_REFINANCE1	1
<b>body</b>	ReplaceTags: Rolex	ReplaceTags: Rolex	FRT_ROLEX	2.699 2.183 1.440 2.699
<b>body</b>	ReplaceTags: Sexual	ReplaceTags: Sexual	FRT_SEXUAL	1
<b>body</b>	ReplaceTags: Soma	ReplaceTags: Soma	FRT_SOMA	0.000 3.280 2.099 2.871
<b>body</b>	ReplaceTags: Soma (2)	ReplaceTags: Soma (2)	FRT_SOMA2	0.001 0.001 0.001 0.001
<b>body</b>	ReplaceTags: Strong (1)	ReplaceTags: Strong (1)	FRT_STRONG1	1
<b>body</b>	ReplaceTags: Strong (2)	ReplaceTags: Strong (2)	FRT_STRONG2	1
<b>body</b>	ReplaceTags: Symbol	ReplaceTags: Symbol	FRT_SYMBOL	1
<b>body</b>	ReplaceTags: Today (2)	ReplaceTags: Today (2)	FRT_TODAY2	0.480 0.693 1.988 0.905
<b>body</b>	ReplaceTags: Valium	ReplaceTags: Valium	FRT_VALIUM1	1
<b>body</b>	ReplaceTags: Valium (2)	ReplaceTags: Valium (2)	FRT_VALIUM2	1
<b>body</b>	ReplaceTags: Weight (2)	ReplaceTags: Weight (2)	FRT_WEIGHT2	1
<b>body</b>	ReplaceTags: Xanax (1)	ReplaceTags: Xanax (1)	FRT_XANAX1	1
<b>body</b>	ReplaceTags: Xanax (2)	ReplaceTags: Xanax (2)	FRT_XANAX2	1
<b>rawbody</b>	Looks like 3 <e> small tags.	Looks like 3 <e> small tags.	FR_3TAG_3TAG	1

Feuille1

<b>rawbody</b>	Almost looks like viagra.	Almost looks like viagra.	FR_ALMOST_VIAG2	2.299 1.594 2.299 1.531
<b>rawbody</b>	Phrase class=cantseetext	Phrase class=cantseetext	FR_CANTSEETEXT	1
<b>rawbody</b>	Sign often seen in spams	Sign often seen in spams	FR_MIDER	1
<b>rawbody</b>	HTML Title is only numbers	HTML Title is only numbers	FR_TITLE_NUMS	2.899 2.695 2.899 2.899
<b>header</b>	X-Spam-Relays-External =~ /gmail-smtp-in\\.\\.google\\.com/	X-Spam-Relays-External =~ /gmail-smtp-in\\.\\.google\\.com/	FSL_FAKE_GMAIL_RCVD	3.099 2.974 1.002 2.104
<b>header</b>	X-Spam-Relays-External =~ /mx[1234]\\.hotmail\\.com/	X-Spam-Relays-External =~ /mx[1234]\\.hotmail\\.com/	FSL_FAKE_HOTMAIL_RVCD	2.631 1.816 2.011 2.365
<b>uri</b>	/\\geocities\\.com\\S+(dollar) /	/\\geocities\\.com\\S+(dollar) /	FSL_GEO_ABUSE	2.699 2.699 2.313 2.167
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=\\d+\\.\\d+\\.\\d+\\.\\d+ /i	X-Spam-Relays-External =~ /^[^]]+ helo=\\d+\\.\\d+\\.\\d+\\.\\d+ /i	FSL_HELO_BARE_IP_1	2.598 1.426 3.099 2.347
<b>header</b>	X-Spam-Relays-External =~ \\bhelo=(?:?(?:ds)?device speedtouch)\\.lan\\b/i	X-Spam-Relays-External =~ \\bhelo=(?:?(?:ds)?device speedtouch)\\.lan\\b/i	FSL_HELO_DEVICE	1.682 0.001 0.884 0.806
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=[a-zA-Z0-9- _]+ /i	X-Spam-Relays-External =~ /^[^]]+ helo=[a-zA-Z0-9- _]+ /i	FSL_HELO_NON_FQDN_1	2.361 0.001 1.783 0.001
<b>header</b>	X-Spam-Relays-External =~ \\bhelo=\\S+\\.setup\\b/i	X-Spam-Relays-External =~ \\bhelo=\\S+\\.setup\\b/i	FSL_HELO_SETUP	1
<b>uri</b>	/\\S+\\.?(?:w e f fm)\\.interia\\.pl/	/\\S+\\.?(?:w e f fm)\\.interia\\.pl/	FSL_INTERIA_ABUSE	3.899 2.664 3.080 3.106
<b>uri</b>	/cid\\-\\S+\\.spaces\\.live\\.com/	/cid\\-\\S+\\.spaces\\.live\\.com/	FSL_LSPACES_ABUSE	1
<b>uri</b>	/\\groups\\.yahoo\\.com\\Vgroup\\S+\\Vmessage\\V1(dollar) /	/\\groups\\.yahoo\\.com\\Vgroup\\S+\\Vmessage\\V1(dollar) /	FSL_YG_ABUSE	31/03/99
<b>header</b>	Subject has "a bigger"	Subject has "a bigger"	FS_ABIGGER	1.693 1.354 2.477 1.112
<b>header</b>	Subject says approve you	Subject says approve you	FS_APPROVE_YOU	2.499 1.272 1.942 1.873
<b>header</b>	Subject says "At No Cost"	Subject says "At No Cost"	FS_AT_NO_COST	31/01/99
<b>header</b>	Phrase: Cheap in Caps in Subject.	Phrase: Cheap in Caps in Subject.	FS_CHEAP_CAP	1
<b>header</b>	Subject talks about money bonus!	Subject talks about money bonus!	FS_DOLLAR_BONUS	1
<b>header</b>	Phrase: ejaculation in subject.	Phrase: ejaculation in subject.	FS_EJACULA	1
<b>header</b>	Phrase: erection in subject.	Phrase: erection in subject.	FS_ERECTION	1
<b>header</b>	Phrase: Huge Cock	Phrase: Huge Cock	FS_HUGECK	1
<b>header</b>	Larger than 100% in subj.	Larger than 100% in subj.	FS_LARGE_PERCENT2	2.645 2.699 0.001 1.960
<b>header</b>	Subject says low rates	Subject says low rates	FS_LOW_RATES	1
<b>header</b>	Subj starts with New software uploaded	Subj starts with New software uploaded	FS_NEW_SOFT_UPLOAD	1
<b>header</b>	Subject looks like Pharmacy spams.	Subject looks like Pharmacy spams.	FS_NEW_XXX	1
<b>header</b>	Subject almost says No prescription	Subject almost says No prescription	FS_NO_SCRIP	1
<b>header</b>	Subject says Nude	Subject says Nude	FS_NUDE	2.399 1.653 1.288 1.101
<b>header</b>	what could this word be?	what could this word be?	FS_OBFU_PRMCY	2.400 0.384 0.204 1.248
<b>header</b>	Subject mis-spelled prescription	Subject mis-spelled prescription	FS_PERSCRIPTION	1
<b>header</b>	Looks like Phramacy subject.	Looks like Phramacy subject.	FS_PHARMASUB2	2.980 1.345 2.956 0.549
<b>header</b>	Subject says Ramrod	Subject says Ramrod	FS_RAMROD	1
<b>header</b>	Subject says "replica"	Subject says "replica"	FS_REPLICA	1.630 3.599 2.028 3.599
<b>header</b>	Subject says Replica watch	Subject says Replica watch	FS_REPLICAWATCH	3.237 1.715 1.733 3.015
<b>header</b>	Phrase: re approved	Phrase: re approved	FS_RE_APPROV	1
<b>header</b>	Subject starts with Do you dream,have,want,love, etc.	Subject starts with Do you dream,have,want,love, etc.	FS_START_DOYOU2	2.799 2.799 2.799 2.800

Feuille1

<b>header</b>	Subject starts with Lose	Subject starts with Lose	FS_START_LOSE	0.249 0.176 1.424 1.809
<b>header</b>	Subject says something bad about teens	Subject says something bad about teens	FS_TEEN_BAD	1
<b>header</b>	Phrase: subject = tip ddd	Phrase: subject = tip ddd	FS_TIP_DDD	1
<b>header</b>	Subject says Weight Loss	Subject says Weight Loss	FS_WEIGHT_LOSS	1.894 1.541 2.501 2.036
<b>header</b>	Subject says will help	Subject says will help	FS_WILL_HELP	2.599 0.893 2.484 0.734
<b>header</b>	Subject says With ... small	Subject says With ... small	FS_WITH_SMALL	1
<b>body</b>	/<inter W3><post P2>\b(?!meridia)<M><E><R><I><D><I><A>\b/i	/<inter W3><post P2>\b(?!meridia)<M><E><R><I><D><I><A>\b/i	FUZZY_MERIDIA	1
<b>uri</b>	Sub-dir seen often in spam (2).	Sub-dir seen often in spam (2).	FU_COMMON_SUBS2	2.801 2.650 2.823 0.292
<b>uri</b>	Ends with clk/d+.d+.d+	Ends with clk/d+.d+.d+	FU_ENDS_NUMS_DOTS_CLK	1
<b>uri</b>	ET Phone Home?	ET Phone Home?	FU_END_ET	1
<b>uri</b>	URL has hoodia in it.	URL has hoodia in it.	FU_HOODIA	1
<b>uri</b>	URL has a long file name with .aspx extension.	URL has a long file name with .aspx extension.	FU_LONG_QUERY3	1
<b>uri</b>	URL has /gal/	URL has /gal/	FU_MIDER	1
<b>uri</b>	URL with [a-z]{2}.geocities.com	URL with [a-z]{2}.geocities.com	FU_UKGEOCITIES	1
<b>uri</b>	URI style tracker (T)	URI style tracker (T)	FU_URI_TRACKER_T	1
<b>uri</b>	/^http:\w(?:\w{2,4}\.)*geocities\.com(?:\d*)?V.+?V/i	/^http:\w(?:\w{2,4}\.)*geocities\.com(?:\d*)?V.+?V/i	GEO_QUERY_STRING	1
<b>header</b>	Misspaced headers	Misspaced headers	HDRS_MISSP	1
<b>header</b>	Multiple Subject headers found	Multiple Subject headers found	HEADER_COUNT_SUBJECT	1
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=friend /i	X-Spam-Relays-External =~ /^[^]]+ helo=friend /i	HELO_FRIEND	1
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=IS+\.(?:home lan) /i	X-Spam-Relays-External =~ /^[^]]+ helo=IS+\.(?:home lan) /i	HELO_LH_HOME	0.001 2.023 0.537 1.736
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=localhost\.localdomain /i	X-Spam-Relays-External =~ /^[^]]+ helo=localhost\.localdomain /i	HELO_LH_LD	1
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=localhost /i	X-Spam-Relays-External =~ /^[^]]+ helo=localhost /i	HELO_LOCALHOST	2.639 3.603 2.915 3.828
<b>header</b>	X-Spam-Relays-External =~ /^[^]]+ helo=(?:pc  oem\S*) /i	X-Spam-Relays-External =~ /^[^]]+ helo=(?:pc  oem\S*) /i	HELO_OEM	2.899 2.899 1.234 0.270
<b>header</b>	From name contains drugs	From name contains drugs	HK_NAME_DRUGS	4.299 0.001 3.077 0.552
<b>header</b>	From name mentions free stuff	From name mentions free stuff	HK_NAME_FREE	1
<b>header</b>	Envelope sender username looks random	Envelope sender username looks random	HK_RANDOM_ENVFROM	2.638 0.626 1.798 0.001
<b>body</b>	/\bnext of kin\b/i	/\bnext of kin\b/i	HK_SCAM_N2	1
<b>header</b>	Bobax? Message-Id: <01X000EJXVWDA000@example.com>	Bobax? Message-Id: <01X000EJXVWDA000@example.com>	HS_BOBAX_MID_2	2.762 2.612 1.243 1.437
<b>body</b>	Somebody has uploaded some new software for you	Somebody has uploaded some new software for you	HS_BODY_UPLOADED_SOFTWARE	1
<b>body</b>	Contains a drug and price-like pattern.	Contains a drug and price-like pattern.	HS_DRUG_DOLLAR_1	0.001
<b>body</b>	Contains a drug and price-like pattern.	Contains a drug and price-like pattern.	HS_DRUG_DOLLAR_2	0.001
<b>body</b>	Contains a drug and price-like pattern.	Contains a drug and price-like pattern.	HS_DRUG_DOLLAR_3	0.001
<b>uri</b>	Links to common unsubscribe script: 'getmeoff.php'	Links to common unsubscribe script: 'getmeoff.php'	HS_GETMEOFF	1
<b>uri</b>	Link contains a common tracker pattern.	Link contains a common tracker pattern.	HS_INDEX_PARAM	1.105 0.023 1.203 0.574
<b>body</b>	Talks about meeting up for sex.	Talks about meeting up for sex.	HS_MEETUP_FOR_SEX	1
<b>header</b>	Subject starts with 'New software uploaded by'	Subject starts with 'New software uploaded by'	HS_SUBJ_NEW_SOFTWARE	1

Feuille1

<b>header</b>	Subject contains the phrase 'Online pharmaceutical'	Subject contains the phrase 'Online pharmaceutical'	HS_SUBJ_ONLINE_PHARMACEUTICAL	1
<b>body</b>	Contains VPXL, yet the recommended dose is only 2 tablets.	Contains VPXL, yet the recommended dose is only 2 tablets.	HS_VPXL	3.211 1.399 2.696 1.948
<b>body</b>	eval:check_https_http_mismatch('1','10')	eval:check_https_http_mismatch('1','10')	HTTPS_HTTP_MISMATCH	0.557 0.000 1.778 1.989
<b>uri</b>	/(?:\& \?)btnl=ec(?:(\$) \&)/	/(?:\& \?)btnl=ec(?:(\$) \&)/	JM_I_FEEL_LUCKY	1
<b>header</b>	Received =~ /by \S+ \Qmailv1\ with ESMTMP/	Received =~ /by \S+ \Qmailv1\ with ESMTMP/	JM_RCVD_QMAILV1	1
<b>header</b>	Date:raw =~ /^w/	Date:raw =~ /^w/	KB_DATE_CONTAINS_TAB	3.800 3.799 3.799 2.751
<b>header</b>	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) [0-9a-f]{8}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1/msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) [0-9a-f]{8}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1/msi	KB_RATWARE_OUTLOOK_08	1
<b>header</b>	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{4}) [0-9a-f]{4}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2/msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{4}) [0-9a-f]{4}\(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2/msi	KB_RATWARE_OUTLOOK_12	1
<b>header</b>	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2/msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) .{100,400}boundary="-----_NextPart_000_..._1\1\2/msi	KB_RATWARE_OUTLOOK_16	1
<b>header</b>	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) [0-9a-f]{8}@.{100,400}boundary="-----_NextPart_000_..._1\1\2/msi	ALL =~ /^Message-Id: <...([0-9a-f]{8})(dollar) ([0-9a-f]{8})(dollar) [0-9a-f]{8}@.{100,400}boundary="-----_NextPart_000_..._1\1\2/msi	KB_RATWARE_OUTLOOK_MID	4.400 4.400 2.503 1.499
<b>uri</b>	m~livefilestore.com/~	m~livefilestore.com/~	LIVEFILESTORE	3.300 2.570 3.183 0.771
<b>body</b>	/long\W+term\W+(target  projected)(\W+price)?/i	/long\W+term\W+(target  projected)(\W+price)?/i	LONG_TERM_PRICE	0.001
<b>body</b>	A loop hole in the banking laws?	A loop hole in the banking laws?	LOOPHOLE_1	1
<b>body</b>	Claims Agent	Claims Agent	LOTTO_AGENT	1
<b>header</b>	Date =~ \s+[+~]d(?:[2358]45)d[124-9]d(dollar) /	Date =~ \s+[+~]d(?:[2358]45)d[124-9]d(dollar) /	L_SPAM_TOOL_13	0.539 0.485 0.494 1.333
<b>header</b>	Message-ID =~ /^<d{14}\.[A-F0-9]{10}\@[A-Z0-9]+>(dollar) /	Message-ID =~ /^<d{14}\.[A-F0-9]{10}\@[A-Z0-9]+>(dollar) /	MID_DEGREES	1
<b>header</b>	Content-Type =~ /boundary="====_id+=.REL"/s	Content-Type =~ /boundary="====_id+=.REL"/s	MIME_BOUND_EQ_REL	1
<b>full</b>	Message has NUL (ASCII 0) byte in message	Message has NUL (ASCII 0) byte in message	NULL_IN_BODY	0.511 0.498 2.056 1.596
<b>header</b>	Received =~ \bid\s+[a-zA-Z0-9_+!@#%&'()*~]?(?:\["#\(\dollar) \&'()*~<=>?@\[\^{}~] ;\S)/	Received =~ \bid\s+[a-zA-Z0-9_+!@#%&'()*~]?(?:\["#\(\dollar) \&'()*~<=>?@\[\^{}~] ;\S)/	RCVD_BAD_ID	1
<b>header</b>	Forged 'Received' header found ('wrote:' spam)	Forged 'Received' header found ('wrote:' spam)	RCVD_FORGED_WROTE	1
<b>header</b>	Received =~ /from [0-9.] + \HELO \S+[A-Za-z+] by (\S+) with esmtpl (\S+@(\S+) id \S{6}-\S{6}-\S\S for \S+@1:/s	Received =~ /from [0-9.] + \HELO \S+[A-Za-z+] by (\S+) with esmtpl (\S+@(\S+) id \S{6}-\S{6}-\S\S for \S+@1:/s	RCVD_FORGED_WROTE2	1
<b>header</b>	eval:check_rbl('brbl-lastexternal','bb.barracudacentral.org')	eval:check_rbl('brbl-lastexternal','bb.barracudacentral.org')	RCVD_IN_BRBL_LASTTEXT	0 1.644 0 1.449
<b>header</b>	Received via a relay in Spamhaus CSS	Received via a relay in Spamhaus CSS	RCVD_IN_CSS	0 1.0 0 1.0
<b>header</b>	Sender listed at http://www.dnswl.org/, high trust	Sender listed at http://www.dnswl.org/, high trust	RCVD_IN_DNSWL_HI	0 -5 0 -5
<b>header</b>	Sender listed at http://www.dnswl.org/, low trust	Sender listed at http://www.dnswl.org/, low trust	RCVD_IN_DNSWL_LOW	0 -0.7 0 -0.7
<b>header</b>	Sender listed at http://www.dnswl.org/, medium trust	Sender listed at http://www.dnswl.org/, medium trust	RCVD_IN_DNSWL_MED	0 -2.3 0 -2.3
<b>header</b>	Sender listed at http://www.dnswl.org/, low trust	Sender listed at http://www.dnswl.org/, low trust	RCVD_IN_DNSWL_NONE	0 -0.0001 0 -0.0001
<b>header</b>	IADB: Sender publishes Domain Keys record	IADB: Sender publishes Domain Keys record	RCVD_IN_IADB_DK	0 -0.223 0 -0.095
<b>header</b>	IADB: All mailing list mail is confirmed opt-in	IADB: All mailing list mail is confirmed opt-in	RCVD_IN_IADB_DOPTIN	0 -4 0 -4
<b>header</b>	IADB: Confirmed opt-in used more than 50% of the time	IADB: Confirmed opt-in used more than 50% of the time	RCVD_IN_IADB_DOPTIN_GT50	1

Feuille1

<b>header</b>	IADB: Confirmed opt-in used less than 50% of the time	IADB: Confirmed opt-in used less than 50% of the time	RCVD_IN_IADB_DOPTIN_LT50	0 -0.001 0 -0.001
<b>header</b>	IADB: Participates in Email Deliverability Database	IADB: Participates in Email Deliverability Database	RCVD_IN_IADB_EDDB	1
<b>header</b>	IADB: Member of Email Processing Industry Alliance	IADB: Member of Email Processing Industry Alliance	RCVD_IN_IADB_EPIA	1
<b>header</b>	IADB: Sender has been certified by GoodMail	IADB: Sender has been certified by GoodMail	RCVD_IN_IADB_GOODMAIL	1
<b>header</b>	Participates in the IADB system	Participates in the IADB system	RCVD_IN_IADB_LISTED	0 -0.380 0 -0.001
<b>header</b>	IADB: Adds relationship addrs w/out opt-in	IADB: Adds relationship addrs w/out opt-in	RCVD_IN_IADB_LOOSE	1
<b>header</b>	IADB: Complies with Michigan's CPEAR law	IADB: Complies with Michigan's CPEAR law	RCVD_IN_IADB_MI_CPEAR	1
<b>header</b>	IADB: Checked lists against Michigan's CPR within 30 days	IADB: Checked lists against Michigan's CPR within 30 days	RCVD_IN_IADB_MI_CPR_30	1
<b>header</b>	IADB: Sends no material under Michigan's CPR	IADB: Sends no material under Michigan's CPR	RCVD_IN_IADB_MI_CPR_MAT	0 -0.332 0 -0.000
<b>header</b>	IADB: Mailing list email only, confirmed opt-in	IADB: Mailing list email only, confirmed opt-in	RCVD_IN_IADB_ML_DOPTIN	0 -6 0 -6
<b>header</b>	IADB: Has absolutely no mailing controls in place	IADB: Has absolutely no mailing controls in place	RCVD_IN_IADB_NOCONTROL	1
<b>header</b>	IADB: One-to-one/transactional email only	IADB: One-to-one/transactional email only	RCVD_IN_IADB_OOO	1
<b>header</b>	IADB: All mailing list mail is opt-in	IADB: All mailing list mail is opt-in	RCVD_IN_IADB_OPTIN	0 -2.057 0 -1.470
<b>header</b>	IADB: Opt-in used more than 50% of the time	IADB: Opt-in used more than 50% of the time	RCVD_IN_IADB_OPTIN_GT50	0 -1.208 0 -0.007
<b>header</b>	IADB: Opt-in used less than 50% of the time	IADB: Opt-in used less than 50% of the time	RCVD_IN_IADB_OPTIN_LT50	1
<b>header</b>	IADB: Scrapes addresses, pure opt-out only	IADB: Scrapes addresses, pure opt-out only	RCVD_IN_IADB_OPTOUTONLY	1
<b>header</b>	IADB: Sender has reverse DNS record	IADB: Sender has reverse DNS record	RCVD_IN_IADB_RDNS	0 -0.167 0 -0.235
<b>header</b>	IADB: Sender publishes Sender ID record	IADB: Sender publishes Sender ID record	RCVD_IN_IADB_SENDERID	0 -0.001 0 -0.001
<b>header</b>	IADB: Sender publishes SPF record	IADB: Sender publishes SPF record	RCVD_IN_IADB_SPF	0 -0.001 0 -0.059
<b>header</b>	IADB: Accepts unverified sign-ups	IADB: Accepts unverified sign-ups	RCVD_IN_IADB_UNVERIFIED_1	1
<b>header</b>	IADB: Accepts unverified sign-ups, gives chance to opt out	IADB: Accepts unverified sign-ups, gives chance to opt out	RCVD_IN_IADB_UNVERIFIED_2	1
<b>header</b>	IADB: Complies with Utah's CPEAR law	IADB: Complies with Utah's CPEAR law	RCVD_IN_IADB_UT_CPEAR	1
<b>header</b>	IADB: Checked lists against Utah's CPR within 30 days	IADB: Checked lists against Utah's CPR within 30 days	RCVD_IN_IADB_UT_CPR_30	1
<b>header</b>	IADB: Sends no material under Utah's CPR	IADB: Sends no material under Utah's CPR	RCVD_IN_IADB_UT_CPR_MAT	0 -0.095 0 -0.001
<b>header</b>	Received via a relay in PSBL	Received via a relay in PSBL	RCVD_IN_PSBL	0 2.700 0 2.700
<b>header</b>	Sender is in Return Path Certified (trusted relay)	Sender is in Return Path Certified (trusted relay)	RCVD_IN_RP_CERTIFIED	0.0 -3.0 0.0 -3.0
<b>header</b>	Relay in RNBL, <a href="https://senderscore.org/blacklistlookup/">https://senderscore.org/blacklistlookup/</a>	Relay in RNBL, <a href="https://senderscore.org/blacklistlookup/">https://senderscore.org/blacklistlookup/</a>	RCVD_IN_RP_RNBL	0 1.284 0 1.310
<b>header</b>	Sender is in Return Path Safe (trusted relay)	Sender is in Return Path Safe (trusted relay)	RCVD_IN_RP_SAFE	0.0 -2.0 0.0 -2.0
<b>header</b>	Forged Received header (contains post.com or mail.com)	Forged Received header (contains post.com or mail.com)	RCVD_MAIL_COM	1
<b>header</b>	Sender's public rDNS is "localhost"	Sender's public rDNS is "localhost"	RDNS_LOCALHOST	3.700 0.969 2.345 0.001
<b>body</b>	Email.Spam.Gen3177.Saneseecurity.08051611	Email.Spam.Gen3177.Saneseecurity.08051611	SANE_04e8bf28eb445199a7f11b943c44d209	1.712 3.185 2.654 1.337
<b>body</b>	Email.Spam.Gen3234.Saneseecurity.08052309	Email.Spam.Gen3234.Saneseecurity.08052309	SANE_1c4f3286fa4aed6424ced88bfaf8b09c	3.199 2.040 3.199 1.502
<b>body</b>	Email.Spam.Saneseecurity.Url_2496	Email.Spam.Saneseecurity.Url_2496	SANE_2b173a7fb7518c75ac8a2d294d773fd8	2.976 1.117 1.951 0.942
<b>body</b>	Email.Spam.Gen158.Saneseecurity.07012700	Email.Spam.Gen158.Saneseecurity.07012700	SANE_3b92eda751c992f230f215fb7eb36844	0.001 0.626 0.585 3.040

Feuille1

<b>body</b>	Email.Spam.Gen1941.Saneseconomy.07112519	Email.Spam.Gen1941.Saneseconomy.07112519	SANE_4ef8302546bf270a19baf98508afacc4	2.231 3.464 2.266 3.543
<b>body</b>	Email.Spam.Gen2507.Saneseconomy.08021303	Email.Spam.Gen2507.Saneseconomy.08021303	SANE_7429530a7398f43f1f1b795f9420714e	3.999 1.655 2.776 1.479
<b>body</b>	Email.Malware.Saneseconomy.07011300	Email.Malware.Saneseconomy.07011300	SANE_91eb43f705d25c804374a746d7519660	3.099 2.803 2.746 1.572
<b>body</b>	Email.Spam.Saneseconomy.Url_2499	Email.Spam.Saneseconomy.Url_2499	SANE_d0d2b0f6373bf91253d66dd74c594b87	3.799 2.040 2.710 1.494
<b>body</b>	/short\W+term\W+(target  projected)\(W+price)?/i	/short\W+term\W+(target  projected)\(W+price)?/i	SHORT_TERM_PRICE	0.001
<b>header</b>	Content-Type =~ /text/plain; .* reply-type=original/	Content-Type =~ /text/plain; .* reply-type=original/	STOX_REPLY_TYPE	1.898 0.212 0.141 0.439
<b>header</b>	From starts with a tab	From starts with a tab	TAB_IN_FROM	1
<b>header</b>	X-Mailer =~ /^The Bat! .{0,20} UNREG(dollar) /	X-Mailer =~ /^The Bat! .{0,20} UNREG(dollar) /	THEBAT_UNREG	2.599 1.843 2.324 1.524
<b>header</b>	Scora: Message-Id ends after left-bracket + digits	Scora: Message-Id ends after left-bracket + digits	TT_MSGID_TRUNC	0.748 0.023 1.434 1.448
<b>body</b>	/\bact of (? :193  nineteen thirty)/i	/\bact of (? :193  nineteen thirty)/i	TVD_ACT_193	1
<b>body</b>	/you.{1,2}re .{0,20}approved/i	/you.{1,2}re .{0,20}approved/i	TVD_APPROVED	2.356 2.599 2.599 2.090
<b>body</b>	/^dear homeowner/i	/^dear homeowner/i	TVD_DEAR_HOMEOWNER	1
<b>header</b>	EnvelopeFrom =~ \/\	EnvelopeFrom =~ \/\	TVD_ENVFROM_APOST	1
<b>header</b>	Content-Type =~ /text/plain(?:; (?:format=flowed  charset="Windows-1252"  reply-type=original)){3}/i	Content-Type =~ /text/plain(?:; (?:format=flowed  charset="Windows-1252"  reply-type=original)){3}/i	TVD_FINGER_02	0.001 1.544 1.394 1.215
<b>rawbody</b>	/\bstyle\s*=\s*"["']*\bfloat\s*:\s*[a-z]+\s*">\s*[a-zA-Z]+\s*</i	/\bstyle\s*=\s*"["']*\bfloat\s*:\s*[a-z]+\s*">\s*[a-zA-Z]+\s*</i	TVD_FLOAT_GENERAL	1
<b>body</b>	/<inter W1><post P1>\b(?:degree)<D><E><G><R><E><E>\b/i	/<inter W1><post P1>\b(?:degree)<D><E><G><R><E><E>\b/i	TVD_FUZZY_DEGREE	1
<b>body</b>	/(?:!finance)<F><I><N><A><N><C><E>/i	/(?:!finance)<F><I><N><A><N><C><E>/i	TVD_FUZZY_FINANCE	1
<b>body</b>	/<inter W2><post P2>(?!fixed rate)<F><I><X><E><D>\s*<R><A><T><E>/i	/<inter W2><post P2>(?!fixed rate)<F><I><X><E><D>\s*<R><A><T><E>/i	TVD_FUZZY_FIXED_RATE	1
<b>body</b>	/<inter W2><post P2>(?!microcap)(?!microcap)<M><I><C><R><O>?<C><A><P>/i	/<inter W2><post P2>(?!microcap)(?!microcap)<M><I><C><R><O>?<C><A><P>/i	TVD_FUZZY_MICROCAP	1
<b>body</b>	/<inter W2><post P2>(?!pharmaceutical)<P><H><A><R><M><A><C><E><U><T><I><C><A><L>/i	/<inter W2><post P2>(?!pharmaceutical)<P><H><A><R><M><A><C><E><U><T><I><C><A><L>/i	TVD_FUZZY_PHARMACEUTICAL	1
<b>body</b>	/<inter W2><post P2>(?!symbol)<S><Y><M><B><O><L>/i	/<inter W2><post P2>(?!symbol)<S><Y><M><B><O><L>/i	TVD_FUZZY_SYMBOL	1
<b>body</b>	/\bsize of .{1,20}(?:.penis  dick  manhood)/i	/\bsize of .{1,20}(?:.penis  dick  manhood)/i	TVD_INCREASE_SIZE	1.529 0.601 1.055 0.001
<b>body</b>	/\blink to save\b/i	/\blink to save\b/i	TVD_LINK_SAVE	1
<b>header</b>	Subject =~ /(?:.Jan  Feb  Mar  Apr  May  Jun  Jul  Aug  Sep  Oct  Nov  Dec)\S* \d+% OFF/	Subject =~ /(?:.Jan  Feb  Mar  Apr  May  Jun  Jul  Aug  Sep  Oct  Nov  Dec)\S* \d+% OFF/	TVD_PCT_OFF	1
<b>body</b>	/\baccounts? (? :[a-z_-]+ )+?(?:.record[a-z]*] suspen[a-z]+  notif(?:.y  ication)) updated  verifications?  credited)\b/i	/\baccounts? (? :[a-z_-]+ )+?(?:.record[a-z]*] suspen[a-z]+  notif(?:.y  ication)) updated  verifications?  credited)\b/i	TVD_PH_BODY_ACCOUNTS_P E	1.201 1.527 1.327 2.393
<b>body</b>	Message has a phrase standard for phishing mails	Message has a phrase standard for phishing mails	TVD_PH_REC	3.127 2.026 3.266 1.784
<b>body</b>	Message has a phrase standard for phishing mails	Message has a phrase standard for phishing mails	TVD_PH_SEC	0.291 1.498 0.869 1.764
<b>header</b>	Subject =~ /\b(?:.re-)??activat[a-z]*] secure  verify  restore  flagged  limited  unusual  update  report  notif(?:.y  ication)) suspen(?:.d  ded  sion)  co(?:.n  m)firm[a-z]*] (? :[a-z_-]+ )+?*accounts?\b/i	Subject =~ /\b(?:.re-)??activat[a-z]*] secure  verify  restore  flagged  limited  unusual  update  report  notif(?:.y  ication)) suspen(?:.d  ded  sion)  co(?:.n  m)firm[a-z]*] (? :[a-z_-]+ )+?*accounts?\b/i	TVD_PH_SUBJ_ACCOUNTS_POS T	2.602 2.607 2.497 3.099
<b>header</b>	Subject =~ /\bsecurity (? :[a-z_-]+ )+?*measures?\b/i	Subject =~ /\bsecurity (? :[a-z_-]+ )+?*measures?\b/i	TVD_PH_SUBJ_SEC_MEASURES	2.284 1.522 1.675 1.145

